

# Hortonworks Data Platform

## Apache Ambari Release Notes

(August 30, 2016)

## Hortonworks Data Platform: Apache Ambari Release Notes

Copyright © 2012-2016 Hortonworks, Inc. All rights reserved.

The Hortonworks Data Platform, powered by Apache Hadoop, is a massively scalable and 100% open source platform for storing, processing and analyzing large volumes of data. It is designed to deal with data from many sources and formats in a very quick, easy and cost-effective manner. The Hortonworks Data Platform consists of the essential set of Apache Hadoop projects including MapReduce, Hadoop Distributed File System (HDFS), HCatalog, Pig, Hive, HBase, Zookeeper and Ambari. Hortonworks is the major contributor of code and patches to many of these projects. These projects have been integrated and tested as part of the Hortonworks Data Platform release process and installation and configuration tools have also been included.

Unlike other providers of platforms built using Apache Hadoop, Hortonworks contributes 100% of our code back to the Apache Software Foundation. The Hortonworks Data Platform is Apache-licensed and completely open source. We sell only expert technical support, [training](#) and partner-enablement services. All of our technology is, and will remain free and open source. Please visit the [Hortonworks Data Platform](#) page for more information on Hortonworks technology. For more information on Hortonworks services, please visit either the [Support](#) or [Training](#) page. Feel free to [Contact Us](#) directly to discuss your specific needs.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# Table of Contents

1. Release Notes Ambari - 2.4 .....	1
1. New Features .....	1
2. Behavioral Changes .....	2
3. Patch Information .....	3
4. Common Vulnerabilities and Exposures .....	3
5. Known Issues .....	3
6. Fixed Issues .....	8

## List of Tables

1.1. Core Ambari .....	1
1.2. HDP Stack .....	2
1.3. Ambari 2.4 Behavioral Changes .....	2
1.4. Apache Ambari 2.4.0.1 Patch .....	3
1.5. Apache Ambari 2.4 Patches .....	3
1.6. Ambari 2.4 Known Issues .....	4

# 1. Release Notes Ambari - 2.4

## RELEASE NOTES: Apache Ambari 2.4

The Ambari 2.4 Release Notes summarize and describe the following information released in Ambari 2.4:

- [New Features](#)
- [Behavioral Changes](#)
- [Patch Information](#)
- [Common Vulnerabilities and Exposures](#)
- [Known Issues](#)
- [Fixed Issues](#)

## 1. New Features

The Ambari 2.4 release includes the following new features and improvements:

**Table 1.1. Core Ambari**

Feature	Description
Improved Host Filtering Control <a href="#">AMBARI-15210</a>	Ability to filter hosts using a new host filtering control. Refer to <a href="#">Filtering the Hosts List</a> for more information.
Customizing Alert Thresholds <a href="#">AMBARI-14898</a>	Ability to configure alert thresholds for SCRIPT alerts. Refer to <a href="#">Alert Types</a> for more information.
Setting Alert Check Counts <a href="#">AMBARI-15686</a>	Ability to set number of alert checks to perform before dispatching a notification. Refer to <a href="#">Alert Check Counts</a> for more information.
Role-based Access Control <a href="#">AMBARI-13977</a>	Ability to setup additional cluster operator roles. Refer to <a href="#">Managing Cluster Roles</a> for more information.
Remove Service <a href="#">AMBARI-14759</a>	Ability to remove a service. Refer to <a href="#">Removing a Service</a> for more information.
Version Definition File Support for Registration and Upgrade <a href="#">AMBARI-15724</a>	Ability to specify an HDP version (for install/upgrade) via a Version Definition File. Refer to <a href="#">Managing Versions</a> for more information.
Customizable Ambari Log and PID Directories <a href="#">AMBARI-15300</a>	Ability to customize the Ambari Server and Agent Log and PID directories. Refer to <a href="#">Customizing Ambari Log + PID Directories</a> for more information.
Automated Ambari Server Kerberos Setup <a href="#">AMBARI-15561</a>	If you enable Kerberos using the Automated Setup option, Ambari Server will also get the requisite principal and keytab automatically. Refer to the <a href="#">Ambari Security Guide</a> for more information.
Customizable Agent Registration SSH Port	When adding hosts to the cluster, and choosing Agent registration via SSH, you can now customize the SSH port to use.

Feature	Description
<a href="#">AMBARI-13450</a>	
Views Framework: View URLs <a href="#">AMBARI-15821</a>	Ability to create view instance short URLs. Refer to the <a href="#">Ambari Admin Guide</a> for more information.
Views Framework: View Refresh <a href="#">AMBARI-15682</a>	Ability to deploy new views without an Ambari Server restart.
Views Framework: Inherit Cluster Permissions <a href="#">AMBARI-16177</a>	If you configure a view instance to use a Local Cluster, you can optionally choose to inherit view USE permission based on the cluster roles. Refer to the <a href="#">Ambari Admin Guide</a> for more information.
Views Framework: Remote Cluster Configuration <a href="#">AMBARI-16274</a>	Ability to configure a view instance based on a Remote Cluster (that is Ambari-managed). Refer to the <a href="#">Ambari Admin Guide</a> for more information.
Log Search <a href="#">AMBARI-14827</a>	Ambari includes a new "Log Search" service that can be installed into your cluster. Refer to <a href="#">Ambari Log Search</a> for more information.  This feature is <b>Technical Preview</b> .
SLES 12 SP1 <a href="#">AMBARI-16007</a>	Added support for installing and running Ambari on  SUSE Linux Enterprise Server (SLES) v12 SP1

**Table 1.2. HDP Stack**

Feature	Description
HDP 2.5	Added support for installing and managing HDP 2.5.
New HDFS Alerts <a href="#">AMBARI-14800</a>	A new set of HDFS alerts has been added to the list of predefined alerts. Refer to <a href="#">HDFS Service Alerts</a> for more information.
HDP 2.5 > Spark2 Service	Engine for large scale data processing.  This feature is <b>Technical Preview</b> .
HDP 2.5 > Hive	HiveServer2 Interactive / LLAP.  This feature is <b>Technical Preview</b> .
SLES 12 SP1	Added support for installing and managing  SUSE Linux Enterprise Server (SLES) v12 SP1

## 2. Behavioral Changes

Ambari 2.4 introduces the following changes in behavior as compared to previous Ambari versions:

**Table 1.3. Ambari 2.4 Behavioral Changes**

Title	Description
Kerberos: Storm Headless Principal	The Ambari "headless" principal for Storm now includes \${cluster-name} by default. Be sure to check the Ambari Principal names (on the Configure Identities step) when enabling Kerberos. This is <b>very important</b> when upgrading from Ambari 2.0 to Ambari 2.4
HDP 2.2 Support Deprecated	Ambari support for HDP 2.2 is <b>deprecated</b> with Ambari 2.4. Support for HDP 2.2 <b>will be removed</b> in a future Ambari release.
HDP 2.3 Support Deprecated	Ambari support for HDP 2.3 is <b>deprecated</b> with Ambari 2.4. Support for HDP 2.3 <b>will be removed</b> in a future Ambari release.

Title	Description
Cluster Permission Changes	Cluster Roles have replaced Cluster Permissions. The <b>Operator</b> permission is now the <b>Cluster Administrator</b> role. The <b>Read-Only</b> permission is the <b>Cluster User</b> role. Refer to <a href="#">Managing Cluster Roles</a> for more information.
HDP 2.3.0 and 2.3.2 ATS Support	With newer maintenance releases of HDP 2.3 (2.3.4 or latest), the ATS component of YARN supports a new store configuration. Therefore, if attempting to install HDP 2.3.2 or earlier with Ambari, you will need to modify the store-class used by YARN ATS to work with the earlier LevelDB store. Refer to the <a href="#">Troubleshooting Guide</a> for more information.
Slider View Deprecated	The Slider View is deprecated. Support for the Slider View will be removed in a future Ambari release.
Removed column filters from Ambari Web Hosts page.	The Hosts page in Ambari Web no longer has column filters. This has been replaced with a new Host Filtering Control. Refer to <a href="#">Filtering the Hosts List</a> for more information. release.
HDP 2.5 Atlas Upgrade	If you plan to upgrade to HDP 2.5 and have Atlas installed in your HDP 2.3 or 2.4 cluster, Atlas must be removed prior to upgrading to HDP 2.5. Refer to the <a href="#">Ambari Upgrade Guide Prerequisites</a> for more information.
Oracle JDK 1.8 updated	If you choose the default Oracle JDK 1.8 option provided by Ambari, Oracle JDK 1.8.0_77 will be installed. In previous Ambari releases, JDK 1.8.0_60 was installed.

### 3. Patch Information

Ambari 2.4.0.1 is based on Apache Ambari 2.4.0.1 and the following patch.

**Table 1.4. Apache Ambari 2.4.0.1 Patch**

Apache Jira	Description
<a href="#">AMBARI-18275</a>	Ambari server upgrade script deletes all .pyc files

Ambari 2.4 is based on Apache Ambari 2.4.0 and the following patches.

**Table 1.5. Apache Ambari 2.4 Patches**

Apache Jira	Description
<a href="#">AMBARI-18268</a>	Compare versions does not work in some cases
<a href="#">AMBARI-18262</a>	When Enabling NameNode HA Via the UI Wizard, the Second NN Fails to Start
<a href="#">AMBARI-18258</a>	Update repo base urls for HDP-2.5 stack
<a href="#">AMBARI-18256</a>	Atlas on HDP 2.5 Has An Incorrect versionAdvertised Field
<a href="#">AMBARI-18249</a>	Set the default 1.8 JDK to 18.0_77 for Ambari

### 4. Common Vulnerabilities and Exposures

Ambari 2.4.0.1 includes no new fixes for information-security **Common Vulnerabilities and Exposures** (CVEs)

### 5. Known Issues

Ambari 2.4 has the following known issues, scheduled for resolution in a future release. Also, refer to the [Ambari Troubleshooting Guide](#) for additional information.

**Table 1.6. Ambari 2.4 Known Issues**

Apache Jira	HWX Jira	Problem	Solution
<a href="#">AMBARI-18296</a>	BUG- 65357	<p>Ambari Server start fails due to Database Consistency Check throwing NullPointerException:</p> <pre> 2016-08-31 21:52:28,082 INFO - ***** Check database started 2016-08-31 21:52:31,647 INFO - Checking for configs not mapped to any cluster 2016-08-31 21:52:31,653 INFO - Checking for configs selected more than once 2016-08-31 21:52:31,655 INFO - Checking for hosts without state 2016-08-31 21:52:31,657 INFO - Checking host component states count equals host component desired states count 2016-08-31 21:52:31,660 INFO - Checking services and their configs 2016-08-31 21:52:33,669 ERROR - Unexpected error, database check failed java.lang. NullPointerException at org.apache.ambari.server.checks. DatabaseConsistencyCheckHelper. checkServiceConfigs(DatabaseConsistencyCheckHelper. java:543) at org.apache.ambari.server. checks.DatabaseConsistencyChecker. main(DatabaseConsistencyChecker. java:115) </pre>	<p>To start Ambari and avoid this exception, you can start without performing the database consistency check.</p> <pre>ambari-server start --skip-database-check</pre> <p>See <a href="#">Start the Ambari Server</a> for more information about the consistency check.</p>
N/A	BUG-65306	On RHEL/CentOS/Oracle Linux 7.1+, the ambari-server stop command does not fully stop the Ambari Server process.	Use <code>ps aux</code> to identify the process id for the Ambari Server process, and kill the process using the <code>kill</code> command.
N/A	BUG-65248	When upgrading from Ambari 2.4.0.0 to 2.4.0.1, the ambari.properties file is overwritten.	When upgrading from Ambari 2.4.0.0 to 2.4.0.1, the ambari.properties file is overwritten. You <b>must</b> make a safe copy of the Ambari Server configuration file found at <code>/etc/ambari-server/conf/ambari.properties</code> .
N/A	BUG-65043	After upgrading a secure cluster from HDP-2.4.x to HDP-2.5.x, the Kafka service has incorrect security properties.	<p>After upgrading from HDP 2.4x to 2.5x (and after removing and then replacing Atlas, as recommended); manually update the user-defined Kerberos descriptor, as follows:</p> <ol style="list-style-type: none"> <li>Retrieve the user-defined Kerberos descriptor. <pre>curl -u admin:admin -o kerberos_descriptor.json -X GET http://localhost:8080/ api/v1/clusters/c1/artifacts/ kerberos_descriptor</pre> </li> <li>Remove the following block (or similar) from the top of the retrieved Kerberos descriptor.</li> </ol>



Apache Jira	HWX Jira	Problem	Solution
			<pre data-bbox="1146 226 1503 401">"href" : "http://localhost:8080/api/v1/clusters/c1/artifacts/kerberos_descriptor", "Artifacts" : {   "artifact_name" :     "kerberos_descriptor",   "cluster_name" : "c1" },</pre> <p data-bbox="1114 422 1511 527">3. Alter or remove the Atlas-related block from the retrieved Kerberos descriptor. For example, the block that contains:</p> <pre data-bbox="1146 541 1503 653">{ ... "name": "ATLAS" ... }</pre> <p data-bbox="1114 674 1511 768">If no changes have been made to the default values from the stack-level Kerberos descriptor, simply remove the Atlas-specific block.</p> <p data-bbox="1114 789 1511 842">4. Update the user-defined Kerberos descriptor.</p> <p data-bbox="1114 863 1511 1020">a. <pre>curl -H "X-Requested-By:ambari" -u admin:admin -X PUT -d @./kerberos_descriptor.json http://localhost:8080/api/v1/clusters/c1/artifacts/kerberos_descriptor</pre></p> <p data-bbox="1114 1041 1511 1073">5. Restart Ambari, if necessary.</p> <p data-bbox="1114 1094 1511 1167">6. Use Regenerate Keytabs to create the missing configurations, principals, and keytab files.</p>
N/A	BUG-64966	<p data-bbox="716 1188 1114 1325">When performing a rolling upgrade of a secure, HDP 2.4 cluster running Atlas on SLES11 sp3, the Atlas service fails to upgrade. You may see the following error:</p> <pre data-bbox="716 1339 1114 1556">resource_management.core.exceptions.Fail: Execution of 'ambari-sudo.sh /usr/bin/hdp-select set all `ambari-python-wrap /usr/bin/hdp-select versions   grep ^2.5.0.0-1238   tail -1` returned 1. symlink target /usr/hdp/current/atlas-client for atlas already exists and it is not a symlink.</pre>	<p data-bbox="1114 1188 1511 1293">For all environments, we recommend removing Atlas from the cluster before a performing a rolling upgrade, as described <a href="#">here</a>.</p> <p data-bbox="1114 1314 1511 1367">Specific upgrade steps for a secure HDP 2.4 cluster running Atlas on SLES 11 sp3:</p> <ol data-bbox="1114 1388 1511 1797" style="list-style-type: none"> <li>1. Delete the Atlas service via the Ambari API2.</li> <li>2. Upgrade Ambari to version 2.4.03.</li> <li>3. Upgrade Ambari to version 2.4.04.</li> <li>4. Install HDP-2.5.x bits.</li> <li>5. Perform an Express Upgrade.</li> <li>6. Upgrade the stack.</li> <li>7. Reinstall Atlas.</li> <li>8. Restart all impacted services using Services &gt; Restart All.</li> </ol>
N/A	BUG-64959	<p data-bbox="716 1797 1114 1881">If you have Storm in your cluster and have Kerberos enabled, after Ambari 2.4 upgrade, the Storm summary page in</p>	<p data-bbox="1114 1797 1511 1902">You need to add the Ambari Server principal name to the Storm nimbus.admins property in <b>Ambari Web &gt; Services &gt; Storm &gt; Configs</b>.</p>

Apache Jira	HWX Jira	Problem	Solution
		<p>Ambari Web does not show information and exceptions are logged.</p> <pre> 24 Aug 2016 14:19:38,107 ERROR [ambari-metrics-retrieval-service-thread-2738] MetricsRetrievalService:421 - Unable to retrieve metrics from http://hcubel-ln02.eng. hortonworks.com:8744/api/v1/ cluster/summary. Subsequent failures will be suppressed from the log for 20 minutes. java.io.IOException: Server returned HTTP response code: 500 for URL: http://hcubel-ln02.eng.hortonworks. com:8744/api/v1/cluster/summary at sun.reflect. GeneratedConstructorAccessor228. newInstance(Unknown Source) at sun.reflect. DelegatingConstructorAccessorImpl. newInstance(DelegatingConstructorAccessorImpl. java:45) </pre>	
N/A	BUG-64947	Filtering by Role on Users page in Ambari Admin Interface is slow with 1000+ users.	If you have 1000+ users from LDAP synchronized into Ambari and you attempt to filtering by Role on the Users page in Ambari Admin Interface, the results will be slow (potential 20 seconds). Reducing the number of users you have synchronized into Ambari is a way to improve this performance.
N/A	BUG-64912	Apache Oozie requires a restart after an Atlas configuration update, but may not be included in the services marked as requiring restart in Ambari.	Select <b>Oozie &gt; Service Actions &gt; Restart All</b> to restart Oozie along with the other services.
N/A	BUG-64896	<p>Upon adding Atlas to an HDP-2.5 cluster that is kerberized it reports error while trying to communicate with Kafka. You may see the following in the error :</p> <pre> "Could not login: the client is being asked for a password, but the Kafka client code does not currently support obtaining a password from the user. Not available to garner authentication information from the user" </pre> <p>This is because the keytab and principal details may be missing from the Atlas config.</p>	<p>Add the following config properties to Atlas configuration type application-properties</p> <p>Set atlas.jaas.KafkaClient.option.keyTab to the Atlas Service keytab</p> <p>e.g. /etc/security/keytabs/ atlas.service.keytabSet atlas.jaas.KafkaClient.option.principal to the principal name in the above keytab</p> <p>e.g. atlas/ atlas_server_host_name@EXAMPLE.COM</p> <p>Then, restart Atlas Server.</p>
N/A	BUG-64819	After performing a Rolling Upgrade, the "Percent JournalNodes Available" alert goes CRITICAL.	After performing a Rolling Upgrade, the "Percent JournalNodes Available" alert goes critical even though all the JournalNodes are started and healthy. You must disable and re-enable this alert to clear the CRITICAL status. In Ambari Web, browse to Alerts and find the "Percent JournalNodes Available" alert. Click to Disable the alert. Once disabled completes, re-enable and the alert status should be OK.

Apache Jira	HWX Jira	Problem	Solution
<a href="#">AMBARI-18177</a>	BUG-64326	If you add or remove ZooKeeper servers and you have Atlas in your cluster, you must update some Atlas properties.	<p>If you are running Atlas in your cluster and make changes to ZooKeeper (adding or removing ZooKeeper server components), you must update the Atlas properties list below to make sure they reflect the list of ZooKeeper servers in the cluster. You can modify the following properties from <b>Ambari Web &gt; Services &gt; Atlas &gt; Configs</b>:</p> <pre>atlas.audit.hbase.zookeeper.quorum Sample: node-test0.docker.nxa.io:2181,node-test2.docker.nxa.io:2181,node-test1.docker.nxa.io:2181  atlas.graph.index.search.solr.zookeeper-url Sample: node-test1.docker.nxa.io:2181/infra-solr,node-test0.docker.nxa.io:2181/infra-solr,node-test2.docker.nxa.io:2181/infra-solr  atlas.graph.storage.hostname Sample: node-test0.docker.nxa.io,node-test2.docker.nxa.io,node-test1.docker.nxa.io  atlas.kafka.zookeeper.connect Sample: node-test0.docker.nxa.io,node-test2.docker.nxa.io,node-test1.docker.nxa.io</pre>
N/A	BUG-62609	When upgrading Ambari 2.x to 2.4 on a secure, cluster running Storm on Ubuntu or SLES, the Storm service check fails to restart Nimbus server due to a randomized StormClient principal.	You must manually reset the original StormClient principal on the kerberos AD server.
N/A	BUG-57093	When toggling and saving the Hive service's "Enable Interactive Query" configuration, it's important to wait for the background operations associated with that change to complete before trying to toggle it once more. If you don't wait for background operations to complete and try to re-enable this feature it can cause some of the operations to fail resulting in configuration inconsistencies.	If such inconsistencies are observed then retry toggling and saving of the "Enabling Interactive Query" configuration and wait for all requests (background operations) to complete.
<a href="#">AMBARI-12436</a>	BUG-40481	<p>Falcon Service Check may fail when performing Rolling Upgrade or downgrade, with the following error:</p> <pre>2015-06-25 18:09:07,235 ERROR - [main:] ~ Failed to start ActiveMQ JMS Message Broker. Reason: java.io.IOException: Invalid location: 1:6763311, : java.lang. NegativeArraySizeException (BrokerService:528) java.io.IOException: Invalid location: 1:6763311, : java.lang. NegativeArraySizeException at org.apache.kahadb. journal.DataFileAccessor. readRecord(DataFileAccessor. java:94)</pre>	<p>When performing a Rolling Upgrade from HDP 2.2 to HDP 2.3 (or upgrade &gt; downgrade &gt; upgrade) and Falcon Service Check fails with the above error, browse to the Falcon ActiveMQ data dir (specified in falcon properties file), remove the corrupted queues, and stop and start the Falcon Server.</p> <pre>cd &lt;ACTIVEMQ_DATA_DIR&gt; rm -rf ./localhost cd /usr/hdp/current/falcon-server su -l &lt;FALCON_USER&gt; ./bin/falcon-stop ./bin/falcon-start</pre>

Apache Jira	HWX Jira	Problem	Solution
		This condition is rare.	
<a href="#">AMBARI-12283</a>	BUG-40300	After adding or deleting ZooKeeper Servers to an existing cluster, Service Check fails.	After adding or deleting ZooKeeper Servers to an existing cluster, Service Check fails due to conflicting zk ids. Restart ZooKeeper service to clear the ids.
N/A	BUG-40694	The Slider view is not supported on a cluster with SSL (wire encryption) enabled.	Only use the Slider view on clusters without wire encryption enabled. If it is required to run Slider on a cluster with wire encryption enabled, please contact Hortonworks support for further help.

## 6. Fixed Issues

The following table lists selected issues resolved in Ambari 2.4:

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.4.0.1	Other	<a href="#">AMBARI-11825</a>	BUG-47313	Failure to add or install component defined with cardinality ALL	Ambari
2.4.0.1	Other	<a href="#">AMBARI-11932</a>	BUG-38274	Clicking back to go to confirm hosts leads to re-installation	Ambari
2.4.0.1	Other	<a href="#">AMBARI-12193</a>	BUG-40488	Step2 installer. Popup with hosts contains duplicates	Ambari
2.4.0.1	Other	<a href="#">AMBARI-12412</a>	BUG-41016	Storm service has no metrics deploying from blueprint	Ambari
2.4.0.1	Other	<a href="#">AMBARI-12460</a>	BUG-41109	Repositories url validation works incorrect	Ambari
2.4.0.1	Other	<a href="#">AMBARI-12476</a>	BUG-34932	Widget response differs when using ambarisessionid and basic auth	Ambari
2.4.0.1	Other	<a href="#">AMBARI-12513</a>	BUG-41443	Restore configs on 7 step of installer from stored configs without merging with predefined	Ambari
2.4.0.1	Other	<a href="#">AMBARI-12565</a>	BUG-37250	Allow HMaster's heap size to be lower than 1G	Ambari
2.4.0.1	Other	<a href="#">AMBARI-12583</a>	BUG-39806	When ambari.repo has insufficient permissions for non-root ambari-server to read failure messages are confusing	Ambari
2.4.0.1	Other	<a href="#">AMBARI-12603</a>	BUG-41686	serviceAccounts page doesn't show user properties	Ambari
2.4.0.1	Other	<a href="#">AMBARI-12651</a>	BUG-40221	Deleting a service fails if service's desired state is STARTED	Ambari
2.4.0.1	Other	<a href="#">AMBARI-12682</a>	BUG-42213	Missing ambari.repo file causes bootstrap to fail.	Ambari
2.4.0.1	Other	<a href="#">AMBARI-12683</a>	BUG-42222	While inheriting a stack make it possible not to inherit some services	Ambari
2.4.0.1	Other	<a href="#">AMBARI-12687</a>	BUG-41827	Incorrect behavior of paging on Alerts page	Ambari
2.4.0.1	Other	<a href="#">AMBARI-12749</a>	BUG-42392	Add Service Wizard review page issue when Oozie select to add.	Ambari
2.4.0.1	Other	<a href="#">AMBARI-12774</a>	BUG-42599	Stack deployment should not assume the availability of hdfs-site	Ambari
2.4.0.1	Other	<a href="#">AMBARI-12844</a>	BUG-43057	After enabling ssl for ranger plugin, Quick link is not loading on Ambari UI	Ambari, Ranger
2.4.0.1	Other	<a href="#">AMBARI-12874</a>	BUG-43244	Explicitly install zookeeper-*server when installing ZK	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.4.0.1	Other	<a href="#">AMBARI-12941</a>	BUG-40565	Test connection fails if empty password is given for ranger DB root password	Ambari, Ranger
2.4.0.1	Other	<a href="#">AMBARI-12990</a>	BUG-43749	User may click Next while Rerun Checks is executing	Ambari
2.4.0.1	Other	<a href="#">AMBARI-13017</a>	BUG-40690	Installing falcon with blueprint, oozie extensions are missing, hence causing misconfigured installations that are using blueprint.	Ambari, Falcon
2.4.0.1	Other	<a href="#">AMBARI-13038</a>	BUG-40841	Ambari Agent started on WebHcat Port (50111)	Ambari
2.4.0.1	Other	<a href="#">AMBARI-13056</a>	BUG-44145	CLONE - Ambari should use relative URLs when specifying target after login	Ambari
2.4.0.1	Other	<a href="#">AMBARI-13160</a>	BUG-38163	Host Checks on Add Hosts wizard are stuck if 2 sessions are active	Ambari
2.4.0.1	Other	<a href="#">AMBARI-13198</a>	BUG-44804	Unneeded buttons on the Service Configs page	Ambari
2.4.0.1	Other	<a href="#">AMBARI-13261</a>	BUG-44774	Modify repository version resource handler update RESTful API to update metaInfo table as well	Ambari
2.4.0.1	Other	<a href="#">AMBARI-13310</a>	BUG-40077	Alerts should log into ambari-agent.log rather than to ambari-agent.out	Ambari
2.4.0.1	Other	<a href="#">AMBARI-13819</a>	BUG-43575	Ambari needs to support an explicit login URL for local users	Ambari
2.4.0.1	Other	<a href="#">AMBARI-13820</a>	BUG-58292	"webhdfs_service_urls" delay resolved parameter picking wrong port	Ambari, Knox
2.4.0.1	Other	<a href="#">AMBARI-13874</a>	BUG-48031	On Kerberos Service Config page, "hull host" is shown in KDC category	Ambari
2.4.0.1	Other	<a href="#">AMBARI-13917</a>	BUG-48502	Allow client component to host mapping be available in command-*.json	Ambari
2.4.0.1	Other	<a href="#">AMBARI-13924</a>	BUG-48149	Admin View: Handle user_type from users endpoint.	Ambari
2.4.0.1	Other	<a href="#">AMBARI-13942</a>	BUG-48239	displaytype for log4j, env files is hardcoded to be custom in ui code	Ambari
2.4.0.1	Other	<a href="#">AMBARI-13951</a>	BUG-46792	Service install will fail if the property-type attribute of any service config property has a value in a stack not known to ambari-server	Ambari
2.4.0.1	other	<a href="#">AMBARI-13975</a>	BUG-48154	knoxsso-topology.xml should be supported in HDP-2.3.8.x line	Ambari, Knox
2.4.0.1	Other	<a href="#">AMBARI-13992</a>	BUG-47777	SSO users, when unauthenticated, should be forwarded to the Knox login URL	Ambari
2.4.0.1	Other	<a href="#">AMBARI-13999</a>	BUG-42060	Kerberos service appears on UI even if security enabling was not completed	Ambari
2.4.0.1	Other	<a href="#">AMBARI-14022</a>	BUG-47734	YARN smart config: Slider shows values in MB even when it is over 10GB	Ambari
2.4.0.1	Other	<a href="#">AMBARI-14024</a>	BUG-48041	Yarn hadoop.registry.rm.enabled value should be fetched from stack adviser	Ambari
2.4.0.1	Other	<a href="#">AMBARI-14097</a>	BUG-46698	Should option "Enable RM HA" be available if no RM installed on the cluster	Ambari
2.4.0.1	Other	<a href="#">AMBARI-14103</a>	BUG-46731	Incorrect firewall check on CentOS7 while adding new host to cluster	Ambari
2.4.0.1	Other	<a href="#">AMBARI-14110</a>	BUG-42325	Clean up stop agent to not print unnecessary error message	Ambari
2.4.0.1	Other	<a href="#">AMBARI-14224</a>	BUG-49299	Property "phoenix.spool.directory" has incorrect value on Customize Services page	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.4.0.1	Other	<a href="#">AMBARI-14256</a>	BUG-49402	Clicking on ambari logo when cluster is in pre-deploy state leads to empty dashboard	Ambari
2.4.0.1	Other	<a href="#">AMBARI-14275</a>	BUG-45073	NodeManager Health Summary UNKNOWN from Standby ResourceManager	Ambari
2.4.0.1	Other	<a href="#">AMBARI-14298</a>	BUG-49574	Change authorization resource id to be adminresource id	Ambari
2.4.0.1	Other	<a href="#">AMBARI-14304</a>	BUG-49611	Start/Stop all services not available for "Cluster Operator"	Ambari
2.4.0.1	Other	<a href="#">AMBARI-14314</a>	BUG-49637	RBAC: Alert state is not visible for non-admin roles	Ambari
2.4.0.1	Other	<a href="#">AMBARI-14323</a>	BUG-49683	Hide "Manage Ambari" button for non-admin users	Ambari
2.4.0.1	Other	<a href="#">AMBARI-14324</a>	BUG-43897	Users with non-administrator permissions should not be presented with an option to edit stack repository URLs	Ambari
2.4.0.1	Other	<a href="#">AMBARI-14330</a>	BUG-49710	Do not redefine "commandParams/version" in service stack scripts	Ambari
2.4.0.1	Other	<a href="#">AMBARI-14331</a>	BUG-49717	Ambari local admin endpoint doesn't work when sso is enabled.	Ambari
2.4.0.1	Other	<a href="#">AMBARI-14333</a>	BUG-49722	"service_operator" role in Ambari shows no view	Ambari
2.4.0.1	Other	<a href="#">AMBARI-14367</a>	BUG-49810	Web Client Displays Incorrect Host Version Counts For Installed Repos	Ambari
2.4.0.1	Other	<a href="#">AMBARI-14371</a>	BUG-49194	No eventual config changes should not recommend extra config changes	Ambari
2.4.0.1	Other	<a href="#">AMBARI-14430</a>	BUG-48069	Get rid of wildcards in package names.	Ambari
2.4.0.1	Other	<a href="#">AMBARI-14452</a>	BUG-49650	It should be possible to delete service components if all related host components are stopped	Ambari
2.4.0.1	Other	<a href="#">AMBARI-14470</a>	BUG-50217	User can change properties that should not be reconfigurable and overridable	Ambari
2.4.0.1	Other	<a href="#">AMBARI-14524</a>	BUG-46651	HDFS Recommendation: dfs.datanode.du.reserved should be set to 10%-15% of volume size	Ambari, HDFS
2.4.0.1	Other	<a href="#">AMBARI-14554</a>	BUG-47433	Add more logging to KdcServerConnection. Verification to help with odd connection issues	Ambari
2.4.0.1	Other	<a href="#">AMBARI-14562</a>	BUG-48893	If configured audit store is 'solr' from ambari then audit_store value should be 'solr' in install.properties	Ambari, Ranger
2.4.0.1	Other	<a href="#">AMBARI-14609</a>	BUG-49186	Ambari should be able to validate HTTPS repo URLs	Ambari
2.4.0.1	Other	<a href="#">AMBARI-14739</a>	BUG-45991	Capture package requirements that are optional and config dependent	Ambari
2.4.0.1	Other	<a href="#">AMBARI-14760</a>	BUG-57803	AMBARI: Hive Database Host field is blank when postgres DB port is not 5432	Ambari
2.4.0.1	Other	<a href="#">AMBARI-14802</a>	BUG-49573	Confusing maintenance mode behaviour for host components	Ambari
2.4.0.1	Other	<a href="#">AMBARI-14875</a>	BUG-48853	Ranger Smart configs : Need to hide Audit DB properties if Audit to DB is off	Ambari, Ranger
2.4.0.1	Other	<a href="#">AMBARI-15088</a>	BUG-50151	Incorrect information shown for 'leveldb-timeline-store' location while moving App Timeline Server component	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.4.0.1	Other	<a href="#">AMBARI-15197</a>	BUG-38390	Ambari ranger-env settings for admin and usersync log dir don't seem to do anything	Ranger
2.4.0.1	Other	<a href="#">AMBARI-15299</a>	BUG-48876	Absent validation of of stack_version id during API request to deeper entities	Ambari
2.4.0.1	Other	<a href="#">AMBARI-15304</a>	BUG-53856	Fix the 'hive.server2.thrift.port' and 'hive.server2.thrift.http.port' values	Ambari
2.4.0.1	Other	<a href="#">AMBARI-15336</a>	BUG-47588	Blueprints: NullPointerException when unnecessary config types found with %HOSTGROUP% tags	Ambari
2.4.0.1	Other	<a href="#">AMBARI-15370</a>	BUG-53402	Login as regular user (no cluster access at all) but background ops are running about cluster	Ambari
2.4.0.1	Other	<a href="#">AMBARI-15390</a>	BUG-47411	Ambari names jar 'ojdbc6.jar' even though it is actually ojdbc7.jar	Ambari
2.4.0.1	Other	<a href="#">AMBARI-15611</a>	BUG-41959	Moving masters causes services to be shut down unnecessarily, causing avoidable downtime	Ambari
2.4.0.1	Other	<a href="#">AMBARI-15647</a>	BUG-54856	Alerts Using the SKIPPED State Cause Stale Alert Notification	Ambari
2.4.0.1	Other	<a href="#">AMBARI-15683</a>	BUG-55433	Background Operations window opening with avoid opening checkbox set	Ambari
2.4.0.1	Other	<a href="#">AMBARI-15731</a>	BUG-46915	Host not expanding more than one field in host-name pattern	Ambari
2.4.0.1	Other	<a href="#">AMBARI-15749</a>	BUG-55386	Have a way in Grafana UI to show the metrics 'diff' over time.	Ambari
2.4.0.1	Other	<a href="#">AMBARI-15776</a>	BUG-47326	Not all log and PID dirs have "hadoop" group	Ambari
2.4.0.1	Other	<a href="#">AMBARI-15782</a>	BUG-55754	Trunk deploy marks dfs.ha.fencing.methods as a required property	Ambari
2.4.0.1	Other	<a href="#">AMBARI-15790</a>	BUG-56077	Clean up stack scripts that refer to dfs.nameservices to use dfs.internal.nameservices as first option	Ambari
2.4.0.1	Other	<a href="#">AMBARI-15791</a>	BUG-56202	Blueprint based installations should automatically add dfs.internal.nameservices during cluster creation	Ambari
2.4.0.1	Other	<a href="#">AMBARI-15829</a>	BUG-55920	Files View: Extract the directory viewer UI component so that other views can use it	Ambari, File Browser View
2.4.0.1	Other	<a href="#">AMBARI-15882</a>	BUG-54948	Falcon-Oozie Integration properties are not populated by Ambari on blueprint deployment	Ambari
2.4.0.1	Other	<a href="#">AMBARI-15919</a>	BUG-40451	Migrate instance specific data from one version to another	Pig View
2.4.0.1	Other	<a href="#">AMBARI-15946</a>	BUG-56207	Make Current button doesn't work when 2 versions are being compared on Ambari UI	Ambari
2.4.0.1	Other	<a href="#">AMBARI-15953</a>	BUG-55123	'NameNode Last Checkpoint' script alert definition does not have default threshold parameters to trigger 'number of uncommitted transaction	Ambari
2.4.0.1	Other	<a href="#">AMBARI-15970</a>	BUG-56024	Ambari UI under replicated blocks do not match active NN reports	Ambari, HDFS
2.4.0.1	Other	<a href="#">AMBARI-16006</a>	BUG-48455	Add logging to check_host.py	Ambari
2.4.0.1	Other	<a href="#">AMBARI-16072</a>	BUG-56882	Stack advisor calls on a kerberized cluster should include all services and host mapping for all components	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.4.0.1	Other	<a href="#">AMBARI-16128</a>	BUG-56306	Ambari 2.2.1.1 reporting ACID off on slider, but actually on	Ambari
2.4.0.1	Other	<a href="#">AMBARI-16132</a>	BUG-56084	Hive View: Date Filter editable in History Tab	Hive View
2.4.0.1	Other	<a href="#">AMBARI-16138</a>	BUG-52652	Converting cluster to Kerberos the views should automatically adjust and work prior to the kerberization	CapSched View, File Browser View, Hive View, Pig View
2.4.0.1	Other	<a href="#">AMBARI-16161</a>	BUG-56302	takeover_config_merge.py should capture 'final' config attributes	Ambari
2.4.0.1	Other	<a href="#">AMBARI-16231</a>	BUG-58202	mapreduce.jobhistory.http.policy & mapreduce.jobhistory.webapp.https.address property are not respected	Ambari
2.4.0.1	Other	<a href="#">AMBARI-16231</a>	BUG-58201	mapreduce.jobhistory.http.policy & mapreduce.jobhistory.webapp.https.address property are not respected	Ambari
2.4.0.1	Other	<a href="#">AMBARI-16260</a>	BUG-57264	Hive view: Prevent multiple /database calls when the first call takes time or fails	Hive View
2.4.0.1	Other	<a href="#">AMBARI-16271</a>	BUG-57312	Increase retry count for ranger functions	Ambari, Ranger
2.4.0.1	Other	<a href="#">AMBARI-16285</a>	BUG-55985	Ambari UI should have properties related to Policy manager user's credentials in Ranger usersync service	Ambari, Ranger
2.4.0.1	Other	<a href="#">AMBARI-16423</a>	BUG-57329	Attempting to install on Amazon Linux, Agent fails to recognize OS	Ambari
2.4.0.1	Other	<a href="#">AMBARI-16443</a>	BUG-56458	[Hive View] - Save Default Settings should not permit empty parameter values	Hive View
2.4.0.1	Other	<a href="#">AMBARI-16638</a>	BUG-53663	Ambari KnoxSSO support	Ambari, Knox
2.4.0.1	Other	<a href="#">AMBARI-16643</a>	BUG-57162	Ambari allows installing a component on more than one host even with cardinality as 0-1	Ambari
2.4.0.1	Other	<a href="#">AMBARI-16692</a>	BUG-51792	Ambari Upgrade should remove older RCA Database tables	Ambari
2.4.0.1	Other	<a href="#">AMBARI-16716</a>	BUG-47410	Ambari copies jdbc driver jar into hadoop/lib and haoop-yarn/lib	Ambari
2.4.0.1	Other	<a href="#">AMBARI-16735</a>	BUG-46239	HDFS data disk mount point permissions	Ambari
2.4.0.1	Other	<a href="#">AMBARI-16777</a>	BUG-58016	Ambari to not install rpcbind package unless NFSGateway component is included	Ambari
2.4.0.1	Other	<a href="#">AMBARI-16862</a>	BUG-57098	[Grafana] Rename "HBase - Performance" dashboard to "HBase - RegionServers"	Ambari
2.4.0.1	Other	<a href="#">AMBARI-16887</a>	BUG-56971	[AMS / Grafana] Metrics are staying flat for 1 minutes, causing rate calculations to be 0	Ambari
2.4.0.1	Other	<a href="#">AMBARI-16890</a>	BUG-56569	Ranger KnoxSSO integration - Ambari config changes	Ambari, Ranger
2.4.0.1	Other	<a href="#">AMBARI-16890</a>	BUG-56281	[Ranger smart config] Do not auto fill Ranger AD authentication user search filter with the values from user sync user search filter	Ambari, Ranger
2.4.0.1	Other	<a href="#">AMBARI-16959</a>	BUG-58274	Redundant info under config tab for falcon	Ambari, Falcon
2.4.0.1	Other	<a href="#">AMBARI-16963</a>	BUG-57303	Hive view should use Hive jdbc client	Ambari
2.4.0.1	Other	<a href="#">AMBARI-17010</a>	BUG-51852	Scheduled requests are always executed as AMBARI.ADMIN	Ambari
2.4.0.1	Other	<a href="#">AMBARI-17055</a>	BUG-49962	RBAC: "VIEW USER" role is not able to access "CAPACITY SCHEDULER (YARN)" and PIG views	CapSched View
2.4.0.1	Other	<a href="#">AMBARI-17087</a>	BUG-56305	takeover_config_merge.py should provide XML, yaml, properties-diff capability	Ambari



Version	Category	Apache Jira	HWX Jira	Summary	Components
2.4.0.1	Other	<a href="#">AMBARI-17099</a>	BUG-54525	expose tez config tez.runtime.shuffle.fetch.buffer.percent and tez.runtime.shuffle.memory.limit.percent	Ambari, Tez
2.4.0.1	Other	<a href="#">AMBARI-17109</a>	BUG-39249	Capacity scheduler view - problem with queue percent rounding	CapSched View
2.4.0.1	Other	<a href="#">AMBARI-17118</a>	BUG-40541	Incorrectly formatted external url in ranger configuration - causes Namenode startup failure	Ambari, Ranger
2.4.0.1	Other	<a href="#">AMBARI-17202</a>	BUG-58637	Upgrading Ambari causes Alert fields not to save thresholds	Ambari
2.4.0.1	Other	<a href="#">AMBARI-17223</a>	BUG-55518	Ability to add "javax.jdo.option.ConnectionPassword" to hive clients from ambari	Ambari, Hive, Hive2
2.4.0.1	Other	<a href="#">AMBARI-17234</a>	BUG-17138	'ambari-server -version' command does not show build number	Ambari
2.4.0.1	Other	<a href="#">AMBARI-17356</a>	BUG-60734	Add the ability to perform interactive shell commands from Ambari server side actions	Ambari
2.4.0.1	Other	<a href="#">AMBARI-17380</a>	BUG-60273	DataNode Unmounted Alert produces false alerts when file:// URIs are used	Ambari
2.4.0.1	Other	<a href="#">AMBARI-17400</a>	BUG-60294	Ambari could not detect the spark-client that is dependency of livy	Ambari, Spark
2.4.0.1	Other	<a href="#">AMBARI-17479</a>	BUG-60597	authorizer.class.name not being set on secure kafka clusters	Ambari, Kafka
2.4.0.1	Other	<a href="#">AMBARI-17526</a>	BUG-61179	Ambari API for api/v1/clusters/ <cluster_name>?fields=hosts/* does not return the metrics information	Ambari
2.4.0.1	Other	<a href="#">AMBARI-17638</a>	BUG-61312	yarn.exclude is placed on every host and path is not cutomizable	Ambari
2.4.0.1	Other	<a href="#">AMBARI-17650</a>	BUG-61496	Atlas port check fails when SSL is enabled, delete PORT alert since already have a WEB alert for Atlas daemon	Ambari, Atlas
2.4.0.1	Other	<a href="#">AMBARI-17678</a>	BUG-60957	java.lang.IllegalArgumentException in atlas logs for "index.search.elasticsearch.client- only" and "index.search.elasticsearch.local- mode" configs	Ambari, Atlas
2.4.0.1	Other	<a href="#">AMBARI-17715</a>	BUG-60429	Not able to login using KnoxSSO if local/ldap Ambari User with same name exists	Ambari, Knox
2.4.0.1	Other	<a href="#">AMBARI-17735</a>	BUG-62241	Zeppelin server should have yarn-client installed	Ambari, Zeppelin
2.4.0.1	Other	<a href="#">AMBARI-17784</a>	BUG-62520	Need to specify HADOOP_CONF_DIR in livy- env	Ambari, Spark
2.4.0.1	Other	<a href="#">AMBARI-17784</a>	BUG-62614	AMS Storm Sink: remove redundant information from kafka offset metrics on storm-kafka	Ambari
2.4.0.1	Other	<a href="#">AMBARI-17802</a>	BUG-58926	Blueprint deployment configures "org.apache.atlas.hive.hook.HiveHook" twice for "hive.exec.post.hooks" config	Ambari, Atlas
2.4.0.1	Other	<a href="#">AMBARI-17818</a>	BUG-62429	Stack advisor should set Hive map join related properties properly	Ambari, Hive
2.4.0.1	Other	<a href="#">AMBARI-17907</a>	BUG-63128	On AMS collector move the webapp address does not change	Ambari
2.4.0.1	Other	<a href="#">AMBARI-17406</a>	BUG-60903	Update Zeppelin service definition	Ambari, Zeppelin
2.4.0.1	Other	<a href="#">-TEZ-3064</a>	BUG-49940	View: running applications in Tez View it shows apps that are not in running state	Tez

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.4.0.1	Performance	<a href="#">AMBARI-13023</a>	BUG-43997	Improve `fileNamesToUpdate` calculation time	Ambari
2.4.0.1	Performance	<a href="#">AMBARI-13042</a>	BUG-44015	Manage Config Groups: revert changes takes too much time	Ambari
2.4.0.1	Performance	<a href="#">AMBARI-14699</a>	BUG-41856	Heatmaps API takes over one minute to provide data for 1000 nodes	Ambari
2.4.0.1	Performance	<a href="#">AMBARI-15767</a>	BUG-55460	Ambari should report about slow sudo hosts	Ambari
2.4.0.1	Performance	<a href="#">AMBARI-15967</a>	BUG-56019	JMX related parse exception on the perf cluster need to be looked at	Ambari
2.4.0.1	Performance	<a href="#">AMBARI-16287</a>	BUG-57019	BGOperations is taking very long time to finish	Ambari
2.4.0.1	Performance	<a href="#">AMBARI-16765</a>	BUG-57368	While restarting node manager through Ambari, the yarn.loc.dir permission got change from 755 to 775, and the other way around, causing long restarting time for nodemanager	Ambari
2.4.0.1	Performance	<a href="#">AMBARI-16830</a>	BUG-58378	Desired configuration cache expiration caused 10,000's of database hits in large deployments	Ambari
2.4.0.1	Performance	<a href="#">AMBARI-16913</a>	BUG-58606	Web client requests handled by Jetty should not be blocked by JMX property providers	Ambari
2.4.0.1	Performance	<a href="#">AMBARI-16929</a>	BUG-57325	Automatically cleanup /var/run/ambari-server/stack-recommendations	Ambari
2.4.0.1	Performance	<a href="#">AMBARI-16980</a>	BUG-52534	History tab takes a long time to populate when there is more entry in history table.	Hive View
2.4.0.1	Performance	<a href="#">AMBARI-17036</a>	BUG-59360	Getting JMX protocol values on large cluster takes too long	Ambari
2.4.0.1	Performance	<a href="#">AMBARI-17039</a>	BUG-59382	Takes long time to start or fail to start service after enabling SSL due to "dfs.https.enable"	Ambari
2.4.0.1	Performance	<a href="#">AMBARI-17164</a> <a href="#">AMBARI-17454</a>	BUG-59434	Add manual message for regenerating keytabs for Ranger upgrade	Ambari, Ranger
2.4.0.1	Performance	<a href="#">AMBARI-17365</a>	BUG-60357	Add-host wizard on large clusters is painfully slow	Ambari
2.4.0.1	Performance	<a href="#">AMBARI-17695</a>	BUG-62090	AMS: Split point calculation not optimal for large clusters.	Ambari
2.4.0.1	Security	<a href="#">AMBARI-12257</a>	BUG-40691	hive-site/hive.metastore.sasl.enabled value incorrect when adding Hive to a Kerberized Cluster	Ambari
2.4.0.1	Security	<a href="#">AMBARI-12348</a>	BUG-40854	Spnego principal can't be customized	Ambari
2.4.0.1	Security	<a href="#">AMBARI-13240</a>	BUG-45137	Kerberos: Allow multiple KDC hosts to be set while enabling Kerberos	Ambari
2.4.0.1	Security	<a href="#">AMBARI-13342</a>	BUG-43573	Allow access to callers with valid Knox authorization cookie	Ambari
2.4.0.1	Security	<a href="#">AMBARI-13853</a>	BUG-45057	UI should not use ldap_user field after introducing user_type one.	Ambari
2.4.0.1	Security	<a href="#">AMBARI-13859</a>	BUG-47932	Kerberos hangs on step 2	Ambari
2.4.0.1	Security	<a href="#">AMBARI-14021</a>	BUG-48539	Empty configurations in enable kerberos wizard	Ambari
2.4.0.1	Security	<a href="#">AMBARI-14118</a>	BUG-41813	All Kerberos-related fields are to be made read-only in the service configuration screens	Ambari
2.4.0.1	Security	<a href="#">AMBARI-14130</a>	BUG-46957	Ambari Web UI stuck with wire encryption enabled and no truststore setup	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.4.0.1	Security	<a href="#">AMBARI-14187</a>	BUG-48973	Restrict creating JWT user if local one with same name exists	Ambari
2.4.0.1	Security	<a href="#">AMBARI-14243</a>	BUG-49228	FE: Show message on login page if authentication failed	Ambari
2.4.0.1	Security	<a href="#">AMBARI-14308</a>	BUG-49621	RBAC: "Cluster User" should not be able to "start/stop/restart service component" component on "Host Actions"	Ambari
2.4.0.1	Security	<a href="#">AMBARI-14348</a>	BUG-49555	Enabling AD security fails with 500 server error	Ambari
2.4.0.1	Security	<a href="#">AMBARI-14434</a>	BUG-50123	Passwords for headless principals with cached keytab files are changed unnecessarily	Ambari
2.4.0.1	Security	<a href="#">AMBARI-15858</a>	BUG-55132	BP deploy not adding proxyuser entries to core-site.xml	Ambari
2.4.0.1	Security	<a href="#">AMBARI-15871</a>	BUG-56132	App Timeline Server start fails on a kerberized cluster due to absence of hdfs keytab	Ambari
2.4.0.1	Security	<a href="#">AMBARI-15968</a>	BUG-55762	HBase masters go offline after kerberization on 2.2.9.0	Ambari, Ranger
2.4.0.1	Security	<a href="#">AMBARI-16023</a>	BUG-56514	Auth-to-local rule generation duplicates default rules when adding case-insensitive default rules	Ambari
2.4.0.1	Security	<a href="#">AMBARI-16158</a>	BUG-56095	takeover_config_merge.py should process known template config files	Ambari
2.4.0.1	Security	<a href="#">AMBARI-16251</a>	BUG-57058	Hive metastore alerts are present after upgrade/downgrade and enabling security	Ambari
2.4.0.1	Security	<a href="#">AMBARI-16654</a>	BUG-57734	yarn.timeline-service.enabled is set to false in secure cluster	Ambari
2.4.0.1	Security	<a href="#">AMBARI-16677</a>	BUG-57441	Sticky bit keeps getting changed back to 777 after restart causing security checks to fail	Ambari
2.4.0.1	Security	<a href="#">AMBARI-16788</a>	BUG-57013	Region server restart is failing to find hdfs.headless.keytab invoked by setup_ranger_hbase	Ambari, Ranger
2.4.0.1	Security	<a href="#">AMBARI-16810</a>	BUG-57664	Ambari Agent security bypassed in Python=>2.7.9	Ambari
2.4.0.1	Security	<a href="#">AMBARI-16840</a>	BUG-58204	yarn statrtup is failing in HA cluster in wireencrypted cluster	Ambari
2.4.0.1	Security	<a href="#">AMBARI-16901</a>	BUG-41861	Add Service wizard: All kerberos related configurations shown on Configure Identities page should be made non-editable on configure services page	Ambari
2.4.0.1	Security	<a href="#">AMBARI-17043</a>	BUG-59396	Fix description of SERVICE.ADD_DELETE_SERVICES permission	Ambari
2.4.0.1	Security	<a href="#">AMBARI-17324</a>	BUG-61525	Setup the correct authentication and authorization between Kafka and ZooKeeper	Ambari, Kafka
2.4.0.1	Security	<a href="#">AMBARI-17415</a> <a href="#">AMBARI-17520</a>	BUG-61122	Storm service check is failing with Ranger on kerberized cluster if randomized principal is used	Ranger
2.4.0.1	Security	<a href="#">AMBARI-17565</a>	BUG-61494	With wire-encryption enabled, Quick Links in Ambari UI points to incorrect atlas web url	Ambari, Atlas
2.4.0.1	Security	<a href="#">AMBARI-17617</a>	BUG-61624	[KMS] kms.log file gets bigger	Ambari, Ranger
2.4.0.1	Security	<a href="#">AMBARI-17759</a>	BUG-62461	On Enabling Ranger plugin for hive-server interactive, plugin related required files are not created in hive2-conf	Ambari, Ranger
2.4.0.1	Security	<a href="#">AMBARI-17852</a>	BUG-62413	TDE encryption did not happen as key wasnt created	Ambari, Ranger

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.4.0.1	Stability	<a href="#">AMBARI-12005</a>	BUG-24902	Admin View: Setting cluster name to more than 100 chars hangs ambari-server	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-12162</a>	BUG-40165	Error after renaming config group and creating new one with the same name	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-12215</a>	BUG-40573	Service Summary: failed requests to widget metrics	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-12317</a>	BUG-39846	False alert on "NameNode High Availability Health" due to Missing JMX objects	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-12324</a>	BUG-40044	Oozie service check fails after Moving Oozie Server	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-12405</a>	BUG-40974	Host value not saved when going back in RM HA wizard	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-12420</a>	BUG-49794	Alert "DataNode Process" creates ERROR messages in datanode log	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-12890</a>	BUG-42076	Ambari Server and Agent should be more resilient when disk full	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-12909</a>	BUG-40296	Existence of empty package folder in stack definition breaks the service	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-12953</a>	BUG-40577	Ambari Agent logging set up incorrect	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-13019</a>	BUG-43576	Empty package folders on ambari-server causes corresponding component restart to fail	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-13076</a>	BUG-44079	Incorrect UI behaviour if host registration request fails	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-13211</a>	BUG-45711	Host checks does not report all errors in the very first check after Ambari Agent gets installed/registered	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-13229</a>	BUG-45059	When non-supported version of python is set as default, Ambari fails in multiple places	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-13559</a>	BUG-46691	JS error on quick links if service wasn't installed successfully using ASW	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-13611</a>	BUG-46907	Storm components fail to install on trunk	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-14005</a>	BUG-48499	Fix translation of different view resource type entities to all be of type VIEW	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-14129</a>	BUG-48858	No error appeared after pid dir and log dir property set to value with space at start	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-14135</a>	BUG-48949	Unable to delete config group in Install Wizard	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-14144</a>	BUG-49079	FK_permission_roleauthorization_permission_id is too long for a constraint identifier	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-14172</a>	BUG-49017	spark_thrift_cmd_opts fail to work	Ambari, Spark
2.4.0.1	Stability	<a href="#">AMBARI-14173</a>	BUG-47896	Ambari File View: Warning does not go away	File Browser View
2.4.0.1	Stability	<a href="#">AMBARI-14210</a>	BUG-49283	User with SERVICE.MODIFY_CONFIGS authorization fails with 403 status updating configs	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-14261</a>	BUG-49450	Loading freeze after login as a view user	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-14265</a>	BUG-49404	Saving config overrides doesn't work when adding config to new group.	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-14332</a>	BUG-49721	Local admin user cannot login anymore	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-14340</a>	BUG-49703	Logging into Ambari UI when user only has access to views causes browser to cycle between login page and loading screen	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.4.0.1	Stability	<a href="#">AMBARI-1441</a>	BUG-50020	'Oozie' and 'Metrics Collector' restart/start failed	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-1443</a>	BUG-49723	Agent becomes unresponsive after version incompatible Exception	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-1456</a>	BUG-42085	Renaming cluster in Ambari breaks alerts	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-1464</a>	BUG-50675	OOZIE_SERVER START failed	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-1498</a>	BUG-52383	Script alert parameters with shell characters are not properly escaped	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-1520</a>	BUG-53389	Host checks should not be performed if 0 hosts register	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-1531</a>	BUG-53535	[Forward port to trunk] Component (ATS/HCAT) install intermittently fails on Suse due to repo unavailability	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-1535</a>	BUG-51678	Filtering on version not installed hosts from the versions page does not work	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-1558</a>	BUG-55027	YARN service check fails due to syntax error	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-1567</a>	BUG-55198	On Ambari Agent restart currently running commands on that agent should be immediately aborted	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-1568</a>	BUG-54588	Ambari should verify JAVA_HOME Consistency	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-1575</a>	BUG-55690	Hive View should have some checks before starting similar to Pig View	Hive View
2.4.0.1	Stability	<a href="#">AMBARI-1575</a>	BUG-55696	File Browser View should have some checks before starting similar to Pig View	File Browser View
2.4.0.1	Stability	<a href="#">AMBARI-1589</a>	BUG-58279	Grafana fails to start when using custom data directory (sles11sp3)	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-1591</a>	BUG-55874	HDP 2.4.0 upgrade: Ranger User sync settings control broken in Ambari UI	Ambari, Ranger
2.4.0.1	Stability	<a href="#">AMBARI-1592</a>	BUG-54295	Ambari falsely reporting Hiveserver2 up	Ambari, Hive
2.4.0.1	Stability	<a href="#">AMBARI-1594</a>	BUG-52308	Upgrading Ambari should delete any pyc files	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-1597</a>	BUG-56029	Ambari does not use HTTPS protocol for the Falcon QuickLink when TLS is enabled for Falcon	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-1598</a>	BUG-55807	AMS metrics gaps/inconsistencies in data	Ambari, YAaS
2.4.0.1	Stability	<a href="#">AMBARI-1599</a>	BUG-56107	Ambari does not show ATS is down even when the service is down	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-1602</a>	BUG-56534	Namenode marked as INITIAL standby could potentially never start if other namenode is down	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-1611</a>	BUG-56821	Not able to edit Pig script tab	Pig View
2.4.0.1	Stability	<a href="#">AMBARI-1612</a>	BUG-53956	On restarting, Ambari-agent goes in heartbeat lost state due to other java processes configurations	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-1613</a>	BUG-56143	Creating a new script in Ambari Pig View hangs	Pig View
2.4.0.1	Stability	<a href="#">AMBARI-1614</a>	BUG-56841	Hive View synchronized around entire connection creation causing deadlock	Hive View
2.4.0.1	Stability	<a href="#">AMBARI-1615</a>	BUG-56007	JDBC connect string for Ranger modified wrong for non-default port	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-1624</a>	BUG-55910	Hive View and Pig View : one user overriding job details of other user in database	Hive View, Pig View

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.4.0.1	Stability	<a href="#">AMBARI-16422</a>	BUG-57485	Hive View : Upload table : show UI validation errors while creating table.	Hive View
2.4.0.1	Stability	<a href="#">AMBARI-16440</a>	BUG-56541	Flush metrics to collector if metric system is stopped gracefully in the Sink daemon	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-16445</a>	BUG-56062	[Hive View] Error while Closing unsaved Sheet	Hive View
2.4.0.1	Stability	<a href="#">AMBARI-16447</a>	BUG-52522	[UI Issue]Execution of empty pig script allowed from UI	Pig View
2.4.0.1	Stability	<a href="#">AMBARI-16463</a>	BUG-53917	Update activemq from activemq-core to activemq-all in the Falcon startup properties	Ambari, Falcon
2.4.0.1	Stability	<a href="#">AMBARI-16626</a>	BUG-52887	[Hive view] Break in UI for query settings in Firefox	Hive View
2.4.0.1	Stability	<a href="#">AMBARI-16634</a>	BUG-49520	Ambari Admin privilege required for Pig View. 403 error received when opening Pig View by a non-admin user	Pig View
2.4.0.1	Stability	<a href="#">AMBARI-16641</a>	BUG-56892	NN HA wizard cannot recover from server restart at Step 6	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-16666</a>	BUG-56886	AMS Service check fails because collector takes too long to start up.	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-16713</a>	BUG-56125	Hive View does not work with multi-bytes	Hive View
2.4.0.1	Stability	<a href="#">AMBARI-16738</a>	BUG-56058	[Hive View]Unavailable Column Search should throw 'No Match' message	Hive View
2.4.0.1	Stability	<a href="#">AMBARI-16757</a>	BUG-52058	Spark History Server heap size is not exposed (History Server crashed with OOM)	Ambari, Spark
2.4.0.1	Stability	<a href="#">AMBARI-16799</a>	BUG-58050	Amabri UI hits "Error in persisting web client state at ambari server: Error 0"	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-16802</a>	BUG-57848	Delete tag on a property in stack definition is not honored after cluster deployment	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-16835</a>	BUG-58105	WEBHDFS PUT fails on Amazon Linux	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-16875</a>	BUG-57895	Ambari ugsync with LDAP is not able to fetch group information (2.2.0)	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-16914</a>	BUG-58783	Ambari uses too small a window for region server shutdown	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-16956</a>	BUG-57496	MapReduce service check fails and creates / user/ambari-qa directory with wrong permissions	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-17034</a>	BUG-59279	Spark: history server & thrift server failed with "Too small initial heap"	Ambari, Spark
2.4.0.1	Stability	<a href="#">AMBARI-17081</a>	BUG-59531	Hive View: Upload Table : Support for Date and Timestamp type detection according to hive specs	Hive View
2.4.0.1	Stability	<a href="#">AMBARI-17093</a>	BUG-59349	Ambari cluster installation with blueprint is failing when installing only Kafka + AMS +Zookeeper	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-17103</a>	BUG-59825	Tez Version 2 deployment fails	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-17111</a>	BUG-59481	ATS needs a dynamic dependency on Tez and Spark	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-17148</a>	BUG-57340	yarncli throws log4j error "FileNotFoundException : /grid/0/log/yarn/hrt_qa/rm-audit.log"	Ambari, YARN
2.4.0.1	Stability	<a href="#">AMBARI-17171</a>	BUG-59789	Falcon to create data-mirroring directory in HDFS if extensions is supported	Ambari, Falcon
2.4.0.1	Stability	<a href="#">AMBARI-17251</a>	BUG-42401	Blueprint is attempting to install Tez Client, causing install to fail	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.4.0.1	Stability	<a href="#">AMBARI-17273</a> <a href="#">AMBARI-17662</a>	BUG-60068	Atlas HA fails to come up with error finding ids	Ambari, Atlas
2.4.0.1	Stability	<a href="#">AMBARI-17313</a>	BUG-57484	Handle desired state for services/components on restart	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-17350</a>	BU-59941	If two users are created differing in case then no users are shown due to error	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-17369</a>	BUG-60694	hiveserver2-site.xml not created	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-17459</a>	BUG-60673	spark.driver.extraJavaOptions and spark.yarn.am.extraJavaOptions property is set to empty	Ambari, Spark
2.4.0.1	Stability	<a href="#">AMBARI-17605</a>	BUG-60215	Upload table using Hive view will fail if Hive database is created with Location option	Ambari
2.4.0.1	Stability	<a href="#">AMBARI-17623</a>	BUG-61747	nimbus.monitor.freq.secs should be 10 sec	Ambari, Storm
2.4.0.1	Stability	<a href="#">AMBARI-17647</a>	BUG-52486	Tez view throws a 401 when looking at live progress of a running job	Ambari, Tez, YARN
2.4.0.1	Stability	<a href="#">AMBARI-17771</a>	BUG-61290	[Ranger-Upgrade] after upgrade getting alert for ranger admin process connection	Ambari, Ranger
2.4.0.1	Stability	<a href="#">AMBARI-17893</a>	BUG-62970	HBase OOM while booting	Ambari, HBase
2.4.0.1	Stability	na	BUG-60993	ZEPELIN_MASTER installation failure with IndexError	Ambari, Zeppelin
2.4.0.1	Stability	na	BUG-59078	ZEPELIN_MASTER INSTALL fails	Ambari, Zeppelin
2.4.0.1	Stability	<a href="#">RANGER-1024</a>	BUG-59014	Ranger PatchPermissionModel_J10003 is blocking upgrade when there's large amount of user	Ambari, Ranger
2.4.0.1	Stability	<a href="#">RANGER-1127</a>	BUG-63202	Enable Ranger Admin HA Wizard fails	Ambari, Ranger
2.4.0.1	Upgrade	<a href="#">AMBARI-13309</a>	BUG-45601	After hdp-select failure Ambari won't retry resulting in most components failures with strange output	Ambari
2.4.0.1	Upgrade	<a href="#">AMBARI-13339</a>	BUG-45538	Failure to create a Rolling Upgrade leaves an incorrect desired state	Ambari
2.4.0.1	Upgrade	<a href="#">AMBARI-13406</a>	BUG-46118	Rolling Upgrade: internal server error due to XML binding tasks to groupings	Ambari
2.4.0.1	Upgrade	<a href="#">AMBARI-13496</a>	BUG-46304	Rolling Upgrades are duplicating Service Checks	Ambari
2.4.0.1	Upgrade	<a href="#">AMBARI-13687</a>	BUG-47131	Express Upgrade: Install Packages is throwing exception "Caught a system exception while attempting to create a resource"	Ambari
2.4.0.1	Upgrade	<a href="#">AMBARI-14012</a>	BUG-41044	After upgrade, Ambari UI does not show versions tab	Ambari
2.4.0.1	Upgrade	<a href="#">AMBARI-14242</a>	BUG-49373	Test-case for EU: Downgrade goes through all steps even if initiated at first prompt, should exit since hasn't changed stack/configs	Ambari
2.4.0.1	Upgrade	<a href="#">AMBARI-14418</a>	BUG-49993	After downgrade, cluster desired configurations are not set	Ambari
2.4.0.1	Upgrade	<a href="#">AMBARI-14469</a>	BUG-49403	Upgrade Wizard popup displayed over login page	Ambari
2.4.0.1	Upgrade	<a href="#">AMBARI-14631</a>	BUG-45356	RU step retries overwrite logs from previous run	Ambari
2.4.0.1	Upgrade	<a href="#">AMBARI-14740</a>	BUG-50122	Add params to alert definitions during ambari upgrade	Ambari
2.4.0.1	Upgrade	<a href="#">AMBARI-14994</a>	BUG-52444	CLUSTER.MANAGE_CONFIG_GROUPS not present in table 'roleauthorization' error during upgrade from 2.2.1 to 2.4.0	Ambari



Version	Category	Apache Jira	HWX Jira	Summary	Components
2.4.0.1	Upgrade	<a href="#">AMBARI-15330</a>	BUG-51826	Bubble up errors during RU/EU	Ambari
2.4.0.1	Upgrade	<a href="#">AMBARI-15446</a>	BUG-51825	Auto-retry on failure during RU/EU	Ambari
2.4.0.1	Upgrade	<a href="#">AMBARI-15505</a>	BUG-52517	Ambari upgrade for 2.0.x version to 2.1.x doesn't retain properties value from ranger-site	Ambari, Ranger
2.4.0.1	Upgrade	<a href="#">AMBARI-15751</a>	BUG-55228	RU/EU PreCheck to ensure dfs.client.retry.policy.enable is set to false	Ambari, HDFS
2.4.0.1	Upgrade	<a href="#">AMBARI-15880</a>	BUG-55954	ATS heapsize cannot be changed in Ambari-2.2.1.1 or greater post Ambari Server upgrade, even though the bug should be fixed	Ambari
2.4.0.1	Upgrade	<a href="#">AMBARI-15913</a>	BUG-52518	HDP upgrade from 2.2 to 2.3, 2.4 doesn't copy ranger-site properties	Ambari, Ranger
2.4.0.1	Upgrade	<a href="#">AMBARI-15991</a>	BUG-56170	RU/EU should check DN and RS liveness differently, need to wait longer and check if process if up if liveness check fails	Ambari
2.4.0.1	Upgrade	<a href="#">AMBARI-16026</a>	BUG-56146	YARN ATS Should Advertise a Version	Ambari
2.4.0.1	Upgrade	<a href="#">AMBARI-16027</a>	BUG-54675	RU does not handle Kafka .8.* topics well (Changes broker IDS)	Ambari, Kafka
2.4.0.1	Upgrade	<a href="#">AMBARI-16075</a>	BUG-56562	MR service check failed during EU (Intermittent)	Ambari
2.4.0.1	Upgrade	<a href="#">AMBARI-16115</a>	BUG-55592	After upgrade ambari-env.sh was changed (WARNING: Can not find ambari-env.sh.rpmsave file from previous version)	Ambari
2.4.0.1	Upgrade	<a href="#">AMBARI-16156</a>	BUG-56591	Sometimes : Warning Alert for Atlas (HTTP 500 response from) is present after upgrade to 2.2.2.0	Ambari
2.4.0.1	Upgrade	<a href="#">AMBARI-16185</a>	BUG-56542	Express Upgrade stuck on getting status on 1600 node cluster	Ambari
2.4.0.1	Upgrade	<a href="#">AMBARI-16272</a>	BUG-52321	"ambari-server upgrade" shouldn't automatically add stack configs	Ambari
2.4.0.1	Upgrade	<a href="#">AMBARI-16651</a>	BUG-56393	Ambari 2.2.0 breaks backward compatibility with HDP 2.3.2 and below due to spark configs with hdp.version being removed	Ambari, Spark
2.4.0.1	Upgrade	<a href="#">AMBARI-16704</a>	BUG-55520	UI - RU/EU, when initiating a downgrade, should ensure that request to ABORT upgrade returns 200	Ambari
2.4.0.1	Upgrade	<a href="#">AMBARI-16717</a>	BUG-57493	Knox Gateway uses wrong keystore after upgrade	Ambari, Knox
2.4.0.1	Upgrade	<a href="#">AMBARI-17198</a>	BUG-56045	Failure in mahout package installation upon retry is not correctly reported causing EU to fail	Ambari
2.4.0.1	Upgrade	<a href="#">AMBARI-17317</a>	BUG-56507	tez.tez-ui.history-url.base did not get updated after ambari upgrade	Ambari
2.4.0.1	Upgrade	<a href="#">AMBARI-17319</a>	BUG-47441	Ambari Rolling Upgrade- Upgraded from HDP 2.2.4.2 to HDP 2.3.2 changes the hiveserver 2 port from 10000 to 10010 after upgrade is complete	Ambari, Hive
2.4.0.1	Upgrade	<a href="#">AMBARI-17375</a>	BUG-53905	[RU/EU] According to Atlas run-book, implement upgrade for Atlas component	Ambari
2.4.0.1	Upgrade	<a href="#">AMBARI-17823</a>	BUG-62206	RU: Oozie workflow goes in SUSPENDED state during Rolling upgrade	Ambari, Oozie
2.4.0.1	Upgrade	<a href="#">AMBARI-9294</a> <a href="#">AMBARI-9429</a>	BUG-30618	Versions: hosts got out of sync and could not install version	Ambari



Version	Category	Apache Jira	HWX Jira	Summary	Components
2.4.0.1	Upgrade	<a href="#">RANGER-1096</a>	BUG-61843	[EU] Ranger upgrade fails in prepare upgrade step	Ambari, Ranger
2.4.0.1	Upgrade	<a href="#">RANGER-910</a>	BUG-54742	Error during EU while applying Ranger Java patches	Ambari, Ranger
2.4.0.1	Usability	<a href="#">AMBARI-11241</a>	BUG-36990	Wrong service order when sorting on the alerts page	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-11670</a>	BUG-50376	Width of services menu container is fixed and causes part of longer service names to be rendered outside the frame	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-11791</a>	BUG-37383	Enhanced config: configs version box: repo version should be consistent with other info	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-12050</a>	BUG-39840	Redundant alerts hint	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-12124</a>	BUG-40155	Add Host wizard: Configurations step is empty	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-12164</a>	BUG-40160	Wrong Dependent Configurations message	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-12234</a>	BUG-40064	Critical or Warning Alerts Popup: tooltips don't work after using pagination	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-12447</a>	BUG-30649	Warn the user if the user is about to delete a host with slaves that are not in decommissioned state	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-12523</a>	BUG-40437	Incorrect ZooKeeper Server dropdown behaviour on step 5 of installer	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-12550</a>	BUG-40163	Discard button doesn't hide Dependent Configurations message	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-12593</a>	BUG-40062	Enable Kerberos: Config values should be trimmed	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-12723</a>	BUG-35095	Host name field on hosts page is too short	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-13090</a>	BUG-28158	Ambari UI doesn't show correct cluster info	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-13154</a>	BUG-45613	Label of required fields in Details section of Create View Instance UI should include an asterisk	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-13247</a>	BUG-45186	All config controls are shown in Advanced Tab	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-13579</a>	BUG-46719	Wrong sorting icons on config history page	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-13857</a>	BUG-46722	Recommendation popup should distinguish between empty value property and absent properties from current configuration	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-13891</a>	BUG-40435	Scrolls on the configs comparison	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-13914</a>	BUG-47380	Hard to see/print configuration changes that will be performed as part of an Upgrade	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-13990</a>	BUG-48393	Small width for quick links dropdown	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-14085</a>	BUG-48863	Services loaded in model unsorted	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-14126</a>	BUG-48945	Override icon doesn't show up when group is not default.	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-14179</a>	BUG-49055	Add Config Group name validation	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-14180</a>	BUG-49189	Recommendation popup: non-existing properties do not retain their initial value in "current value" column	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-14244</a>	BUG-49214	Textarea with task logs is too wide	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-14267</a>	BUG-49382	Logging into Ambari UI when role is less than Cluster Administrator brings user to Views page	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.4.0.1	Usability	<a href="#">AMBARI-14279</a>	BUG-49388	Add Service Wizard: Ranger requirements popup is displayed twice when adding Ranger Service	Ambari, Ranger
2.4.0.1	Usability	<a href="#">AMBARI-14294</a>	BUG-49383	Users with the Cluster Operator role sees incorrect cluster-level options in Ambari UI	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-14345</a>	BUG-49729	Information missing from header bar in UI	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-14358</a>	BUG-49735	On Add Service wizard, Ranger Admin Tab shows red badge for unknown property	Ambari, Ranger
2.4.0.1	Usability	<a href="#">AMBARI-14365</a>	BUG-48968	HDFS Smart Configs: Inconsistent values on slider	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-14404</a>	BUG-49848	Ambari Admin: incorrect cluster filter behaviour on Versions page	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-14426</a>	BUG-49035	If repos for the current os are not defined install_packages doesn't show error	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-14442</a>	BUG-50249	Typo in error message displayed when connection fails in Hive view	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-14510</a>	BUG-49749	Ambari Admin: fix 'clear filters' link display condition in Versions table and apply it to other tables	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-14546</a>	BUG-49665	Some elements are overlapping on Script Details UI for Pig View	Pig View
2.4.0.1	Usability	<a href="#">AMBARI-14589</a>	BUG-50449	[UI] Kerberos-> Configs -> description tooltip is not appearing for checkboxes	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-14737</a>	BUG-47772	Comparison box exists on the page after configs rerender	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-14757</a>	BUG-45959	Host check doesn't show warning about working firewall on the host (Suse only)	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-14761</a>	BUG-51315	User loses all privileges after page refresh on Install Wizard	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-14818</a>	BUG-51419	Incorrect markup of some Accumulo metrics widgets	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-14841</a>	BUG-47744	Filtering hosts with alerts by name gives incorrect results	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-14991</a>	BUG-51520	Use the same colors for cpu metrics between summary and host page	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-15799</a>	BUG-55800	Validation issues popup should have "Continue Anyway" button is in green (success) color	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-15810</a>	BUG-49039	Not all operations shown on "Background Operations" window	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-15840</a>	BUG-55721	Sorting Alerts with ALERT NAMES in Alerts UI is not working as expected	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-1620</a>	BUG-56988	Default query queues doesn't fit in the Interactive query box	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-16450</a>	BUG-56340	Files view: typo in message shown on upload files window	File Browser View
2.4.0.1	Usability	<a href="#">AMBARI-16452</a>	BUG-52687	[Hive View] EXPLAIN text is spilling out	Hive View
2.4.0.1	Usability	<a href="#">AMBARI-16708</a>	BUG-57313	Falcon Quick Links is missing in Ambari	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-16798</a>	BUG-58330	Fix Ambari UI Persistent Error message	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-16897</a>	BUG-48606	Sorting works opposite on Config History tab for config groups	Ambari
2.4.0.1	Usability	<a href="#">AMBARI-16900</a>	BUG-58364	Delete Host message is incorrect, suggests all Clients will be deleted from cluster	Ambari

Version	Category	Apache Jira	HWX Jira	Summary	Components
2.4.0.1	Usability	<a href="#">AMBARI-17135</a>	BUG-48859	Ambari Views logs should include information of view instance	File Browser View, Hive View, Pig View
2.4.0.1	Usability	<a href="#">AMBARI-17214</a>	BUG-48860	Ambari views logs should be more verbose and should include info/error/debug logs at appropriate places	CapSched View, File Browser View, Hive View, Pig View
2.4.0.1	Usability	<a href="#">TEZ-3277</a>	BUG-58622	nvalid error message in Tez UI leads to confusion	Tez