

Cloudera Manager

Installation

Date published: 2024-12-10

Date modified: 2024-12-10

CLOUDERA

<https://docs.cloudera.com/>

Legal Notice

© Cloudera Inc. 2025. All rights reserved.

The documentation is and contains Cloudera proprietary information protected by copyright and other intellectual property rights. No license under copyright or any other intellectual property right is granted herein.

Unless otherwise noted, scripts and sample code are licensed under the Apache License, Version 2.0.

Copyright information for Cloudera software may be found within the documentation accompanying each component in a particular release.

Cloudera software includes software from various open source or other third party projects, and may be released under the Apache Software License 2.0 (“ASLv2”), the Affero General Public License version 3 (AGPLv3), or other license terms. Other software included may be released under the terms of alternative open source licenses. Please review the license and notice files accompanying the software for additional licensing information.

Please visit the Cloudera software product page for more information on Cloudera software. For more information on Cloudera support services, please visit either the Support or Sales page. Feel free to contact us directly to discuss your specific needs.

Cloudera reserves the right to change any products at any time, and without notice. Cloudera assumes no responsibility nor liability arising from the use of products, except as expressly agreed to in writing by Cloudera.

Cloudera, Cloudera Altus, HUE, Impala, Cloudera Impala, and other Cloudera marks are registered or unregistered trademarks in the United States and other countries. All other trademarks are the property of their respective owners.

Disclaimer: EXCEPT AS EXPRESSLY PROVIDED IN A WRITTEN AGREEMENT WITH CLOUDERA, CLOUDERA DOES NOT MAKE NOR GIVE ANY REPRESENTATION, WARRANTY, NOR COVENANT OF ANY KIND, WHETHER EXPRESS OR IMPLIED, IN CONNECTION WITH CLOUDERA TECHNOLOGY OR RELATED SUPPORT PROVIDED IN CONNECTION THEREWITH. CLOUDERA DOES NOT WARRANT THAT CLOUDERA PRODUCTS NOR SOFTWARE WILL OPERATE UNINTERRUPTED NOR THAT IT WILL BE FREE FROM DEFECTS NOR ERRORS, THAT IT WILL PROTECT YOUR DATA FROM LOSS, CORRUPTION NOR UNAVAILABILITY, NOR THAT IT WILL MEET ALL OF CUSTOMER’S BUSINESS REQUIREMENTS. WITHOUT LIMITING THE FOREGOING, AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, CLOUDERA EXPRESSLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, QUALITY, NON-INFRINGEMENT, TITLE, AND FITNESS FOR A PARTICULAR PURPOSE AND ANY REPRESENTATION, WARRANTY, OR COVENANT BASED ON COURSE OF DEALING OR USAGE IN TRADE.

Contents

| | |
|--|-----------|
| CDP Private Cloud Base Installation Guide..... | 6 |
| Version and Download Information..... | 6 |
| Cloudera Runtime Version Information..... | 6 |
| Cloudera Runtime Download Information..... | 7 |
| Cloudera Manager Support Matrix..... | 7 |
| CDP Private Cloud Base Trial Download Information..... | 12 |
| System Requirements..... | 13 |
| Hardware Requirements..... | 13 |
| Cloudera Runtime..... | 13 |
| Operating System Requirements..... | 25 |
| Database Requirements..... | 29 |
| RDBMS High Availability Support..... | 31 |
| Java Requirements..... | 32 |
| Supported JDKs..... | 33 |
| Support Notes..... | 34 |
| Networking and Security Requirements..... | 34 |
| Data at Rest Encryption Requirements..... | 39 |
| Third-party filesystems..... | 40 |
| Trial Installation..... | 40 |
| Installing a Trial Cluster..... | 40 |
| Before You Begin a Trial Installation..... | 41 |
| Download the Trial version of Cloudera Private Cloud Base..... | 42 |
| Run the Cloudera Manager Server Installer..... | 42 |
| Install Cloudera Runtime..... | 47 |
| Set Up a Cluster Using the Wizard..... | 60 |
| Stopping the Embedded PostgreSQL Database..... | 62 |
| Starting the Embedded PostgreSQL Database..... | 63 |
| Changing Embedded PostgreSQL Database Passwords..... | 63 |
| Migrating from the Cloudera Manager Embedded PostgreSQL Database Server to an External PostgreSQL Database..... | 65 |
| Prerequisites..... | 65 |
| Identify Roles that Use the Embedded Database Server..... | 65 |
| Migrate Databases from the Embedded Database Server to the External PostgreSQL Database Server..... | 68 |
| Installing and Configuring CDP with FIPS..... | 71 |
| Overview..... | 71 |
| Prerequisites for using FIPS..... | 73 |
| About CDP with FIPS..... | 73 |
| Step 1: Prepare hosts..... | 75 |
| Step 2: Install Cloudera Manager server..... | 80 |
| Step 3: Validate the CCJ and CCS installation..... | 80 |

| | |
|---|----|
| Step 4: Install and configure databases..... | 82 |
| Configure Cloudera Manager for FIPS..... | 82 |
| Install and configure additional required components..... | 83 |

Production Installation.....84

| | |
|---|-----|
| Before You Install..... | 84 |
| Install and Configure Databases..... | 85 |
| Configure Network Names..... | 140 |
| Setting SELinux Mode..... | 141 |
| Disabling the Firewall..... | 142 |
| Enable an NTP Service..... | 143 |
| Impala Requirements..... | 143 |
| Runtime Cluster Hosts and Role Assignments..... | 145 |
| Configuring Local Package and Parcel Repositories..... | 152 |
| Installing Cloudera Manager..... | 153 |
| Installing Cloudera Runtime..... | 154 |
| Set Up a Cluster Using the Wizard..... | 159 |
| Select Services..... | 159 |
| Assign Roles..... | 160 |
| Setup Database..... | 160 |
| Enter Required Parameters..... | 167 |
| Review Changes..... | 168 |
| Configure Kerberos..... | 168 |
| Command Details..... | 169 |
| Summary..... | 169 |
| (optional) Enable high availability for Cloudera Manager..... | 169 |
| (Recommended) Enable Auto-TLS..... | 169 |
| (Recommended) Enable Kerberos..... | 169 |
| Additional Steps for Apache Ranger..... | 169 |
| Enable Plugins..... | 170 |
| Add Solr WebUI Users..... | 170 |
| Update the Time-to-live configuration for Ranger Audits..... | 170 |
| Installing Apache Knox..... | 171 |
| Apache Knox Install Role Parameters..... | 172 |
| Setting Up Data at Rest Encryption for HDFS..... | 174 |
| Installing Ranger KMS backed by a Database and HA..... | 174 |
| Installing Cloudera Navigator Encrypt..... | 180 |
| Setting Up an Internal Repository..... | 180 |
| Installing Navigator Encrypt (RHEL-Compatible)..... | 180 |
| Installing Navigator Encrypt (SLES-12)..... | 181 |
| Installing Navigator Encrypt (SLES-15)..... | 182 |
| Installing Navigator Encrypt (Ubuntu)..... | 184 |
| Installing for Ranger KMS..... | 184 |
| Setting Up TLS for Navigator Encrypt Clients..... | 185 |
| Entropy Requirements..... | 186 |
| Uninstalling and Reinstalling Navigator Encrypt..... | 187 |
| Installing Ranger RMS..... | 187 |

Installation Reference.....196

| | |
|--|-----|
| Ports..... | 196 |
| Ports Used by Cloudera Manager..... | 196 |
| Ports Used by Cloudera Runtime Components..... | 201 |
| Ports Used by DistCp..... | 208 |
| Ports Used by Third-Party Components..... | 208 |

| | |
|---|------------|
| Service Dependencies in Cloudera Manager..... | 209 |
| Cloudera Manager sudo command options..... | 211 |
| Introduction to Parcels..... | 212 |
| After You Install..... | 212 |
| Deploying Clients..... | 212 |
| Initializing Solr and creating HDFS home directory..... | 213 |
| Testing the Installation..... | 213 |
| Checking Host Heartbeats..... | 213 |
| Running a MapReduce Job..... | 214 |
| Testing with Hue..... | 214 |
| Deploying Atlas service..... | 214 |
| Secure Your Cluster..... | 217 |
| Installing the GPL Extras Parcel..... | 217 |
| Configuring HDFS properties to optimize log collection..... | 218 |
| Migrating from H2 to PostgreSQL database in YARN Queue Manager..... | 218 |
| Troubleshooting Installation Problems..... | 220 |
| Uninstalling Cloudera Manager and Managed Software..... | 223 |
| Record User Data Paths..... | 224 |
| Stop all Services..... | 224 |
| Deactivate and Remove Parcels..... | 224 |
| Delete the Cluster..... | 225 |
| Uninstall the Cloudera Manager Server..... | 225 |
| Uninstall Cloudera Manager Agent and Managed Software..... | 225 |
| Remove Cloudera Manager, User Data, and Databases..... | 226 |
| Uninstalling a Runtime Component From a Single Host..... | 227 |

CDP Private Cloud Base Installation Guide

Use this Installation Guide to learn how to install Cloudera Data Platform software, including Cloudera Manager, Cloudera Runtime, and other managed services, in a production or trial environment.

Related Information

[Version and Download Information](#)

[System Requirements](#)

[Trial Installation](#)

[Production Installation](#)

[Custom Installation Solutions](#)

[Installation Reference](#)

[After You Install](#)

[Troubleshooting Installation Problems](#)

[Uninstalling Cloudera Manager and Managed Software](#)

Version and Download Information

The following topics describe the available versions and download locations for Cloudera Runtime.

Related Information

[CDP Private Cloud Base Installation Guide](#)

Cloudera Runtime Version Information

Version numbers for current and previous releases of Cloudera Runtime 7.x.

Cloudera Runtime 7.3.1 is based on Apache Hadoop 3. For more information, see *Cloudera Runtime Component Versions*.

Release date: December 10, 2024

Previous releases:

- Cloudera Runtime 7.1.9 SP1 Release Date: July 19, 2024
- Cloudera Runtime 7.1.7 SP3 Release Date: May 07, 2024
- Cloudera Runtime 7.1.9 Release Date: September 08, 2023
- Cloudera Runtime 7.1.7 SP2 Release Date: January 31, 2023
- Cloudera Runtime 7.1.8 Release Date: August 30, 2022
- Cloudera Runtime 7.1.7 SP1 Release Date: March 30, 2022
- Cloudera Runtime 7.1.7 Release Date: August 5, 2021
- Cloudera Runtime 7.1.6 Release Date: March 3, 2021
- Cloudera Runtime 7.1.5 Release Date: November 30, 2020
- Cloudera Runtime 7.1.4 Release Date: October 13, 2020
- Cloudera Runtime 7.1.3 Release Date: August 10, 2020
- Cloudera Runtime 7.1.2 Release Date: July 13, 2020
- Cloudera Runtime 7.1.1 Release Date: May 22, 2020
- Cloudera Runtime 7.0.3 Release Date: November 22, 2019

Cloudera Runtime Download Information

Important: Access to Cloudera Runtime parcels for production purposes requires authentication. To access the parcels at the locations below, you must first have an active subscription agreement and obtain a license key file along with the required authentication credentials (username and password).

For information on Cloudera Runtime parcel, see the [Cloudera Runtime Download Information](#) documentation.

Cloudera Manager Support Matrix

This support matrix lists the Cloudera Manager version support for CDP Private Cloud Base and the CDP Private Cloud Data Services.





Note: Not all combinations of , , and are supported. Ensure that the version of you are using supports the version of and you have selected. For more information, see the [Support Matrix](#).

The versions of , , and CDH clusters that can be managed by are limited to the following:

For CDP Private Cloud Base

Table 1: Cloudera Manager support for CDP Private Cloud Base

| Cloudera Manager Version | Supported CDH/Cloudera Runtime versions | Supported CDP Private Cloud Data Services versions |
|---|--|---|
| Cloudera Manager 7.13.1 | <ul style="list-style-type: none"> • Cloudera Runtime 7.3.1 • Cloudera Runtime 7.1.9 SP1 • Cloudera Runtime 7.1.7 SP3 • Cloudera Runtime 7.1.9 • Cloudera Runtime 7.1.7 SP2 • Cloudera Runtime 7.1.8 • Cloudera Runtime 7.1.7 SP1 • Cloudera Runtime 7.1.7 • Cloudera Runtime 7.1.6 • Cloudera Runtime 7.1.5 • Cloudera Runtime 7.1.4 • Cloudera Runtime 7.1.3 • Cloudera Runtime 7.1.2 • Cloudera Runtime 7.1.1 • Cloudera Runtime 7.0.3 • CDH 6.3 • CDH 6.2 • CDH 6.1 • CDH 6.0 | <p>None</p>  <p>Caution: CDP Private Cloud Data Services 1.5.4 is not supported on CDP Private Cloud Base 7.3.1. You must not install or upgrade to CDP Private Cloud Base 7.3.1 if you are using CDP Private Cloud Data Services 1.5.4 on your cluster as it is incompatible.</p> |

| Cloudera Manager Version | Supported CDH/Cloudera Runtime versions | Supported CDP Private Cloud Data Services versions |
|---|--|--|
| Cloudera Manager 7.11.3 Latest cumulative hotfix | <ul style="list-style-type: none"> • Cloudera Runtime 7.1.9 SP1 • Cloudera Runtime 7.1.7 SP3 • Cloudera Runtime 7.1.9 • Cloudera Runtime 7.1.7 SP2 • Cloudera Runtime 7.1.8 • Cloudera Runtime 7.1.7 SP1 • Cloudera Runtime 7.1.7 • Cloudera Runtime 7.1.6 • Cloudera Runtime 7.1.5 • Cloudera Runtime 7.1.4 • Cloudera Runtime 7.1.3 • Cloudera Runtime 7.1.2 • Cloudera Runtime 7.1.1 • Cloudera Runtime 7.0.3 • CDH 6.3 • CDH 6.2 • CDH 6.1 • CDH 6.0 | None |
| <p>Cloudera Manager 7.11.3</p>  <p>Note: You must install Python 3.8 (or 3.9 for RHEL 9.1) on all hosts before installing or upgrading to Cloudera Manager 7.11.3. For more information, see the Installing Python 3.</p> | <ul style="list-style-type: none"> • Cloudera Runtime 7.1.9 • Cloudera Runtime 7.1.7 SP2 • Cloudera Runtime 7.1.8 • Cloudera Runtime 7.1.7 SP1 • Cloudera Runtime 7.1.7 • Cloudera Runtime 7.1.6 • Cloudera Runtime 7.1.5 • Cloudera Runtime 7.1.4 • Cloudera Runtime 7.1.3 • Cloudera Runtime 7.1.2 • Cloudera Runtime 7.1.1 • Cloudera Runtime 7.0.3 • CDH 6.3 • CDH 6.2 • CDH 6.1 • CDH 6.0 | None |
| <p>Cloudera Manager 7.7.3 should only be used when you need to use Python 3.8 for the Cloudera Manager agents. You must install Python 3.8 on all hosts before installing or upgrading to Cloudera Manager 7.7.3. Cloudera Manager 7.7.3-CHF2 supports only RHEL 8.4, RHEL 8.6, and RHEL 7.9. See the CDP Private Cloud Base Installation Guide for more information.</p> | <ul style="list-style-type: none"> • Cloudera Runtime 7.1.8 | None |




| Cloudera Manager Version | Supported CDH/Cloudera Runtime versions | Supported CDP Private Cloud Data Services versions |
|--|--|--|
| <p>Cloudera Manager 7.7.1</p>  <p>Note: Cloudera Data Platform recommends you to use latest cumulative hotfix of Cloudera Manager 7.7.1 with Cloudera Runtime 7.1.7-SP2.</p> | <ul style="list-style-type: none"> • Cloudera Runtime 7.1.7 SP2 • Cloudera Runtime 7.1.8 • Cloudera Runtime 7.1.7 SP1 • Cloudera Runtime 7.1.7 • Cloudera Runtime 7.1.6 • Cloudera Runtime 7.1.5 • Cloudera Runtime 7.1.4 • Cloudera Runtime 7.1.3 • Cloudera Runtime 7.1.2 • Cloudera Runtime 7.1.1 • Cloudera Runtime 7.0.3 • CDH 6.3 • CDH 6.2 • CDH 6.1 • CDH 6.0 | None |
| <p>7.6.7</p>  <p>Important: Do not upgrade to Cloudera Manager 7.6.7 if you are running CDP Private Cloud Data Services in your deployment.</p> | <ul style="list-style-type: none"> • Cloudera Runtime 7.1.7 SP2 • Cloudera Runtime 7.1.7 SP1 • Cloudera Runtime 7.1.7 • Cloudera Runtime 7.1.6 • Cloudera Runtime 7.1.5 • Cloudera Runtime 7.1.4 • Cloudera Runtime 7.1.3 • Cloudera Runtime 7.1.2 • Cloudera Runtime 7.1.1 • Cloudera Runtime 7.0.3 • CDH 6.3 • CDH 6.2 • CDH 6.1 • CDH 6.0 • CDH 5.16.2 | None |
| <p>7.6.1</p>  <p>Important: Do not upgrade to Cloudera Manager 7.6.1 if you are running CDP Private Cloud Data Services in your deployment.</p> | <ul style="list-style-type: none"> • Cloudera Runtime 7.1.7 SP1 • Cloudera Runtime 7.1.7 • Cloudera Runtime 7.1.6 • Cloudera Runtime 7.1.5 • Cloudera Runtime 7.1.4 • Cloudera Runtime 7.1.3 • Cloudera Runtime 7.1.2 • Cloudera Runtime 7.1.1 • Cloudera Runtime 7.0.3 • CDH 6.3 • CDH 6.2 • CDH 6.1 • CDH 6.0 • CDH 5.13 - 5.16 | None |







| Cloudera Manager Version | Supported CDH/Cloudera Runtime versions | Supported CDP Private Cloud Data Services versions |
|--------------------------|---|--|
| 7.4.4 | <ul style="list-style-type: none"> • Cloudera Runtime 7.1.7 • Cloudera Runtime 7.1.6 • Cloudera Runtime 7.1.5 • Cloudera Runtime 7.1.4 • Cloudera Runtime 7.1.3 • Cloudera Runtime 7.1.2 • Cloudera Runtime 7.1.1 • Cloudera Runtime 7.0.3 • CDH 6.3 • CDH 6.2 • CDH 6.1 • CDH 6.0 • CDH 5.13 - 5.16 | None |
| 7.3.1 | <ul style="list-style-type: none"> • Cloudera Runtime 7.1.6 • Cloudera Runtime 7.1.5 • Cloudera Runtime 7.1.4 • Cloudera Runtime 7.1.3 • Cloudera Runtime 7.1.2 • Cloudera Runtime 7.1.1 • Cloudera Runtime 7.0.3 • CDH 6.3 • CDH 6.2 • CDH 6.1 • CDH 6.0 • CDH 5.13 - 5.16 | None |
| 7.2.4 | <ul style="list-style-type: none"> • Cloudera Runtime 7.1.5 • Cloudera Runtime 7.1.4 • Cloudera Runtime 7.1.3 • Cloudera Runtime 7.1.2 • Cloudera Runtime 7.1.1 • Cloudera Runtime 7.0.3 • CDH 6.3 • CDH 6.2 • CDH 6.1 • CDH 6.0 • CDH 5.13 - 5.16 | 1.2 Supported with Cloudera Runtime 7.1.5 only |
| 7.1.4 | <ul style="list-style-type: none"> • Cloudera Runtime 7.1.4 • Cloudera Runtime 7.1.3 • Cloudera Runtime 7.1.2 • Cloudera Runtime 7.1.1 • Cloudera Runtime 7.0.3 • CDH 6.3 • CDH 6.2 • CDH 6.1 • CDH 6.0 • CDH 5.13 - 5.16 | None |

| Cloudera Manager Version | Supported CDH/Cloudera Runtime versions | Supported CDP Private Cloud Data Services versions |
|--------------------------|---|--|
| 7.1.3 | <ul style="list-style-type: none"> Cloudera Runtime 7.1.3 Cloudera Runtime 7.1.2 Cloudera Runtime 7.1.1 Cloudera Runtime 7.0.3 CDH 6.3 CDH 6.2 CDH 6.1 CDH 6.0 CDH 5.13 - 5.16 | 1.1 |
| 7.1.2 | <ul style="list-style-type: none"> Cloudera Runtime 7.1.2 Cloudera Runtime 7.1.1 Cloudera Runtime 7.0.3 CDH 6.3 CDH 6.2 CDH 6.1 CDH 6.0 CDH 5.13 - 5.16 | 1.0 |
| 7.1.1 | <ul style="list-style-type: none"> Cloudera Runtime 7.1.1 Cloudera Runtime 7.0.3 CDH 6.3 CDH 6.2 CDH 6.1 CDH 6.0 CDH 5.13 - 5.16 | None |
| 7.0.3 | <ul style="list-style-type: none"> Cloudera Runtime 7.0.3 | None |

For CDP Private Cloud Data Services

Table 2: Cloudera Manager support for CDP Private Cloud Data Services

| Cloudera Manager Version | Supported CDH/Cloudera Runtime versions | Supported Cloudera Private Cloud Data Services versions |
|--|---|---|
| 7.11.3 cumulative hotfix 6 | <ul style="list-style-type: none"> Supported with Cloudera Runtime 7.1.7 SP3, 7.1.8 CHF22 or higher, and 7.1.9 CHF6 only when Cloudera Private Cloud Data Services is deployed. | 1.5.4  Important: Only supported with Cloudera Runtime 7.1.7 SP3, 7.1.8 CHF22 or higher, and 7.1.9 CHF6. |
|  Important: Upgrade to Cloudera Manager 7.11.3 cumulative hotfix 1 only if you are running CDP Private Cloud Data Services in your deployment. | <ul style="list-style-type: none"> Supported with Cloudera Runtime 7.1.7 SP2, 7.1.8 CHF11 or higher, 7.1.9, and 7.1.9 CHF1 only when Cloudera Private Cloud Data Services is deployed. | 1.5.2 Only supported with Cloudera Runtime 7.1.7 SP2, 7.1.8 CHF11 or higher, 7.1.9, and 7.1.9 CHF1. |
|  Important: Upgrade to Cloudera Manager 7.10.1 only if you are running CDP Private Cloud Data Services in your deployment. | <ul style="list-style-type: none"> Supported with Cloudera Runtime 7.1.7 SP2, 7.1.7 SP1, and 7.1.8 CHF4 only when Cloudera Private Cloud Data Services is deployed. | 1.5.1 Only supported with Cloudera Runtime 7.1.7 SP2, 7.1.7 SP1, and 7.1.8 CHF4. |

| Cloudera Manager Version | Supported CDH/Cloudera Runtime versions | Supported Cloudera Private Cloud Data Services versions |
|--|--|---|
| 7.9.5  Important: Upgrade to Cloudera Manager 7.9.5 only if you are running CDP Private Cloud Data Services in your deployment. | <ul style="list-style-type: none"> Supported with Cloudera Runtime 7.1.7 SP2, 7.1.7 SP1, and 7.1.8 only when Cloudera Private Cloud Data Services is deployed. | 1.5.0 Only supported with Cloudera Runtime 7.1.7 SP2, 7.1.7 SP1 and 7.1.8. |
| 7.8.1  Important: Upgrade to Cloudera Manager 7.8.1 only if you are running CDP Private Cloud Data Services in your deployment. | <ul style="list-style-type: none"> Supported with Cloudera Runtime 7.1.7 SP1, and 7.1.8 only when Cloudera Private Cloud Data Services is deployed. | 1.4.1 Only supported with Cloudera Runtime 7.1.7 SP1 and 7.1.8. |
| 7.6.5  Important: Upgrade to Cloudera Manager 7.6.5 only if you are running CDP Private Cloud Data Services in your deployment. | <ul style="list-style-type: none"> Supported with Cloudera Runtime 7.1.6 , 7.1.7, and 7.1.7 SP1 only when Cloudera Private Cloud Data Services is deployed. | 1.3.1, 1.3.2, 1.3.3. 1.3.4 are supported with Cloudera Runtime 7.1.6 , 7.1.7. 1.4.0 is supported with Cloudera Runtime 7.1.7 SP1 only. |
| 7.5.5 | <ul style="list-style-type: none">  Note: Cloudera Manager 7.5.5 is not compatible with the Spark 3 CDS parcel. Cloudera Runtime 7.1.7 Cloudera Runtime 7.1.6 | 1.3.1, 1.3.2, 1.3.3. 1.3.4 Supported with Cloudera Runtime 7.1.6 and 7.1.7 only |
| 7.5.4 | <ul style="list-style-type: none">  Note: Cloudera Manager 7.5.4 is not compatible with the Spark 3 CDS parcel. Cloudera Runtime 7.1.7 Cloudera Runtime 7.1.6 | 1.3.1, 1.3.2, 1.3.3 Supported with Cloudera Runtime 7.1.6 and 7.1.7 only |
| 7.5.1 | <ul style="list-style-type: none">  Note: Cloudera Manager 7.5.1 is not compatible with the Spark 3 CDS parcel. Cloudera Runtime 7.1.7 Cloudera Runtime 7.1.6 | 1.3.1 Supported with Cloudera Runtime 7.1.6 and 7.1.7 only |

CDP Private Cloud Base Trial Download Information

You can try the CDP Private Cloud Base Edition of Cloudera Data Platform for 60 days without obtaining a license key file.

To download CDP Private Cloud Base without obtaining a license key file, visit the [CDP Private Cloud Base Trial Download](#) page, click Try Now, and follow the download instructions. When you install CDP Private Cloud Base without a license key, you are performing a trial installation that includes an embedded PostgreSQL database and is not suitable for a production environment. For more information on trial installations, see the trial installation documentation.

A 60-day trial of CDP Private Cloud Base Edition can be enabled permanently with the appropriate license. To obtain a CDP Private Cloud Base Edition license, fill in the [Contact Us](#) form or call 866-843-7207

Related Information

[Trial Installation](#)

System Requirements

Refer to the following topics for specific information about hardware, operating system, and database requirements to install and use the Cloudera Manager and Cloudera Runtime components. Review the requirements before installing or upgrading the Cloudera Manager and Cloudera Runtime Cluster.

Related Information

[CDP Private Cloud Base Installation Guide](#)

Hardware Requirements

This topic specifies the hardware requirements for CDP Private Cloud Base.

As you create the architecture of your cluster, you will need to allocate Cloudera Manager and Cloudera Runtime roles among the hosts in the cluster to maximize your use of resources. Cloudera Data Platform provides some guidelines about how to assign roles to cluster hosts. See [Recommended Cluster Hosts and Role Distribution](#). When multiple roles are assigned to hosts, add together the total resource requirements (memory, CPUs, disk) for each role on a host to determine the required hardware.



Attention: All recommendations for the number of cores refer to logical cores, not physical cores.

For more information about sizing for a particular component, see the following minimum requirements:

Cloudera Runtime

Hardware requirements for Cloudera Runtime components.

Atlas

You must verify the supported hardware components for Atlas.

| Memory | CPU | Disk | Additional Dependencies |
|-----------------------------|--------------------------------------|---|---|
| Small: 4 GB Large: 32 GB | Minimum: 4 Medium: 8 Large: 16 | No special requirement because HBase is used for storage. | Solr Shards: 4 (property: atlas_solr_shards) The shards for Atlas collections within Solr is determined by this number. |

HDFS heap sizing

You can provision an HDFS cluster for optimal performance based on the desired storage capacity.

| Component | Memory | CPU | Disk |
|-------------|--|----------------|------------------|
| JournalNode | 1 GB (default) Set this value using the Java Heap Size of JournalNode in Bytes HDFS configuration property. | 1 core minimum | 1 dedicated disk |

| Component | Memory | CPU | Disk |
|-----------|---|--|--|
| NameNode | <ul style="list-style-type: none"> Minimum: 1 GB (for proof-of-concept deployments) Add an additional 1 GB for each additional 1,000,000 blocks <p>Snapshots and encryption can increase the required heap memory.</p> <p>See <i>Sizing NameNode Heap Memory</i>.</p> <p>Set this value using the Java Heap Size of NameNode in Bytes HDFS configuration property.</p> | Minimum of 4 dedicated cores; more may be required for larger clusters | <ul style="list-style-type: none"> Minimum of 2 dedicated disks for metadata 1 dedicated disk for log files (This disk may be shared with the operating system.) Maximum disks: 4 |
| DataNode | <p>Minimum: 4 GB Maximum: 8 GB</p> <p>Increase the memory for higher replica counts or a higher number of blocks per DataNode. When increasing the memory, Cloudera recommends an additional 1 GB of memory for every 1 million replicas above 4 million on the DataNodes. For example, 5 million replicas require 5 GB of memory.</p> <p>Set this value using the Java Heap Size of DataNode in Bytes HDFS configuration property.</p> | Minimum: 4 cores. Add more cores for highly active clusters. | <p>Minimum: 4 Maximum: 24</p> <p>The maximum acceptable size will vary depending upon how large average block size is. The DN's scalability limits are mostly a function of the number of replicas per DN, not the overall number of bytes stored. That said, having ultra-dense DNs will affect recovery times in the event of machine or rack failure. Cloudera does not support exceeding 100 TB per data node. You could use 12 x 8 TB spindles or 24 x 4TB spindles. Cloudera does not support drives larger than 8 TB.</p> <p>Configure the disks in JBOD mode. Do not use RAID/LVM/ZFS.</p> |



Warning: Running Runtime on storage platforms other than direct-attached physical disks can provide suboptimal performance. Cloudera Enterprise and the majority of the Hadoop platform are optimized to provide high performance by distributing work across a cluster that can utilize data locality and fast local I/O.

HBase

Know the hardware resource requirements for HBase server in CDP Private Cloud Base.

| Component | Java Heap | CPU | Disk |
|-----------|---|---|---|
| Master | <ul style="list-style-type: none"> 100-10,000 regions: 4 GB 10,000 or more regions with 200 or more Region Servers: 8 GB 10,000 or more regions with 300 or more Region Servers: 12 GB <p>Set this value using the Java Heap Size of HBase Master in Bytes HBase configuration property.</p> | Minimum 4 dedicated cores. You can add more cores for larger clusters, when using replication, or for bulk loads. | 1 disk for local logs, which can be shared with the operating system and/or other Hadoop logs |

| Component | Java Heap | CPU | Disk |
|---------------|--|----------------------------|---|
| Region Server | <ul style="list-style-type: none"> Minimum: 8 GB Medium-scale production: 16 GB Heap larger than 16 GB requires special Garbage Collection tuning. See <i>Configuring the HBase BlockCache</i>. <p>Set this value using the Java Heap Size of HBase RegionServer in Bytes HBase configuration property.</p> | Minimum: 4 dedicated cores | <ul style="list-style-type: none"> 4 or more spindles for each HDFS DataNode 1 disk for local logs (this disk can be shared with the operating system and/or other Hadoop logs) |
| Thrift Server | <p>1 GB - 4 GB</p> <p>Set this value using the Java Heap Size of HBase Thrift Server in Bytes HBase configuration property.</p> | Minimum 2 dedicated cores. | 1 disk for local logs, which can be shared with the operating system and other Hadoop logs. |



Note: Consider adding more HBase Thrift Servers for production environments and deployments with a large number of Thrift client to scale horizontally.

Related Information

[Configuring HBase BlockCache](#)

Hive

Understand the Java Heap memory, CPU, and storage requirements needed to run HiveServer (HS2) and Hive Metastore (HMS).

| Component | Java Heap | CPU | Disk | |
|--|--|----------|---------------------------|--|
| HiveServer 2 | Single Connection | 4 GB | Minimum 4 dedicated cores | Minimum 1 disk This disk is required for the following: <ul style="list-style-type: none"> HiveServer2 log files stdout and stderr output files Configuration files Operation logs stored in the operation_logs_dir directory, which is configurable Any temporary files that might be created by local map tasks under the /tmp directory |
| | 2-10 connections | 4-6 GB | | |
| | 11-20 connections | 6-12 GB | | |
| | 21-40 connections | 12-16 GB | | |
| | 41 to 80 connections | 16-24 GB | | |
| | Cloudera Data Platform recommends splitting HiveServer2 into multiple instances and load balancing them once you start allocating more than 16 GB to HiveServer2. The objective is to adjust the size to reduce the impact of Java garbage collection on active processing by the service. | | | |
| Set this value using the Java Heap Size of HiveServer2 in Bytes Hive configuration property. | | | | |

| Component | Java Heap | | CPU | Disk |
|----------------|--|----------|---------------------------|---|
| Hive Metastore | Single Connection | 4 GB | Minimum 4 dedicated cores | Minimum 1 disk This disk is required so that the Hive metastore can store the following artifacts: <ul style="list-style-type: none"> • Logs • Configuration files • Backend database that is used to store metadata if the database server is also hosted on the same node |
| | 2-10 connections | 4-10 GB | | |
| | 11-20 connections | 10-12 GB | | |
| | 21-40 connections | 12-16 GB | | |
| | 41 to 80 connections | 16-24 GB | | |
| | Set this value using the Java Heap Size of Hive Metastore Server in Bytes Hive configuration property. | | | |
| Beeline CLI | Minimum: 2 GB | | N/A | N/A |

Hue

Review the memory, CPU, and storage requirements needed for running a Hue server in CDP Private Cloud Base.

| Component | Memory | CPU | Disk |
|------------|--|---|---|
| Hue Server | <ul style="list-style-type: none"> • Minimum: 8 GB • Maximum 16 GB • If the cluster uses the Hue load balancer, add additional memory | Minimum: 1 Core to run Django When Hue is configured for high availability, add additional cores | Minimum: 32 GB for the database (16 GB) and /tmp (temporary) directory (16 GB). Database grows proportionally according to the cluster size and workloads. Add additional space when configuring Hue in High Availability. |

The term *cluster size* refers to the number of nodes in the cluster. *Workload* in Hue means the number of queries run and the number of concurrent unique users using the application in a given period of time.

A minimum of 16 GB is needed for the database. The Hive MetaStore and Hue Query Processor services largely use the database. The database grows in size quickly because of the query history that it retains. To optimize performance, you must regularly cleanup old documents and queries.



Note: Hue is limited by cgroup settings. In Cloudera Manager, all memory soft/hard limits are set to -1.

Related Information

[Adding a Load Balancer for Hue](#)

Impala

Sizing requirements for Impala can vary significantly depending on the size and types of workloads using Impala.

| Component | Native Memory | JVM Heap | CPU | Disk |
|---------------|---|---|---|---|
| Impala Daemon | Set this value using the Impala Daemon Memory Limit configuration property. <ul style="list-style-type: none"> • Minimum: 32 GB • Recommended: 128 GB | Set this value using the Java Heap Size of Impala Daemon in Bytes configuration property for the Coordinator Impala Daemons. <ul style="list-style-type: none"> • Minimum: 4 GB • Recommended: 8 GB | <ul style="list-style-type: none"> • Minimum: 4 • Recommended: 16 or more CPU instruction set: AVX2 | <ul style="list-style-type: none"> • Minimum: 1 disk • Recommended: 8 or more |

| Component | Native Memory | JVM Heap | CPU | Disk |
|----------------|--|--|---|---|
| Catalog Server | Set this value using the Java Heap Size of Catalog Server in Bytes configuration property. | <ul style="list-style-type: none"> Minimum: 4 GB Recommended: 8 GB | <ul style="list-style-type: none"> Minimum: 4 Recommended: 16 or more CPU instruction set: AVX2 | <ul style="list-style-type: none"> Minimum and Recommended: 1 disk |

For the networking topology for multi-rack cluster, Leaf-Spine is recommended for the optimal performance.

Kafka

Kafka requires a fairly small amount of resources, especially with some configuration tuning. By default, Kafka, can run on as little as 1 core and 1GB memory with storage scaled based on requirements for data retention.



CPU is rarely a bottleneck because Kafka is I/O heavy, but a moderately-sized CPU with enough threads is still important to handle concurrent connections and background tasks.


Kafka brokers tend to have a similar hardware profile to HDFS data nodes. How you build them depends on what is important for your Kafka use cases.

Use the following guidelines:

| To affect performance of these features: | Adjust these parameters: |
|--|--------------------------|
| Message Retention | Disk size |
| Client Throughput (Producer & Consumer) | Network capacity |
| Producer throughput | Disk I/O |
| Consumer throughput | Memory |

A common choice for a Kafka node is as follows:


| Component | Memory/Java Heap | CPU | Disk |
|------------------|--|---|---|
| Broker | <ul style="list-style-type: none"> RAM: 64 GB Recommended Java heap: 4 GB Set this value using the Java Heap Size of Broker Kafka configuration property. See Other Kafka Broker Properties table . | 12- 24 cores | <ul style="list-style-type: none"> 1 HDD For operating system 1 HDD for Zookeeper dataLogDir 10- HDDs, using Raid 10, for Kafka data |
| KRaft Controller | <ul style="list-style-type: none"> RAM: 4 GB Recommended Java heap: 4 GB Set these values using the Additional KRaft Controller Java Options Kafka property. | 1 dedicated core | A single 64 GB SSD |
| Cruise Control | 1 GB | 1 core  Note: A moderately-sized CPU with enough threads is important to handle metric fetching from Kafka and background tasks. | Because Cruise Control stores its data in Kafka the storage requirements will depend on the retention settings of the related Kafka topics. |
| Kafka Connect | 0.5 - 4 GB heap size depending on the Connectors in use. | 4 cores  Note: Depends on the Connectors in use. | |

| Component | Memory/Java Heap | CPU | Disk |
|--|---|---|---|
| MirrorMaker | 1 GB heap Set this value using the Java Heap Size of MirrorMaker Kafka configuration property. | 1 core per 3-4 streams | No disk space needed on MirrorMaker instance. Destination brokers should have sufficient disk space to store the topics being copied over. |
| Schema Registry | 1 GB heap | 2 cores | 1 MB Serialization JAR files may be uploaded and may be of any size. The disk usage depends on the JAR files uploaded. The files may be stored locally on the same host where SchemaRegistry is running or in HDFS if available. |
| Streams Messaging Manager  Note: The hardware requirements for SMM depends on the number of Kafka partitions. | 8 GB heap | 8 cores | 5 GB |
| Streams Replication Manager | <ul style="list-style-type: none"> 1 GB heap for SRM driver 1 GB heap for SRM Service | The performance of the SRM driver is mostly impacted by network throughput and latency. | No resources required |

Networking requirements: Gigabit Ethernet or 10 Gigabit Ethernet. Avoid clusters that span multiple data centers.

Kafka and Zookeeper: It is common to run ZooKeeper on 3 broker nodes that are dedicated for Kafka. However, for optimal performance Cloudera Data Platform recommends the usage of dedicated Zookeeper hosts. This is especially true for larger, production environments.

Ranger KMS

| Component | Memory | CPU | Disk |
|---|--------|------------------------|--|
| Ranger KMS  Note: Cloudera Data Platform recommends using machines with CPUs that support the AES-NI instruction set and have a similar performance to the CPUs available to the NameNodes, so as not to introduce a bottleneck to HDFS client operations. | 8 GB | 1 GHz 64-bit quad core | 20 GB, using moderate to high-performance drives |

Kudu

Understand the resource requirements for Kudu before making the resource configuration changes in Cloudera Manager.

| Component | Memory | CPU | Disk |
|---------------|---|--|---|
| Tablet Server | <ul style="list-style-type: none"> Minimum: 4 GB Recommended: 10 GB Additional hardware may be required, depending on the workloads running in the cluster. | Kudu currently requires a CPU that supports the SSSE3 and SSE4.2 instruction sets. If you are to run Kudu inside a VM, enable SSE4.2 pass-through to pass through SSE4.2 support into the VM. | 1 disk for write-ahead log (WAL). Using an SSD drive may improve performance. |

| Component | Memory | CPU | Disk |
|-----------|--|--|--------|
| Master | <ul style="list-style-type: none"> Minimum: 256 MB Recommended: 1 GB | <p>Kudu currently requires a CPU that supports the SSSE3 and SSE4.2 instruction sets.</p> <p>If you are to run Kudu inside a VM, enable SSE4.2 pass-through to passthrough SSE4.2 support into the VM.</p> | 1 disk |

Related Information

[Apache Kudu configuration](#)

Oozie

Understand the resource requirements for Oozie before making the resource configuration changes in Cloudera Manager.

| Component | Java Heap | CPU | Disk |
|-----------|---|-----------------------|-----------------------|
| Oozie | <ul style="list-style-type: none"> Minimum: 1 GB (this is the default set by Cloudera Manager). This is sufficient for less than 10 simultaneous workflows, without forking. If you notice excessive garbage collection, or out-of-memory errors, increase the heap size to 4 GB for medium-size production clusters or to 8 GB for large-size production clusters. Set this value using the Java Heap Size of Oozie Server in Bytes Oozie configuration property. | No resources required | No resources required |

Additional tuning:

For workloads with many coordinators that run with complex workflows (a max concurrency reached! warning appears in the log and the Oozie admin -queuedump command shows a large queue):

- Increase the value of the `oozie.service.CallableQueueService.callable.concurrency` property to 50.
- Increase the value of the `oozie.service.CallableQueueService.threads` property to 200.

Do not use a Derby database as a backend database for Oozie.

Ozone hardware recommendations

This guide helps you choose hardware for Ozone based on your data storage needs. Following these recommendations will ensure that you get optimum performance from your Ozone cluster.

Table 3: Recommendations

The values are minimums and can go higher depending on your requirements. However, the above recommendations will apply to the vast majority of deployments.

| Node Type | Chasis | CPU | Node RAM | RAM for each service | OS Disk | Meta Disk (NVMe) | Data Disk | Network | Disk Controllers | GPU |
|------------------------------------|--------|---------|----------|----------------------|----------------|------------------|-----------|-----------|------------------|-----|
| Master node (OM and SCM and Recon) | 1U | 2 x 20c | 256 GB | 64 GB | 2 x 480 GB SSD | 2 x 4 TB | - | 2x 25Gbps | - | - |

| Node Type | Chassis | CPU | Node RAM | RAM for each service | OS Disk | Meta Disk (NVMe) | Data Disk | Network | Disk Controllers | GPU |
|---------------------------------|---------|---------|----------|----------------------|---------|------------------|-----------|-----------|------------------|-----|
| Datanode (Ozone, no compute) | 2U | 2 x 12c | 512 GB | 31 GB** | | 2 x 1.5 TB | 24 x 16TB | | 2x 12 Gbps (low) | |
| Datanode (Ozone, mixed compute) | | 2 x 24c | | | | 2 x 3 TB | | | | |
| Compute node (No Storage) | 1U | | | - | | 1 x 4 TB | - | 1x 25Gbps | - | |

**Avoid using heap sizes of 32 GB to 47 GB because the JVM cannot use [Compressed oops](#) for heap sizes > 31 GB. This reduces the effective memory available to the process. If you want to configure heaps > 31 GB, then use a heap size of at least 48 GB or higher.

Notes

The above configuration will support up to 10B keys because of the 4 TB NVMe on the master nodes.

The absolute minimum recommended configuration is 3 master nodes and 9 datanodes. This will support Erasure Coding with the RS(6,3) configuration with full High Availability. Additional datanodes can be added in increments of 1 to increase storage.

Network

The network between the datanodes and the compute nodes cannot be oversubscribed by more than 2:1. Networking is sized to support the full (real-world) bandwidth of the drives across the network. More drives require faster networks, both at the server level and the switch level.

NVMe

NVMe should be configured in RAID1 pairs to provide business continuity for Ozone metadata in case of hardware failure.

The master nodes and datanodes use NVMe to store Ozone metadata. The compute nodes use NVMe for shuffle (Spark, MapReduce, and Tez) and caching (LLAP). The mixed compute datanodes use NVMe for both Ozone metadata and shuffle (Spark, MapReduce, and Tez) plus caching (LLAP).

Cloudera Data Platform recommends mounting Ozone partitions across the NVMe drive pair as RAID1 (800GB) with the remaining space used for shuffle or cache as independent JBOD partitions. RAID can be configured either in hardware or in software.



Note:

- Cloudera Data Platform recommends NVMe for storing OM and SCM metadata.
- Spinning media to store OM or SCM metadata is unsupported.
- For non-production clusters like staging or development clusters, write-optimized SSDs are recommended.

Example sizing calculator

| Suggested Value of Parameter | Logical Capacity 2PB | Logical Capacity 8PB | Logical Capacity 16PB | Additional information |
|--|----------------------|----------------------|-----------------------|--|
| Number of Data Nodes if using Erasure Coding rs(6,3) | 9 | 31 | 64 | These are calculated based on actual file storage required (See Row 1) |

| Suggested Value of Parameter | Logical Capacity 2PB | Logical Capacity 8PB | Logical Capacity 16PB | Additional information |
|--|----------------------|----------------------|-----------------------|--|
| Logical data size proposed (TB, EC 6,3) | 2304 | 8192 | 16384 | - |
| Raw disk capacity (TB) | 3456 | 12288 | 24576 | - |
| Number of Data Nodes if using triple replication | 16 | 64 | 128 | These are calculated based on actual file storage required (See Row 1) |
| Logical data size - conservative using 3x (TB) | 2048 | 8192 | 16384 | - |
| Raw disk capacity (TB) | 6144 | 24576 | 49152 | - |

Related Information

Ozone Architecture

Phoenix

Know the hardware resource requirements for Phoenix Query Server (PQS) in CDP Private Cloud Base.

| Component | Java Heap | CPU | Disk |
|----------------------|---|----------------------------|---|
| Phoenix Query Server | 1 GB - 4 GB Set this value using the Phoenix Query Server Max Heapspace configuration property. Increase this property value if you run any of these queries, aggregates, joins, or subqueries and if the query processing requires more memory. | Minimum 2 dedicated cores. | 1 disk for local logs, which can be shared with the operating system and other Hadoop logs. |

Ranger

| Memory | CPU | Disk | Additional Dependencies |
|---|----------------|-------------------------|-------------------------|
| Ranger Admin: 1 GB minimum, then adjust heap as required (8 GB-16 GB) | 1 core minimum | No special requirement. | |
| Ranger Usersync: 1 GB minimum | 1 core minimum | No special requirement. | |
| Ranger Tagsync: 1 GB minimum | 1 core minimum | No special requirement. | |

Solr

| Component | Java Heap | CPU | Disk |
|-----------|--|--|---|
| Solr | <ul style="list-style-type: none"> Small workloads, or evaluations: 16 GB Smaller production environments: 32 GB Larger production environments: 96 GB is sufficient for most clusters. <p>Set this value using the Java Heap Size of Solr Server in Bytes Solr configuration property.</p> | <ul style="list-style-type: none"> Minimum: 4 Recommended: 16 for production workloads | <p>No requirement if Solr uses HDFS for storage.</p> <p>If Solr uses local file system:</p> <ul style="list-style-type: none"> Faster disks, such as SSD can provide a significant performance improvement. Occasionally a node may need disk space equal to 2-2.5 times the size of shards on the node for storage and overhead (for segment merging and shard recovery). For heavy ingest and query loads Solr typically performs best on dedicated nodes, partially due to available OS cache for Solr files. |


Note the following considerations for determining the optimal amount of heap memory:

- Size of searchable material: The more searchable material you have, the more memory you need. All things being equal, 10 TB of searchable data requires more memory than 1 TB of searchable data.
- Content indexed in the searchable material: Indexing all fields in a collection of logs, email messages, or Wikipedia entries requires more memory than indexing only the Date Created field.
- The level of performance required: If the system must be stable and respond quickly, more memory may help. If slow responses are acceptable, you may be able to use less memory.

Related Information

[Deployment Planning for Cloudera Search](#)

Spark

| Component | Java Heap | CPU | Disk |
|----------------------|--|---|--------------------------------------|
| Spark History Server | <p>Minimum: 512 MB</p> <p>Set this value using the Java Heap Size of History Server in Bytes Spark configuration property.</p> | <p>1</p> <p> Important: Cloudera Data Platform recommends that you adjust the number of CPUs and memory for the Spark History Server based on your specific cluster usage patterns.</p> | <p>Minimum 1 disk for log files.</p> |

Livy


Understand the resource requirements for Livy before making the resource configuration changes in Cloudera Manager.

| Component | Java Heap | CPU | Disk |
|-----------|---|-----------------------|-----------------------|
| Livy | <p>Minimum: 512 MB</p> <p>Set this value using the Maximum size for the Java process heap memory Livy configuration property.</p> | <p>Minimum 1 core</p> | <p>Minimum 1 disk</p> |

Zeppelin

Understand the resource requirements for Zeppelin before making the resource configuration changes in Cloudera Manager.

Following are the resource requirements for Zeppelin to run together with the other components. In general, Zeppelin mainly contains one Zeppelin Server and multiple Zeppelin Interpreters. The interpreters may range from 2 to 6. By default, the four supported interpreters in Cloudera Data Platform are JDBC, Livy, Markdown, and Angular.

| Component | Java Heap | CPU | Memory |
|-----------|---|---|---|
| Zeppelin | <p>Minimum: 1 GB</p> <p>Set the heap size using the Zeppelin Server Advanced Configuration Snippet (Safety Valve) for the <code>zeppelin-env.sh</code> property in Cloudera Manager Zeppelin configuration page by setting the <code>ZEPPELIN_MEM</code> and <code>ZEPPELIN_INTP_MEM</code> environment variables. For example, <code>export ZEPPELIN_MEM = -Xms1024m -Xmx 2048m</code></p> <p><code>export ZEPPELIN_INTP_MEM = -Xms1024m -Xmx 2048m</code></p> | <p>The Zeppelin Server and Zeppelin Interpreter processes are not restricted in the container. So, the CPU requirement for the Zeppelin process is not easy to define in Cloudera Data Platform. But the physical nodes that Zeppelin runs on should at least have 8 physical cores because Zeppelin may spin up hundreds of threads when busy.</p> | <p>For Zeppelin Server:</p> <p>Minimum memory: 1 GB</p> <p>Recommended minimum memory: 2 GB</p> <p>Maximum Memory: 16 GB</p> <p>Recommended maximum memory: 8 GB</p> <p>For Zeppelin Interpreter:</p> <p>Minimum memory: 1 GB</p> <p>Recommended minimum memory: 2 GB</p> <p>Maximum Memory: 16 GB</p> <p>Recommended maximum memory: 4 GB</p> <p> Note: By default, the running Zeppelin Server and all Interpreters use at least 1 + 4 = 5 GB memory in total. Cloudera Data Platform recommends 64 GB for the physical node that Zeppelin runs on.</p> |



Note: You can change the resource configuration using Cloudera Manager based on your needs.

YARN

| Component | Java Heap | CPU | Other Recommendations |
|--------------------|---|------------------------|---|
| Job History Server | <ul style="list-style-type: none"> Minimum: 1 GB Increase memory by 1.6 GB for each 100,000 tasks kept in memory. For example: <ul style="list-style-type: none"> 5 jobs @ 100,000 mappers + 20,000 reducers = 600,000 total tasks requiring 9.6 GB of heap. <p>See the Other Recommendations column for additional tuning suggestions.</p> <p>Set this value using the Java Heap Size of JobHistory Server in Bytes YARN configuration property.</p> | <p>Minimum: 1 core</p> | <ul style="list-style-type: none"> Set the <code>mapreduce.jobhistory.loadedtasks.cache.size</code> property to a total loaded task count. Using the example in the Java Heap column to the left, of 650,000 total tasks, you can set it to 700,000 to allow for some safety margin. This should also prevent the JobHistoryServer from hanging during garbage collection, since the job count limit does not have a task limit. |

| Component | Java Heap | CPU | Other Recommendations |
|-----------------|--|---|--|
| NodeManager | <p>Minimum: 1 GB.</p> <p>Configure additional heap memory for the following conditions:</p> <ul style="list-style-type: none"> Large number of containers Large shxmluffle sizes in Spark or MapReduce <p>Set this value using the Java Heap Size of NodeManager in Bytes YARN configuration property.</p> | <ul style="list-style-type: none"> Minimum: 8-16 cores Recommended: 32-64 cores | <p>Disks:</p> <ul style="list-style-type: none"> Minimum: 8 disks Recommended: 12 or more disks <p>Networking:</p> <ul style="list-style-type: none"> Minimum: Dual 1Gbps or faster Recommended: Single/Dual 10 Gbps or faster |
| ResourceManager | <p>Minimum: 1 GB</p> <p>Configure additional heap memory for the following conditions:</p> <ul style="list-style-type: none"> More jobs Larger cluster size Number of retained finished applications (configured with the yarn.resourcemanager .max-completed-applications property. Scheduler configuration <p>Set this value using the Java Heap Size of ResourceManager in Bytes YARN configuration property.</p> | Minimum: 1 core | |
| Other Settings | <ul style="list-style-type: none"> Set the ApplicationMaster Memory YARN configuration property to 512 MB Set the Container Memory Minimum YARN configuration property to 1 GB. | N/A | N/A |

Related Information

[Tuning Apache Hadoop YARN](#)

ZooKeeper

Understand the resource requirements for ZooKeeper before making the resource configuration changes in Cloudera Manager.

| Component | Java Heap | CPU | Disk |
|------------------|--|------------------|---|
| ZooKeeper Server | <ul style="list-style-type: none"> Minimum: 1 GB Increase heap size when watching 10,000 - 100,000 ephemeral znodes and are using 1,000 or more clients. <p>Set this value using the Java Heap Size of ZooKeeper Server in Bytes ZooKeeper configuration property.</p> | Minimum: 4 cores | You can use HDDs or SSDs as per your requirement. |

Related Information

[Add a ZooKeeper service](#)

Operating System Requirements

This topic describes the operating system requirements for CDP Private Cloud Base. Azul OpenJDK, OpenJDK 8, OpenJDK 11, and OpenJDK 17 are TCK certified for Cloudera Data Platform.

CDP Private Cloud Base Supported Operating Systems

See the [Cloudera Data Platform Support Matrix](#) for detailed information about supported operating systems.

Operating System support for the CDP Private Cloud Base Trial Installer

SLES 15 SP4 is supported when using the Trial Installer (cloudera-manager-installer.bin) to install Cloudera Manager.



Important: Extra step required when using Cloudera Manager Trial installer on SLES 15 SP4.

When using cloudera-manager-installer.bin to install a trial version of Cloudera Manager, the installation will fail.

Before running cloudera-manager-installer.bin, run the following command:

```
SUSEConnect --list-extensions
SUSEConnect -p sle-module-legacy/15.4/x86_64
zypper install libncurses5
```

Important information about Cloudera Runtime and Cloudera Manager Supported Operating Systems

Cloudera Runtime provides parcels for select versions of RHEL-compatible operating systems.



Important:

In order to be covered by Cloudera Data Platform Support:

- All Cloudera Runtime hosts in a logical cluster must run on the same major OS release.
- Cloudera Data Platform supports a temporarily mixed OS configuration during an OS upgrade project.
- Cloudera Manager must run on the same OS release as one of the clusters it manages.

Cloudera Data Platform recommends running the same minor release on all cluster nodes. However, the risk caused by running different minor OS releases is considered lower than the risk of running different major OS releases.

Points to note:

- Cloudera Data Platform does not support Cloudera Runtime cluster deployments in Docker containers.
- Cloudera Data Platform Enterprise is supported on platforms with Security-Enhanced Linux (SELinux) enabled and in enforcing mode. Cloudera Data Platform is not responsible for policy support or policy enforcement. If you experience issues with SELinux, contact your OS provider.




Important:

- NavEncrypt is not supported in 7.1.8, 7.1.9, and 7.3.1 when using SLES 15 SP4 or SP5
- Cloudera Manager 7.13.1 supports only SLES 15 but not SLES 12. So it is not possible to have temporarily mixed OS configurations during the upgrade.

CDP Private Cloud Base supported operating systems

| Operating System | Version |
|---------------------|---|
| IBM PowerPC on RHEL | The following components are not supported: |

| Operating System | Version |
|------------------|--|
| | <ul style="list-style-type: none"> • Impala • Kudu • Ozone • Navigator Encrypt  Note: Ranger KMS is the recommended Key Management Server for PowerPC deployments. |

Operating System and IBM PowerPC support matrix

This matrix explains the operating system supported on IBM PowerPC. There are two core configurations with CDP Private Cloud Base and different PowerPC version deployments:

1. IBM PowerPC only and CDP Private Cloud Base
2. IBM PowerPC CPU, IBM Spectrum Scale Storage, and CDP Private Cloud Base. This is a subset of what is supported generally on IBM PowerPC.

| IBM PowerPC Support | Documentation |
|--|---|
| PowerPC 8 and 9 generally without Spectrum Scale Storage | https://www.ibm.com/docs/en/linux-on-systems?topic=lpo-supported-linux-distributions-virtualization-options-power8-power9-linux-power-systems |
| PowerPC 10 generally without Spectrum Scale Storage | https://www.ibm.com/docs/en/linux-on-systems?topic=lpo-supported-linux-distributions-virtualization-options-power10-linux-power-servers |
| IBM Spectrum Scale Storage with CDP Private Cloud Base on x86 and PowerPC combinations | https://www.ibm.com/docs/en/spectrum-scale-bda?topic=requirements-support-matrix |

Software Dependencies

- Python - Python dependencies for the different Cloudera Data Platform components is mentioned below:
Cloudera Manager

You must install Python 3.8 or 3.9 for RHEL 8 on all hosts before upgrading to Cloudera Manager 7.13.1.

You must install Python 3.9 for RHEL 9 on all hosts before upgrading to Cloudera Manager 7.13.1.

You must install Python 3.8 for Ubuntu 20 on all hosts before upgrading to Cloudera Manager 7.13.1.

You must install Python 3.10 for SLES 15 or Ubuntu 22 on all hosts before upgrading to Cloudera Manager 7.13.1.



Important:

Cloudera Manager now requires Python 3.10 on all versions of SLES 15, including SLES 15 SP4. It is not possible to support two different versions of Python for the same major version of operating system. If the cluster was previously running Python 3.8, then you must upgrade to Python 3.10.

Due to a change in support from Python 3.8 to Python 3.10 for SLES 15 SP4 and SLES 15 SP5, only a regular upgrade of Cloudera Manager to 7.13.1 and Cloudera Runtime to 7.1.9 SP1 or 7.3.1 is possible and must occur sequentially without starting the cluster between the Cloudera Manager and Cloudera Runtime cluster upgrades.

Ubuntu 18 Operating System is not supported in Cloudera Manager 7.13.1 version.

Hue

Hue supports Python 3.8 only on Ubuntu 20 in Cloudera Runtime 7.3.1.

Hue supports Python 3.9 only on RHEL 8 and RHEL 9 in Cloudera Runtime 7.3.1.

Hue supports Python 3.10 only on SLES 15 and Ubuntu 22 in Cloudera Runtime 7.3.1.

Spark



Important: Spark 2 is not supported in Cloudera Runtime 7.3.1.

Spark 2.4 supports Python 2.7 and 3.4-3.7.



Important: Spark 2 will be deprecated in Cloudera Runtime 7.1.9. Therefore, 7.1.9 is the last runtime release where Spark 2 is supported. For more information, see Deprecation Notices in Cloudera Runtime.

Spark 2.4 supports Python 2.7 and 3.4-3.7.

Spark 3.0 supports Python 2.7 and 3.4 and higher, although support for Python 2 and 3.4 to 3.5 is deprecated.

Spark 3.1 supports Python 3.6 and higher.

If the right level of Python is not picked up by default, set the `PYSPARK_PYTHON` and `PYSPARK_DRIVER_PYTHON` environment variables to point to the correct Python executable before running the `pyspark` command.

CDS (Cloudera Data Platform Distribution of Spark) 3.3 supports Python 3.7 and higher.



Note: For a complete list of supported Python versions in different Spark versions, refer to the *Spark Python Supportability Matrix*.

- Perl - Cloudera Manager requires perl.
- python-psycopg2 - Cloudera Manager 7 has a dependency on the package python-psycopg2. PostgreSQL-backed Hue in Runtime 7 requires a higher version of psycopg2 than is required by the Cloudera Manager dependency. For more information, see *Installing the psycopg2 Python Package*.

- `iproute` package - CDP Private Cloud Base has a dependency on the `iproute` package. Any host that runs the Cloudera Manager Agent requires the package. The required version varies depending on the operating system:

Table 4: iproute package

| Operating System | iproute version |
|------------------|-----------------|
| RHEL | iproute |
| Ubuntu | iproute2 |
| SLES | iproute2 |

- **rpcbind package** - CDP Private Cloud Base has a dependency on the `rpcinfo` command which is usually found in the `rpcbind` package. Any host that runs the Cloudera Manager Agent requires this package. The required version varies depending on the operating system.

Filesystem Requirements

The Hadoop Distributed File System (HDFS) is designed to run on top of an underlying filesystem in an operating system.

Supported Filesystems

Cloudera Data Platform recommends that you use either of the following filesystems tested on the supported operating systems:

- `ext3`: This is the most tested underlying filesystem for HDFS.
- `ext4`: This scalable extension of `ext3` is supported in more recent Linux releases.



Important: Cloudera Data Platform does not support in-place upgrades from `ext3` to `ext4`. Cloudera Data Platform recommends that you format disks as `ext4` before using them as data directories.

- `XFS`: This is the default filesystem in RHEL.
- `S3`: Amazon Simple Storage Service

Kudu Filesystem Requirements - Kudu is supported on `ext4` and `XFS`. Kudu requires a kernel version and filesystem that supports hole punching. Hole punching is the use of the `fallocate(2)` system call with the `FALLOC_FL_PUNCH_HOLE` option set.

File Access Time

Linux filesystems keep metadata that record when each file was accessed. This means that even reads result in a write to the disk. To speed up file reads, Cloudera Data Platform recommends that you disable this option, called `atime`, using the `noatime` mount option in `/etc/fstab`:

```
/dev/sdb1 /data1 ext4 defaults,noatime 0
```

Apply the change without rebooting:

```
mount -o remount /data1
```

Filesystem Mount Options

The filesystem mount options have a `sync` option that allows you to write synchronously.

Using the `sync` filesystem mount option reduces performance for services that write data to disks, such as HDFS, YARN, Kafka and Kudu. In Cloudera Data Platform, most writes are already replicated. Therefore, synchronous writes to disk are unnecessary, expensive, and do not measurably improve stability.

NFS and NAS options are not supported for use as DataNode Data Directory mounts, even when using Hierarchical Storage features.

Cloudera Data Platform supports mounting `/tmp` with the `noexec` option. Mounting `/tmp` as a filesystem with the `noexec` option is sometimes done as an enhanced security measure to prevent the execution of files stored there.

Filesystem Requirements

You can control resource allocation for Cloudera Manager and Cloudera Runtime services (`nproc`, `nofile`, etc) from `/etc/security/limits.conf`, and through `init` scripts on traditional SysV Init systems. However, on systems using `systemd` the limits either needs to be set in the service's unit file, or in `/etc/systemd/system.conf`, or in files present under `/etc/systemd/system.conf.d/*`. This is due to a known limitation with `systemd` as it does not use PAM login sessions (`pam_limits.so`) for daemon services, thereby ignoring the limits defined in `/etc/security/limits.conf`. Both Cloudera Manager Agent and Supervisor (responsible for starting Cloudera Runtime services) are daemonised during system initialisation.

You can perform either of the following steps to modify the resource limit:

1. For system-wide change, uncomment the process properties from `/etc/systemd/system.conf`, or create an override `.conf` under `/etc/systemd/system.conf.d/`. This requires a **nix* system reboot for the changes to take effect. For more information, see [Limits.conf](#).
2. To apply custom limits on Cloudera Runtime services, add the required process properties to the `[Service]` section in `/usr/lib/systemd/system/cloudera-scm-supervisord.service`.

For instance, to customise the number of child processes a process can fork. You can set the property as follows:

```
LimitNPROC=<value>
```

Then reload the configuration by running the following command for the limits to be applied in the subsequent service restarts:

```
# systemctl daemon-reload
```

Here are the list of available [process properties](#).

nscd for Kudu

Although not a strict requirement, it's highly recommended that you use `nscd` to cache both DNS name resolution and static name resolution for Kudu.

Configuring system level operating system

Cloudera Data Platform recommends you to set up the following configurations:

- Disabling Transparent Hugepages (THP)
- `vm.swappiness` Linux Kernel Parameter

For setting these configurations, see [Disabling Transparent Hugepages \(THP\)](#) and [Setting the `vm.swappiness` Linux Kernel Parameter](#).

Related Information

[Installing the `psycopg2` Python package for PostgreSQL-backed Hue](#)
[Spark Python Supportability Matrix](#)

Database Requirements

This topic describes the database requirements for Cloudera Private Cloud Base.

See [Cloudera Support Matrix](#) for detailed information about supported databases based on the CDP and Cloudera Manager versions.



Important: When you restart processes, the configuration for each of the services is redeployed using information saved in the Cloudera Manager database. If this information is not available, your cluster cannot start or function correctly. You must schedule and maintain regular backups of the Cloudera Manager database to recover the cluster in the event of the loss of this database. For more information, see *Backing Up Databases*.

Cloudera Manager and Runtime come packaged with an embedded PostgreSQL database for use in non-production environments. The embedded PostgreSQL database is not supported in production environments. For production environments, you must configure your cluster to use dedicated external databases. You must ensure latency between Cloudera Manager server and the database is < 10 ms. You can verify the latency with a simple SQL command from your Cloudera Manager server host to the database. Start your database's command line client tool and connect to the Cloudera Manager database. Run the following SQL command:

```
SELECT 1;
```



Important: Migrating from one external database server to a different type of database server after installing Cloudera Manager and Runtime services is a complex process that requires modification of the schema and matching the data in the database tables to the new schema. Cloudera expects you to perform the migration using any off-the-shelf tool. If you require any assistance, Cloudera recommends that you must engage with Cloudera Professional Services team.

After installing a database, upgrade to the latest patch and apply appropriate updates. Available updates may be specific to the operating system on which it is installed.

Notes:

- Cloudera recommends installing the databases on different hosts than the services, located in the same data center. Separating databases from services can help isolate the potential impact from failure or resource contention in one or the other. It can also simplify management in organizations that have dedicated database administrators.
- Hue Query Processor in CDP 7.1.8 requires a non-SSL enabled PostgreSQL database.
- CDP does not support Percona for MySQL as a backend database for Hive Metastore (HMS).
- Use the appropriate UTF8 encoding for Metastore, Oozie, Hive, and Hue.

Oozie also supports UTF8MB4 character encoding out of box without any configuration change when the Oozie custom database is created with the encoding of UTF8MB4.

MySQL and MariaDB must use the MySQL utf8 encoding, not utf8mb4.

- Ranger only supports the InnoDB engine for MySQL and MariaDB databases.
- YARN Queue Manager requires a Postgres database server with a dedicated database. This is a temporary requirement.
- For MySQL 5.7, you must install the MySQL-shared-compat or MySQL-shared package. This is required for the Cloudera Manager Agent installation.
- MySQL GTID-based replication is not supported.
- Both the Community and Enterprise versions of MySQL are supported, as well as MySQL configured by the AWS RDS service.
- Before upgrading from CDH 5 to CDH 6, check the value of the COMPATIBLE initialization parameter in the Oracle Database using the following SQL query:

```
SELECT name, value FROM v$parameter WHERE name = 'compatible'
```

The default value is 12.2.0. If the parameter has a different value, you can set it to the default as shown in the [Oracle Database Upgrade Guide](#).



Note: Before resetting the COMPATIBLE initialization parameter to its default value, make sure you consider the effects of this change can have on your system.

Related Information
[Required Databases](#)

RDBMS High Availability Support

Various Cloudera components rely on backing RDBMS services as critical infrastructure. You may require Cloudera components to support deployment in environments where RDBMS services are made highly-available. High availability (HA) solutions for RDBMS are implementation-specific, and can create constraints or behavioral changes in Cloudera components.

This section clarifies the support state and identifies known issues and limitations for HA deployments.

Upgrading Cloudera Manager and the Cloudera Manager database

When upgrading Cloudera Manager, there may be a minimum version requirement for the database server.

Ensure that the Cloudera Manager database server is upgraded to at least this minimum requirement prior to starting the new version of Cloudera Manager for the first time.

1. Stop Cloudera Manager Server service.
2. Upgrade the Cloudera Manager RPMs.
3. Upgrade the Cloudera Manager database server version.
4. Start the Cloudera Manager.

Upgrading CDP and the CDP Services databases

When upgrading CDP to a new version, the new version of CDP may have a minimum version requirement for the database server which holds services metadata.

If the database server needs to be upgraded, follow this process:

1. Stop CDP services which depend on the database server, or alternatively, stop the entire cluster.
2. Upgrade the database server version.
3. Upgrade CDP using Cloudera Manager.
4. Start the stopped services, or the entire cluster.

When a database server upgrade is required, it is not possible to perform a rolling upgrade of the cluster.

High Availability vs. Load Balancing

Understanding the difference between HA and load balancing is important for Cloudera components, which are designed to assume services are provided by a single RDBMS instance. Load balancing distributes operations across multiple RDBMS services in parallel, while HA focuses on service continuity. Load balanced deployments are often used as part of HA strategies to overcome demands of monitoring and failover management in an HA environment. While less easier to implement, load-balanced deployments require applications tailored to the behavior and limitations of the particular technology.

Support Statement: Cloudera components are not designed for and do not support load balanced deployments of any kind. Any HA strategy involving multiple active RDBMS services must ensure all connections are routed to a single RDBMS service at any given time, regardless of vendor or HA implementation/technology.

General High Availability Support

Cloudera supports various RDBMS options, each of which have multiple possible strategies to implement HA. Cloudera cannot reasonably test and certify on each strategy for each RDBMS. Cloudera expects HA solutions for RDBMS to be transparent to Cloudera software, and therefore are not supported and debugged by Cloudera. It is the responsibility of the customer to provision, configure, and manage the RDBMS HA deployment, so that Cloudera software behaves as it would when interfacing with a single, non-HA service. Cloudera will support and help customers troubleshoot issues when a cluster has HA enabled. While diagnosing database-related problems in Cloudera components, customers may be required to temporarily disable or bypass HA mechanisms for troubleshooting purposes. If an HA-related issue is found, it is the responsibility of the customer to engage with the database vendor so that a solution to that issue can be found.

Support Statement: Cloudera Support may require customers to temporarily bypass HA layers and connect directly to supported RDBMS back-ends to troubleshoot issues. Issues observed only when connected through HA layers are the responsibility of the customer DBA staff to resolve.

RDBMS Storage Sizing

The amount of RDBMS storage space used by CDP Private Cloud Base varies depending on the services that are installed and the operations performed. Approximately, the amount of RDBMS storage needed is between 10 MB and 100 MB per host in the CDP cluster.

You can better estimate the RDBMS storage space by deploying a test cluster with the approximate proportion of service roles that the full cluster can bear. Later, execute a sample set of operations, (including Data Recovery backup) for about 24 hours and observe the storage usage on the RDBMS. Next, extrapolate the usage to the full cluster size.

Sharing an RDBMS with other applications

The ability to share an RDBMS storage between CDP Private Cloud Base and other applications depends on many factors. Cloudera recommends that you do not share the RDBMS used by CDP Private Cloud Base with any other application.

For non-production clusters where cluster size is small, not expected to grow, and occasional glitches are tolerable, it is acceptable to share a database with other applications.

MySQL

For a production cluster, CDP Runtime services must not share a database server with other applications. For small clusters, this database can be shared by the CDP Runtime services. For large clusters (hosts > 500), each CDP Runtime service must have its own database server.

PostgreSQL

If you have a dedicated database team managing high-performance hardware, with the CDP Private Cloud Base databases stored on their own spindles (or raid array), then it can be possible to have the DB server shared with other applications. When the cluster size is very large (hosts > 1000), there might be performance issues between shared applications. Cloudera recommends that you do not share the CDP Private Cloud Base database server with other application usages.

If you do not have a dedicated database team that can analyze and tune RDBMS performance, it is recommended to follow the advice for MySQL as detailed above.

Oracle

For single-server Oracle installations, see the above description related to PostgreSQL.

If you are using a clustered system like Oracle RAC, with multiple servers, it is possible to use a shared DB service, since it is no longer a single server. The end user's DB team must monitor DB latency, scale the hardware, or tune DB parameters to ensure optimal performance.

Latency target

For end users attempting to tune a shared RDBMS, ensure that elapsed times must not exceed 40 milliseconds for the 99th percentile of SELECT statements on indexed single-row queries.

Java Requirements

CDP Private Cloud Base comprises of Cloudera Manager and Runtime services. Understand the specific JDK requirements for your deployments.

Related Information

[Step 2: Install Java Development Kit](#)

Supported JDKs

Please see the [Cloudera Support Matrix](#) for detailed information about supported JDKs.

For Cloudera Runtime services, Open JDK-17 is provided as an additional platform support for Cloudera Runtime 7.1.9.

Supported JDK versions



Warning:

- Upgrading to Oracle JDK 1.8.351 or higher, OpenJDK 11.0.17 or higher, or OpenJDK 1.8.392, and Spark3 in CDE uses OpenJDK 11.0.17 which causes a Kerberos issue when deprecated 3DES and RC4 permitted encryption types are used.

Workaround: Remove the deprecated 3DES and RC4 encryption types in the `krb5.conf` and `kdc.conf` files.

- JDK 8u271, JDK 8u281, and JDK 8u291 may cause socket leak issues due to JDK-8245417 and JDK-8256818. Pay attention to the build version of your JDK because some later builds are fixed as described in [JDK-8256818](#).

Workaround: Consider using a more recent version of the JDK like 8u282, or builds of the JDK where the issue is fixed.

- [Oozie Workflow Graph Display](#) in Hue does not work properly with JDK versions lower than 8u40.
- The default value of the YARN config **Add add-opens flags to MR containers** is **false** regardless of the JDK, Cloudera Manager or CDP version. To run distcp or any MapReduce application, this config must be turned on whenever JDK17 is used.
- If you are using JDK 17 on your cluster, you must run the JVM option `--add-opens=java.base/java.lang=ALL-UNNAMED --add-opens=java.management/com.sun.jmx.mbeanserver=ALL-UNNAMED --add-exports=java.management/com.sun.jmx.mbeanserver=ALL-UNNAMED --add-exports=java.base/sun.net.dns=ALL-UNNAMED --add-exports=java.base/sun.net.util=ALL-UNNAMED` to ensure the jobs run successfully.

Table 5: Azul Open JDK versions that are tested and recommended

| Azul Open JDK Version | Notes |
|-----------------------|--------------------------|
| 17.0.7 | |
| 11.50.19 | |
| 8.56.0.21 | Minimum required version |

Table 6: Oracle JDK versions that are tested and recommended

| Oracle JDK Version | Notes |
|--------------------|--------------------------|
| 17.0.6 | |
| 11.0.10+8 | |
| 1.8u181 | Minimum required version |

Table 7: OpenJDK versions that are tested and recommended

| OpenJDK Version | Notes |
|-----------------|--|
| 17.0.7 | 17.0.2 is the minimum required OpenJDK 17 version for FIPS |
| 11.0.4+11 | 11.0.3 is the minimum required OpenJDK 11 version for FIPS |
| 1.8u231 | For FIPS minimum required / latest version tested |
| 1.8u232 | Minimum required / Latest version tested |



Note: Note the following about OpenJDK support:

- Updates above the minimum that are not listed are supported but not tested.
- Cloudera tests only the OpenJDK builds that are provided by each operating system, and only the versions listed in the support matrix.



Note: Cloudera Manager supports TLS 1.2 for Java 8 and Java 11. For Java 17 and higher versions, Cloudera Manager supports TLS 1.2 and TLS 1.3. For TLS 1.0 and TLS 1.1, Cloudera Manager supports Java 8, though Cloudera recommends not to use TLS 1.0 and TLS 1.1.



Important:

For JDK 8u241 and higher versions running on Kerberized clusters, you must disable referrals by setting `sun.security.krb5.disableReferrals=true`.

For example, with OpenJDK 1.8.0u242:

1. Open `/usr/lib/jvm/java-1.8.0-openjdk-1.8.0.242.b08-0.e17_7.x86_64/jre/lib/security/java.security` with a text editor.
2. Add `sun.security.krb5.disableReferrals=true` (it can be at the bottom of the file).
3. Add this property on each node that has the impacted JDK version.
4. Restart the applications using the JDK so the change takes effect.

For more information, see the [KB article](#).

Support Notes



Note: Cloudera strongly recommends installing Oracle JDK at `/usr/java/<JDK-VERSION>` and OpenJDK at `/usr/lib/jvm`, which allows Cloudera Manager to auto-detect and use the correct JDK version. If you install the JDK anywhere else, there are additional steps required to configure Cloudera Manager with your chosen location. See [Configuring a custom Java Home Location](#).



Note: A Java optimization called compressed oops (ordinary object pointers) enables a 64-bit JVM to address heap sizes up to about 32 GB using 4-byte pointers. For larger heap sizes, 8-byte pointers are required. This means that a heap size slightly less than 32 GB can hold more objects than a heap size slightly more than 32 GB.

If you do not need more than 32 GB heap, set your heap size to 31GB or less to avoid this issue. If you need 32 GB or more, set your heap size to 48 GB or higher to account for the larger pointers. In general, for heap sizes above 32 GB, multiply the amount of heap you need by 1.5.

Only 64 bit JDKs are supported.

Unless specifically excluded, Cloudera supports later updates to a major JDK release from the release that support was introduced. Cloudera excludes or removes support for select Java updates when security is jeopardized.

Running Runtime nodes within the same cluster on different JDK releases is not supported. All cluster hosts must use the same JDK update level.

Networking and Security Requirements

This topic describes the networking and security requirements for Cloudera Private Cloud Base.

Cloudera Runtime and Cloudera Manager Supported Transport Layer Security Versions



Note:

- Cloudera Manager supports TLS 1.2 for Java 8 and Java 11. For Java 17 and higher versions, Cloudera Manager supports TLS 1.2 and TLS 1.3. For TLS 1.0 and TLS 1.1, Cloudera Manager supports Java 8, though Cloudera recommends not to use TLS 1.0 and TLS 1.1.
- Domain name requirement: Environments, where domain names have non-LDH characters such as letters, digits, or hyphens, must be avoided for Hadoop deployments as they are unsupported.

The following components are supported by the indicated versions of Transport Layer Security (TLS):

Table 8: Components Supported by TLS

| Component | Role | Name | Port | Version |
|------------------|-------------------------|---------------------------------------|-------|--|
| Cloudera Manager | Cloudera Manager Server | | 7182 | TLS 1.2 |
| Cloudera Manager | Cloudera Manager Server | | 7183 | TLS 1.2 |
| Flume | | | 9099 | TLS 1.2 |
| Flume | | Avro Source/Sink | | TLS 1.2 |
| Flume | | Flume HTTP Source/Sink | | TLS 1.2 |
| HBase | Master | HBase Master Web UI Port | 60010 | TLS 1.2 |
| HDFS | NameNode | Secure NameNode Web UI Port | 50470 | TLS 1.2 |
| HDFS | Secondary NameNode | Secure Secondary NameNode Web UI Port | 50495 | TLS 1.2 |
| HDFS | HttpFS | REST Port | 14000 | TLS 1.1, TLS 1.2 |
| Hive | HiveServer2 | HiveServer2 Port | 10000 | TLS 1.2 |
| Hue | Hue Server | Hue HTTP Port | 8888 | TLS 1.2 |
| Impala | Impala Daemon | Impala Daemon Beeswax Port | 21000 | TLS 1.0, TLS 1.1, TLS 1.2 We recommend that clients use the highest supported version, TLS 1.2. |
| Impala | Impala Daemon | Impala Daemon HiveServer2 Port | 21050 | TLS 1.0, TLS 1.1, TLS 1.2 We recommend that clients use the highest supported version, TLS 1.2. |
| Impala | Impala Daemon | Impala Daemon Backend Port | 22000 | TLS 1.0, TLS 1.1, TLS 1.2 We recommend that clients use the highest supported version, TLS 1.2. |
| Impala | Impala StateStore | StateStore Service Port | 24000 | TLS 1.0, TLS 1.1, TLS 1.2 We recommend that clients use the highest supported version, TLS 1.2. |
| Impala | Impala Daemon | Impala Daemon HTTP Server Port | 25000 | TLS 1.0, TLS 1.1, TLS 1.2 We recommend that clients use the highest supported version, TLS 1.2. |

| Component | Role | Name | Port | Version |
|------------|-----------------------|---|-------|--|
| Impala | Impala StateStore | StateStore HTTP Server Port | 25010 | TLS 1.0, TLS 1.1, TLS 1.2 We recommend that clients use the highest supported version, TLS 1.2. |
| Impala | Impala Catalog Server | Catalog Server HTTP Server Port | 25020 | TLS 1.0, TLS 1.1, TLS 1.2 We recommend that clients use the highest supported version, TLS 1.2. |
| Impala | Impala Catalog Server | Catalog Server Service Port | 26000 | TLS 1.0, TLS 1.1, TLS 1.2 We recommend that clients use the highest supported version, TLS 1.2. |
| Oozie | Oozie Server | Oozie HTTPS Port | 11443 | TLS 1.1, TLS 1.2 |
| Ranger | Ranger Admin | Admin HTTPS Port | 6182 | TLS 1.2 |
| Ranger KMS | Ranger KMS Server | Ranger KMS HTTPS Port | 9494 | TLS 1.2 |
| Solr | Solr Server | Solr HTTP Port | 8983 | TLS 1.1, TLS 1.2 |
| Solr | Solr Server | Solr HTTPS Port | 8985 | TLS 1.1, TLS 1.2 |
| Spark | History Server | | 18080 | TLS 1.2 |
| YARN | ResourceManager | ResourceManager Web Application HTTP Port | 8090 | TLS 1.2 |
| YARN | JobHistory Server | MRv1 JobHistory Web Application HTTP Port | 19890 | TLS 1.2 |

Cloudera Runtime and Cloudera Manager Networking and Security Requirements

The hosts in a Cloudera Manager deployment must satisfy the following networking and security requirements:

- Cluster Host Requirements:

The hosts you intend to use must satisfy the following requirements:

- You must be able to log in to the Cloudera Manager Server host using the root user account or an account that has passwordless sudo privileges.
- The Cloudera Manager Server host must have uniform SSH access on the same port to all hosts. For more information, see *Runtime and Cloudera Manager Networking and Security Requirements*.
- All hosts must have access to standard package repositories for the operating system and either archive.cloudera.com or a local repository with the required installation files.
- SELinux must be disabled or set to permissive mode before running the installer.

- Networking Protocols Support

CDP requires IPv4. IPv6 is not supported and must be disabled.



Important: Refer to your OS documentation or contact your OS vendor for instructions on disabling IPv6.

See also *Configure Network Names*.

- Multihoming Support

Multihoming Cloudera Runtime or Cloudera Manager is not supported outside specifically certified Cloudera partner appliances. Cloudera finds that current Hadoop architectures combined with modern network

infrastructures and security practices remove the need for multihoming. Multihoming, however, is beneficial internally in appliance form factors to take advantage of high-bandwidth InfiniBand interconnects.

Although some subareas of the product may work with unsupported custom multihoming configurations, there are known issues with multihoming. In addition, unknown issues may arise because multihoming is not covered by our test matrix outside the Cloudera-certified partner appliances.

- Entropy

Data at rest encryption requires sufficient entropy to ensure randomness.

See entropy requirements in *Data at Rest Encryption Requirements*.

- Cluster hosts must have a working network name resolution system and correctly formatted `/etc/hosts` file. All cluster hosts must have properly configured forward and reverse host resolution through DNS. The `/etc/hosts` files must:
 - Contain consistent information about hostnames and IP addresses across all hosts
 - Not contain uppercase hostnames
 - Not contain duplicate IP addresses

Cluster hosts must not use aliases, either in `/etc/hosts` or in configuring DNS. A properly formatted `/etc/hosts` file should be similar to the following example:

```
127.0.0.1 localhost.localdomain localhost
192.168.1.1 cluster-01.example.com cluster-01
192.168.1.2 cluster-02.example.com cluster-02
192.168.1.3 cluster-03.example.com cluster-03
```

- In most cases, the Cloudera Manager Server must have SSH access to the cluster hosts when you run the installation or upgrade wizard. You must log in using a root account or an account that has password-less sudo permission. For authentication during the installation and upgrade procedures, you must either enter the password or upload a public and private key pair for the root or sudo user account. If you want to use a public and private key pair, the public key must be installed on the cluster hosts before you use Cloudera Manager.

For a list of sudo commands that are supported by Cloudera Manager, see [Cloudera Manager sudo command options](#).

Cloudera Manager uses SSH only during the initial install or upgrade. Once the cluster is set up, you can disable root SSH access or change the root password. Cloudera Manager does not save SSH credentials, and all credential information is discarded when the installation is complete.

- The Cloudera Manager Agent runs as root so that it can make sure that the required directories are created and that processes and files are owned by the appropriate user (for example, the hdfs and mapred users).
- Security-Enhanced Linux (SELinux) must not block Cloudera Manager or Runtime operations.



Note: Cloudera Enterprise is supported on platforms with Security-Enhanced Linux (SELinux) enabled and in enforcing mode. Cloudera is not responsible for SELinux policy development, support, or enforcement. If you experience issues running Cloudera software with SELinux enabled, contact your OS provider for assistance.

If you are using SELinux in enforcing mode, Cloudera Support can request that you disable SELinux or change the mode to permissive to rule out SELinux as a factor when investigating reported issues.

- Firewalls (such as iptables and firewalld) must be disabled or configured to allow access to ports used by Cloudera Manager, Runtime, and related services.
- For RHEL and CentOS, the `/etc/sysconfig/network` file on each host must contain the correct hostname.
- Cloudera Manager and Runtime use several user accounts and groups to complete their tasks. The set of user accounts and groups varies according to the components you choose to install. Do not delete these accounts or groups and do not modify their permissions and rights. Ensure that no existing systems prevent these accounts and groups from functioning. For example, if you have scripts that delete user accounts not in an allowlist, add these

accounts to the list of permitted accounts. Cloudera Manager, Runtime, and managed services create and use the following accounts and groups:

Table 9: Users and Groups

| Component (Version) | Unix User ID | Groups | Functionality |
|----------------------------|--------------|----------------|---|
| Apache Atlas | atlas | atlas, hadoop | Apache Atlas by default has atlas as user and group. It is configurable |
| Apache Flink | flink | flink | The Flink Dashboard runs as this user. |
| Apache HBase | hbase | hbase | The Master and the RegionServer processes run as this user. |
| Apache HBase Indexer | hbase | hbase | The indexer servers are run as this user. |
| Apache HDFS | hdfs | hdfs, hadoop | The NameNode and DataNodes run as this user, and the HDFS root directory as well as the directories used for edit logs should be owned by it. |
| Apache Hive Hive on Tez | hive | hive | The HiveServer2 process and the Hive Metastore processes run as this user. A user must be defined for Hive access to its Metastore DB (for example, MySQL or Postgres) but it can be any identifier and does not correspond to a Unix uid. This is <code>javax.jdo.option.ConnectionUserName</code> in <code>hive-site.xml</code> . |
| Apache Impala | impala | impala, hive | Impala services run as this user. |
| Apache Kafka | kafka | kafka | Kafka brokers, mirrorMaker, and Connect workers run as this user. |
| Apache Knox | knox | knox | Apache Knox Gateway Server runs as this user |
| Apache Kudu | kudu | kudu | Kudu services run as this user. |
| Apache Livy | livy | livy | The Livy Server process runs as this user |
| Apache NiFi | nifi | nifi | Runs as the nifi user |
| Apache NiFi Registry | nifiregistry | nifiregistry | Runs as the nifiregistry user |
| Apache Oozie | oozie | oozie | The Oozie service runs as this user. |
| Apache Ozone | hdfs | hdfs, hadoop | Ozone Manager, Storage Container Manager (SCM), Recon and Ozone Datanodes run as this user. |
| Apache Parquet | ~ | ~ | No special users. |
| Apache Phoenix | phoenix | phoenix | The Phoenix Query Server runs as this user |
| Apache Ranger | ranger | ranger, hadoop | Ranger Admin, Usersync and Tagsync services by default have ranger as user and ranger, hadoop as groups. It is configurable. |

| Component (Version) | Unix User ID | Groups | Functionality |
|---------------------------|----------------|---------------|--|
| Apache Ranger KMS | kms | kms | Ranger KMS runs with kms user and group. It is configurable. |
| Apache Ranger Raz | rangerraz | ranger | Ranger Raz runs with rangerraz user and is part of the ranger group. |
| Apache Ranger RMS | rangerrms | ranger | Ranger RMS runs with rangerrms user and is part of the ranger group. |
| Apache Solr | solr | solr | The Solr processes run as this user. |
| Apache Spark | spark | spark | The Spark History Server process runs as this user. |
| Apache Sqoop | sqoop | sqoop | This user is only for the Sqoop1 Metastore, a configuration option that is not recommended. |
| Apache YARN | yarn | yarn, hadoop | Without Kerberos, all YARN services and applications run as this user. The LinuxContainerExecutor binary is owned by this user for Kerberos. |
| Apache Zeppelin | zeppelin | zeppelin | The Zeppelin Server process runs as this user |
| Apache ZooKeeper | zookeeper | zookeeper | The ZooKeeper processes run as this user. It is not configurable. |
| (all versions) | cloudera-scm | cloudera-scm | Clusters managed by run Server, monitoring roles, and other Cloudera Server processes as cloudera-scm. Requires keytab file named cmf.keytab because name is hard-coded in . |
| Cruise Control | cruisecontrol | hadoop | The Cruise Control process runs as this user. |
| HttpFS | httpfs | httpfs | The HttpFS service runs as this user. See “HttpFS authentication” for instructions on how to generate the merged httpfs-http.keytab file. |
| Hue | hue | hue | Hue services run as this user. |
| Hue Load Balancer | apache | apache | The Hue Load balancer has a dependency on the apache2 package that uses the apache user name. does not run processes using this user ID. |
| Schema Registry | schemaregistry | hadoop | The Schema Registry process runs as this user. |
| Streams Messaging Manager | streamsmgmgr | streamsmgmgr | The Streams Messaging Manager processes runs as this user. |
| | streamsrepmgr | streamsrepmgr | The Streams processes runs as this user. |

Data at Rest Encryption Requirements

This topic describes the data at rest encryption requirements for Cloudera Private Cloud Base.

Encryption comprises several components, each with its own requirements.

Data at rest encryption protection can be applied at a number of levels within Hadoop:

- OS filesystem-level
- Network-level
- HDFS-level (protects both data at rest and in transit)

This section contains the various hardware and software requirements for all encryption products used for Data at Rest Encryption.

For more information on supported operating systems, see [Cloudera Support Matrix](#).

For more information on the components, concepts, and architecture for encrypting data at rest, see [Encrypting Data at Rest](#).

Third-party filesystems

This topic describes the third-party filesystems supported by Cloudera Private Cloud Base.

Cloudera Private Cloud Base supports the following third-party filesystems:

Please see the CDP Private Cloud Base Release Guide for [Dell EMC PowerScale](#) support.

Please see the CDP Private Cloud Base Release Guide for [IBM Spectrum Scale](#) support.

Trial Installation

These topics provide instructions for installing the trial version of Cloudera Private Cloud Base in a non-production environment for demonstration and proof-of-concept use cases.

In these procedures, Cloudera Manager automates the installation of the JDK, Cloudera Manager Server, an embedded PostgreSQL database, Cloudera Manager Agent, Cloudera Runtime, and other managed services on cluster hosts. Cloudera Manager also configures databases for the Cloudera Manager Server and Hive Metastore, Ranger, and for Cloudera Management Service roles.

This installation method is recommended for trial deployments, but is not supported for production deployments because it is not designed to scale. To use this method, server and cluster hosts must satisfy the following requirements:

- All hosts must have a [supported operating system](#) installed.
- You must be able to log in to the Cloudera Manager Server host using the root user account or an account that has passwordless sudo privileges.
- The Cloudera Manager Server host must have uniform SSH access on the same port to all hosts. For more information, see [Runtime and Cloudera Manager Networking and Security Requirements](#).
- All hosts must have access to standard package repositories for the operating system and either [archive.cloudera.com](#) or a local repository with the required installation files.
- SELinux must be disabled or set to permissive mode before running the installer.

Related Information

[CDP Private Cloud Base Trial Download Information](#)

[CDP Private Cloud Base Installation Guide](#)

Installing a Trial Cluster

In this procedure, Cloudera Manager automates the installation of the Oracle JDK, Cloudera Manager Server, embedded PostgreSQL database, Cloudera Manager Agent, Runtime, and managed service software on cluster hosts.

Cloudera Manager also configures databases for the Cloudera Manager Server and Hive Metastore and optionally for Cloudera Management Service roles.



Important: This procedure is intended for trial and proof-of-concept deployments only. It is not supported for production deployments because it is not designed to scale.

Cluster Host Requirements:

The hosts you intend to use must satisfy the following requirements:

- You must be able to log in to the Cloudera Manager Server host using the root user account or an account that has passwordless sudo privileges.
- The Cloudera Manager Server host must have uniform SSH access on the same port to all hosts. For more information, see *Runtime and Cloudera Manager Networking and Security Requirements*.
- All hosts must have access to standard package repositories for the operating system and either archive.cloudera.com or a local repository with the required installation files.
- SELinux must be disabled or set to permissive mode before running the installer.

Refer to the following topics for the steps required to install a trial cluster.

Before You Begin a Trial Installation

Before you begin a trial installation, you must disable SELinux if you want the Cloudera Manager installer to run. You can also optionally configure an HTTP proxy.

(Optional) Configure an HTTP Proxy

The Cloudera Manager installer accesses archive.cloudera.com by using yum on RHEL systems, zypper on SLES systems, or apt-get on Ubuntu systems. If your hosts access the Internet through an HTTP proxy, you can configure yum system-wide, to access archive.cloudera.com through a proxy.

To do so, modify the system configuration on every cluster host as follows:

| OS | File | Property |
|-----------------|-------------------|--|
| RHEL-compatible | /etc/yum.conf | proxy=http://SERVER:PORT/ |
| SLES | /root/.curlrc | --proxy=http://SERVER:PORT/ |
| Ubuntu | /etc/apt/apt.conf | Acquire::http::Proxy "http://SERVER:PORT"; |

Disable SELinux



Note: Cloudera Private Cloud Base is supported on platforms with Security-Enhanced Linux (SELinux) enabled and in enforcing mode. Cloudera is not responsible for SELinux policy development, support, or enforcement. If you experience issues running Cloudera software with SELinux enabled, contact your OS provider for assistance.

If you are using SELinux in enforcing mode, Cloudera Support can request that you disable SELinux or change the mode to permissive to rule out SELinux as a factor when investigating reported issues.

Although Cloudera supports running Cloudera software with SELinux enabled, the Cloudera Manager installer will not proceed if SELinux is enabled. Disable SELinux or set it to permissive mode before running the installer.

After you have installed and deployed Cloudera Manager and Runtime, you can re-enable SELinux by changing SELINUX=permissive back to SELINUX=enforcing in /etc/selinux/config (or /etc/sysconfig/selinux), and then running the following command to immediately switch to enforcing mode:

```
setenforce 1
```

If you are having trouble getting Cloudera Software working with SELinux, contact your OS vendor for support. Cloudera is not responsible for developing or supporting SELinux policies.

Download the Trial version of Cloudera Private Cloud Base

You can download the trial version of Cloudera Private Cloud Base from the [Cloudera Download](#) site.

About this task

You can use the trial software for 60 days without obtaining a license key file. The trial installation includes an embedded PostgreSQL database and is not suitable for a production environment.

Procedure

1. Go to the trial [download page](#) for Cloudera Private Cloud Base.
2. Click Try Now.
3. Follow the download-instructions.

What to do next

Run the Cloudera Manager Server Installer.

Run the Cloudera Manager Server Installer

Run the Cloudera Manager installer to the cluster host to which you are installing the Cloudera Manager Server. By default, the automated installer binary (cloudera-manager-installer.bin) installs the highest version of Cloudera Manager.

Before you begin

- Download the trial software.

Procedure

1. Run the Cloudera Manager installer:

- a) Change cloudera-manager-installer.bin to have execute permissions:

```
chmod u+x cloudera-manager-installer.bin
```


- b) Run the Cloudera Manager Server installer:

```
sudo ./cloudera-manager-installer.bin
```

- c) For clusters without Internet access: Install Cloudera Manager packages from a local repository:


```
sudo ./cloudera-manager-installer.bin --skip_repo_package=1
```

The **Cloudera Manager Read Me** page appears.



2. Click Next.


The **Cloudera Standard License** page appears.




3. Click Next to accept the license agreement.

The the installer starts and does the following:


- a. Installs Oracle JDK.



- b. Installs the Cloudera Manager Server.



- c. Installs the embedded PostgreSQL packages and starts the database and Cloudera Manager Server.



Note: If the installation is interrupted, run the following command on the Cloudera Manager Server host before you retry the installation:

```
sudo /usr/share/cmf/uninstall-cloudera-manager.sh
```

The log files for the installer are stored in `/var/log/cloudera-manager-installer/`.

4. Exit the installer:

- a) When the installation completes, the complete URL for the Cloudera Manager Admin Console displays, including the default port number: 7180.




Important: Make a note of this URL or take a screen capture as you will need it for the next task.



- b) Click OK.

The success message appears.

- c) Click OK to exit the installer.



- d) Wait a few minutes for the Cloudera Manager Server to start. To observe the startup process, run `sudo tail -f /var/log/cloudera-scm-server/cloudera-scm-server.log` on the Cloudera Manager Server host. When you see the following log entry, the Cloudera Manager Admin Console is ready:

```
INFO WebServerImpl:com.cloudera.server.cmf.WebServerImpl: Started Jetty
server.
```

What to do next

Install Cloudera Runtime

Install Cloudera Runtime

After you have installed Cloudera Manager, log in to Cloudera Manager to access the **Add Cluster - Installation** wizard. Here you will add hosts to form a cluster and install Cloudera Runtime and Cloudera Manager Agent software.

Before you begin


- You have installed Cloudera Manager.

Procedure

1. In a web browser, enter the URL that the Cloudera Manager Installer displayed in the previous task: `http://<SERVER_HOST>:7180`, where `<SERVER_HOST>` is the FQDN or IP address of the host where the Cloudera Manager Server is running.

For example: `http://ccycloud-1.streams-trial.root.hwx.site:7180`


The **Cloudera Manager Sign In** page appears.



2. Sign in with the default credentials:

- Username: admin
- Password: admin

Click Sign In.



The image shows a sign-in form with two input fields. The first field contains the text 'admin'. The second field contains six dots, representing a password. Below the password field is a checkbox labeled 'Remember me' which is checked. At the bottom of the form is a blue button with the text 'Sign In'.

The **Welcome to Cloudera Manager** page appears.

3. Select:

- Try Cloudera Data Platform for 60 days
- Yes, I accept the Cloudera Standard License Terms and Conditions

Welcome to Cloudera Manager 7.1.3


Upload License File

Upload Cloudera Data Platform License

Cloudera Data Platform provides important features that help you manage and monitor your Hadoop clusters in mission-critical environments. Cloudera Data Platform is a subscription service with enhanced capabilities and support. [Contact Cloudera Sales](#)

(Accept .txt or .zip)

Try Cloudera Data Platform for 60 days

 After the trial period, you will need a valid Cloudera Data Platform license to access the Cloudera Manager Admin Console. Your cluster and data will remain unaffected.

Cloudera Standard License

Version 2019-12-12

THE TERMS AND CONDITIONS OF THIS CLOUDERA STANDARD LICENSE (THE "AGREEMENT") APPLY TO YOUR USE OF OR ACCESS TO THE PRODUCTS (AS DEFINED BELOW) MADE AVAILABLE BY CLOUDERA, INC. ("CLOUDERA").

PLEASE READ THIS AGREEMENT CAREFULLY.

IF YOU ("YOU" OR "CUSTOMER") PLAN TO USE OR ACCESS ANY OF THE PRODUCTS ON BEHALF OF A COMPANY OR OTHER ENTITY, YOU REPRESENT THAT YOU ARE THE EMPLOYEE OR AGENT OF SUCH

Yes, I accept the Cloudera Standard License Terms and Conditions.

4. Click Continue.

The **Add Cluster - Installation** page, **Welcome** section appears. The steps on the left let you know where you are in the workflow.

The screenshot shows the Cloudera Manager interface. On the left is a dark sidebar with the Cloudera Manager logo and a list of steps: 1 Welcome, 2 Cluster Basics, 3 Specify Hosts, 4 Select Repository, 5 Select JDK, 6 Enter Login Credentials, 7 Install Agents, 8 Install Parcels, and 9 Inspect Cluster. Below the steps are links for Parcels, Running Commands, Support, and a user profile for 'admin'. The main content area is titled 'WELCOME' in large orange letters. It contains two warning boxes: one for AutoTLS not being enabled and another for a KDC not being configured. Below these is a section titled 'Adding a cluster in Cloudera Manager consists of two steps.' with two numbered steps: 1. Add a set of hosts to form a cluster and install Cloudera Runtime and the Cloudera Manager Agent software. 2. Select and configure the services to run on this cluster. At the bottom of the main area is a 'Quick Links' box with links to the Installation Guide, Operating System Requirements, Database Requirements, and JDK Requirements. At the bottom right of the page are 'Back' and 'Continue' buttons.

5. Click Continue.

The Cluster Basics section appears.


6. Enter a name for the cluster and click Continue.

Add Cluster - Installation

- 1 Welcome
- 2 Cluster Basics**
- 3 Specify Hosts
- 4 Select Repository
- 5 Select JDK
- 6 Enter Login Credentials
- 7 Install Agents
- 8 Install Parcels
- 9 Inspect Cluster

Cluster Basics

Cluster Name



Regular Cluster

A Regular Cluster contains storage nodes, compute nodes, and other services such as metadata and security collocated in a single cluster.

[Back](#) [Continue](#)

The **Specify Hosts** section appears.

- Enter the cluster host names or IP addresses in the Hostnames field.

Add Cluster - Installation

- Welcome
- Cluster Basics
- Specify Hosts**
- Select Repository
- Select JDK
- Enter Login Credentials
- Install Agents
- Install Parcels
- Inspect Cluster

Specify Hosts

Hosts should be specified using the same hostname (FQDN) that they will identify themselves with. Cloudera recommends including Cloudera Manager Server's host. This also enables health monitoring for that host.

Hostname

Hint: Search for hostnames or IP addresses using [patterns](#) .

SSH Port:

You can specify host name and IP address ranges as follows:

| Expansion Range | Matching Hosts |
|-------------------------|--|
| 10.1.1.[1-4] | 10.1.1.1, 10.1.1.2, 10.1.1.3, 10.1.1.4 |
| host[1-3].example.com | host1.example.com, host2.example.com, host3.example.com |
| host[07-10].example.com | host07.example.com, host08.example.com, host09.example.com, host10.example.com |

8. Click Search.

Cloudera Manager discovers the hosts.

Add Cluster - Installation

Specify Hosts

Hosts should be specified using the same hostname (FQDN) that they will identify themselves with. Cloudera recommends including Cloudera Manager Server's host. This also enables health monitoring for that host.

Hostname:

Hint: Search for hostnames or IP addresses using [patterns](#)

SSH Port:

3 hosts scanned, 3 running SSH.
 Click the first checkbox, hold down the Shift key and click the last checkbox to select a range.

| <input checked="" type="checkbox"/> | Expanded Query ↑ | Hostname (FQDN) | IP Address | Currently Managed | Result |
|-------------------------------------|--|--|----------------|-------------------|--------------------------------|
| <input checked="" type="checkbox"/> | ccycloud-1.streams-trial.root.hwx.site | ccycloud-1.streams-trial.root.hwx.site | 172.27.123.204 | No | Host was successfully scanned. |
| <input checked="" type="checkbox"/> | ccycloud-2.streams-trial.root.hwx.site | ccycloud-2.streams-trial.root.hwx.site | 172.27.26.143 | No | Host was successfully scanned. |
| <input checked="" type="checkbox"/> | ccycloud-3.streams-trial.root.hwx.site | ccycloud-3.streams-trial.root.hwx.site | 172.27.92.198 | No | Host was successfully scanned. |

9. Verify host entries, deselect any that you do not want to install services on, and click Continue.

The **Select Repository** section appears.

10. Select the following options:

- Public Cloudera Repository
- Use Parcels
- The version of Cloudera Runtime that you want to install.
- In the Additional Parcels section, None.

Add Cluster - Installation

Welcome

Cluster Basics

Specify Hosts

4 Select Repository

5 Select JDK

6 Enter Login Credentials

7 Install Agents

8 Install Parcels

9 Inspect Cluster

Select Repository

Cloudera Manager Agent

Cloudera Manager Agent 7.1.3 (#4999720) needs to be installed on all new hosts.

Repository Location Public Cloudera Repository

Ensure the above version is listed in <https://archive.cloudera.com/cm7> and that you have access to that repository. Requires direct Internet access on all hosts.

Custom Repository

CDH and other software

Cloudera recommends the use of parcels for installation over packages, because parcels enable Cloudera Manager to easily manage the software on your cluster, automating the deployment and upgrade of service binaries. Electing not to use parcels will require you to manually upgrade packages on all hosts in your cluster when software updates are available, and will prevent you from using Cloudera Manager's rolling upgrade capabilities.

Install Method Use Packages

Use Parcels (Recommended) [Parcel Repositories & Network Settings](#) [Other Parcel Configurations](#)

Version **Versions that are too new for this version of Cloudera Manager (7.1.3) will not be shown.**

Cloudera Runtime 7.1.3-1.cd7.1.3.p0.4992530

CDH 6.3.2-1.cd6.3.2.p0.1605554

CDH 5.16.2-1.cd5.16.2.p0.8

Additional Parcels ACCUMULO 1.9.2-1.ACCUMULO6.1.0.p0.908695

ACCUMULO 1.7.2-5.5.0.ACCUMULO5.5.0.p0.8

None

Back Continue

11. Click Continue.

The **Select JDK** section appears.

12. Select Install a Cloudera-provided version of OpenJDK.

Add Cluster - Installation

5 Select JDK

| | |
|------------------------------|-----------------------------------|
| Selected Version | Cloudera Runtime 7.1 |
| Supported JDK Version | OpenJDK 8, 11 or Oracle JDK 8, 11 |

[More details on supported JDK version.](#)

If you plan to use JDK 11, you will need to install it manually on all hosts and then select the **Manually manage JDK** option below.

Manually manage JDK

Please ensure that a supported JDK is **already installed on all hosts. You will need to manage installing the unlimited strength JCE policy file, if necessary.**

Install a Cloudera-provided version of OpenJDK

By proceeding, Cloudera will install a supported version of OpenJDK version 8.

Install a system-provided version of OpenJDK

By proceeding, Cloudera will install the default version of OpenJDK version 8 provided by the Operating System.

Back Continue

13. Click Continue.

The **Enter Login Credentials** section appears.

14. Do the following:

- Select root.
- Select All hosts accept same password.
- Enter the password for the account that allows root access to your hosts.
- Click Continue.

Add Cluster - Installation

The screenshot shows the 'Enter Login Credentials' step in the Cloudera Manager installation wizard. On the left is a vertical navigation pane with steps 1 through 9. Step 6, 'Enter Login Credentials', is highlighted with a blue circle. The main content area is titled 'Enter Login Credentials' and contains the following text and form fields:

Root access to your hosts is required to install the Cloudera packages. This installer will connect to your hosts via SSH and log in either directly as root or as another user with password-less sudo/pbrun privileges to become root.

Login To All Hosts As: root
 Another user

You may connect via password or public-key authentication for the user selected above.

Authentication Method: All hosts accept same password
 All hosts accept same private key

Enter Password:

Confirm Password:

SSH Port:

Number of Simultaneous Installations:
(Running a large number of installations at once can consume large amounts of network bandwidth and other system resources)

At the bottom right of the form are two buttons: 'Back' and 'Continue'.

The **Install Agents** section appears showing the progress of the installation.

Add Cluster - Installation

Install Agents

Installation in progress.

0 of 3 host(s) completed successfully. [Abort Installation](#)

| Hostname | IP Address | Progress | Status |
|--|----------------|---------------------------------|--|
| ccycloud-1.streams-trial.root.hwx.site | 172.27.123.204 | <div style="width: 50%;"></div> | Installing openjdk8 package... Details |
| ccycloud-2.streams-trial.root.hwx.site | 172.27.26.143 | <div style="width: 50%;"></div> | Installing openjdk8 package... Details |
| ccycloud-3.streams-trial.root.hwx.site | 172.27.92.198 | <div style="width: 50%;"></div> | Installing openjdk8 package... Details |

After the agents are installed, the **Install Parcels** section appears showing the progress of the parcel installation.

Add Cluster - Installation

Install Parcels

The selected parcels are being downloaded and installed on all the hosts in the cluster.

[Cloudera Runtime 7.1.3-1....](#)
Downloaded: 3%
Distributed: 0/0
Unpacked: 0/0
Activated: 0/0

[Back](#)
[Continue](#)

After the parcels are installed the **Inspect Cluster** section appears.

Add Cluster - Installation

The screenshot shows the 'Inspect Cluster' step in the Cloudera Manager installation wizard. On the left is a vertical progress bar with steps: Welcome, Cluster Basics, Specify Hosts, Select Repository, Select JDK, Enter Login Credentials, Install Agents, Install Parcels, and Inspect Cluster (the current step, marked with a '9'). The main content area is titled 'Inspect Cluster' and contains a blue informational box: 'You have created a new empty cluster. Cloudera recommends that you run the following inspections. For accurate measurements, Cloudera recommends that they are performed sequentially.' Below this are two sections: 'Inspect Network Performance' and 'Inspect Hosts'. Each section has a 'Clock' icon, a sub-header, a note to 'review the inspector results before proceeding', and a button to run the inspection. Under 'Inspect Network Performance', there is a link for '> Advanced Options'. At the bottom, there are three radio button options: 'Fix the issues and run the inspection tools again.' (selected), 'Quit the wizard and Cloudera Manager will delete the temporarily created cluster.', and 'I understand the risks of not running the inspections or the detected issues, let me continue with cluster setup.'

15. Do the following:

- a) Select Inspect Network Performance.
You can click Advanced Options to customize some ping parameters.
- b) After the network inspector completes, click Show Inspector Results to view the results in a new tab.
Address any reported issues, and click Run Again.
- c) Click Inspect Hosts.
- d) After the host inspector completes, click Show Inspector Results to view the results in a new tab.
Address any reported issues, and click Run Again.

Add Cluster - Installation

The screenshot shows the 'Inspect Cluster' page in Cloudera Manager. On the left is a vertical navigation menu with steps: Welcome, Cluster Basics, Specify Hosts, Select Repository, Select JDK, Enter Login Credentials, Install Agents, Install Parcels, and Inspect Cluster (highlighted with a '9' in a circle). The main content area is titled 'Inspect Cluster' and contains a blue informational box: 'You have created a new empty cluster. Cloudera recommends that you run the following inspections. For accurate measurements, Cloudera recommends that they are performed sequentially.' Below this are two inspection cards. The first is 'Inspect Network Performance' with a green checkmark, a '> Advanced Options' link, and a status bar showing 'Status' with a green checkmark, 'Last Run' as 'a few seconds ago', and 'Duration' as '18.11s'. It includes 'Run Again' and 'More' buttons and a 'Show Inspector Results' link. The second card is 'Inspect Hosts' with a green checkmark, a message 'No issues were detected, review the inspector results to see what checks were performed.', and a status bar showing 'Status' with a green checkmark, 'Last Run' as 'a few seconds ago', and 'Duration' as '18.48s'. It also includes 'Run Again' and 'More' buttons and a 'Show Inspector Results' link. At the bottom right of the page are 'Back' and 'Continue' buttons.

16. Click Continue.

The **Add Cluster - Configuration** page appears.

Add Cluster - Configuration

The screenshot shows the 'Add Cluster - Configuration' wizard. On the left is a vertical progress bar with seven steps: 1. Select Services (highlighted), 2. Assign Roles, 3. Setup Database, 4. Enter Required Parameters, 5. Review Changes, 6. Command Details, and 7. Summary. The main content area is titled 'Select Services' and contains the following text: 'Choose a combination of services to install.' Below this are four radio button options: 'Data Engineering' (with description: 'Process, develop, and serve predictive models. Services: HDFS, YARN, YARN Queue Manager, Ranger, Atlas, Hive, Hive on Tez, Spark, Oozie, Hue, and Data Analytics Studio'), 'Data Mart' (with description: 'Browse, query, and explore your data in an interactive way. Services: HDFS, Ranger, Atlas, Hive, Impala, and Hue'), 'Operational Database' (with description: 'Real-time insights for modern data-driven business. Services: HDFS, Ranger, Atlas, and HBase'), and 'Custom Services' (with description: 'Choose your own services. Services required by chosen services will automatically be included.'). At the bottom, a note states: 'This wizard will also install the **Cloudera Management Service**. These are a set of components that enable monitoring, reporting, events, and alerts; these components require databases to store information, which will be configured on the next page.'

Results

This completes the **Add Cluster - Installation** wizard.

What to do next

Set up a cluster.

Set Up a Cluster Using the Wizard

After completing the Cluster Installation wizard, the Cluster Setup wizard automatically starts. The following sections guide you through each page of the wizard.

Select Services

The Select Services page allows you to select the services you want to install and configure. Make sure that you have the appropriate license key for the services you want to use.



Important: If you will be including the Apache Atlas or Apache Ranger services along with the Solr service, note the following:

1. During this initial cluster setup install only Apache Atlas and/or Apache Ranger (or one of the Data Engineering, Data Mart, or Operational Database Base cluster options).
2. Ranger requires Kerberos, as the wizard reminds you:

Ranger Apache Ranger is a framework to enable, monitor and manage comprehensive data security across the Hadoop platform.
This service requires Kerberos.

3. After the cluster setup is complete, use the Cloudera Manager Admin Console to add the Solr service to the cluster. See [Adding a Service](#).

You can choose from:

Regular (Base) Clusters

Data Engineering

Process develop, and serve predictive models.

Services included: HDFS, YARN, YARN Queue Manager, Ranger, Atlas, Hive, Hive on Tez, Spark, Oozie, and Hue

Data Mart

Browse, query, and explore your data in an interactive way.

Services included: HDFS, Ranger, Atlas, Hive, and Hue

Operational Database

Real-time insights for modern data-driven business.

Services included: HDFS, Ranger, Atlas, and HBase

Custom Services

Choose your own services. Services required by chosen services will automatically be included.

After selecting the services you want to add, click Continue. The Assign Roles page displays.

Assign Roles

The Assign Roles page suggests role assignments for the hosts in your cluster. You can click on the hostname for a role to select a different host. You can also click the View By Host button to see all the roles assigned to a host.

To review the recommended role assignments, see *Recommended Cluster Hosts and Role Distribution*.

After assigning all of the roles for your services, click Continue. The Setup Database page displays.

Setup Database

When using the Cloudera Manager installer with the embedded database, the Setup Database page is pre-populated with the database names and passwords. Click Test Connection to validate the settings. If the connection is successful, a green checkmark and the word Successful appears next to each service. If there are any problems, the error is reported next to the service that failed to connect. Some databases will be created in a future step. For these, the words Skipped. Cloudera Manager will create this database in a later step. appear next to the green checkmark.

After verifying that each connection is successful, click Continue. The Review Changes page displays.

Enter Required Parameters

The **Enter Required Parameters** page lists required parameters for the Cloudera Manager API client, and Ranger.

If you do not have an existing user for the Cloudera Manager API client, use the default username and password "admin" for both the The Existing Cloudera Manager API Client Username and The Existing Cloudera Manager API Client Password.

The Ranger Admin user, Usersync user, Tagsync User, and KMS Keyadmin User are created during cluster deployment. In this page you must give a password for each of these users.



Note: Passwords for the Ranger Admin, Usersync, Tagsync, and KMS Keyadmin users must be a minimum of 8 characters long, with at least one alphabetic and one numeric character. The following characters are not valid: " ' \ ` ' .

The Ranger database host, name, user, and user password were configured when you created the required Ranger database. If you ran the `gen_embedded_ranger_db.sh` script to create the Ranger database, the output of the script contained the host and database user password. Enter those here. The default database name is "ranger" and the default database user is "rangeradmin."

Review Changes

The Review Changes page lists default and suggested settings for several configuration parameters, including data directories.



Warning: Do not place DataNode data directories on NAS devices. When resizing an NAS, block replicas can be deleted, which results in missing blocks.

Review and make any necessary changes, and then click Continue. The Command Details page displays.

Command Details

The Command Details page lists the details of the First Run command. You can expand the running commands to view the details of any step, including log files and command output. You can filter the view by selecting Show All Steps, Show Only Failed Steps, or Show Running Steps.

After the First Run command completes, click Continue to go to the Summary page.

Summary

The Summary page reports the success or failure of the setup wizard. Click Finish to complete the wizard. The installation is complete.

Cloudera recommends that you change the default password as soon as possible by clicking the logged-in username at the top right of the home screen and clicking Change Password.

Stopping the Embedded PostgreSQL Database

To stop the embedded PostgreSQL database, stop the services and servers in the order listed below.

Procedure

1. Log into the Cloudera Manager user interface and stop the services that have a dependency on the Hive metastore (Hue, Impala, and Hive) in the following order:
 - Stop the Hue and Impala services.
 - Stop the Hive service.
2. On the Cloudera Manager **Home** page, click the 3 vertical dots next to Cloudera Management Service and select Stop to stop the Cloudera Management Service.
3. Stop the Cloudera Manager Server.

RHEL 7:

```
sudo systemctl stop cloudera-scm-server.service
```

4. Stop the Cloudera Manager Server database.

RHEL 7:

```
sudo systemctl stop cloudera-scm-server-db.service
```

Starting the Embedded PostgreSQL Database

To start the embedded PostgreSQL database, start the servers and services in the order listed below.

Procedure

1. Start the Cloudera Manager Server database.

RHEL 7:

```
sudo systemctl start cloudera-scm-server-db.service
```

2. Start the Cloudera Manager Server.

RHEL 7:

```
sudo systemctl start cloudera-scm-server.service
```

3. Log into Cloudera Manager and start the Cloudera Manager Service. On the Cloudera Manager **Home** page, click the 3 vertical dots next to Cloudera Management Service and select Start.
4. In the Cloudera Manager user interface, start the services that have a dependency on the Hive metastore (Hue, Impala, and Hive) in the following order:
 - Start the Hive service.
 - Start the Hue and Impala services.

Changing Embedded PostgreSQL Database Passwords

The embedded PostgreSQL database has generated user accounts and passwords. You can change a password associated PostgreSQL database account.

About this task

You can see the generated accounts and passwords during the installation process and you should record them at that time.

To find information about the PostgreSQL database account that the Cloudera Manager Server uses, read the `/etc/cloudera-scm-server/db.properties` file:

```
# cat /etc/cloudera-scm-server/db.properties

Auto-generated by scm_prepare_database.sh
#
Sat Oct 1 12:19:15 PDT 201
#
com.cloudera.cmf.db.type=postgresql
com.cloudera.cmf.db.host=localhost:7432
com.cloudera.cmf.db.name=scm
com.cloudera.cmf.db.user=scm
com.cloudera.cmf.db.password=TXqEESuhj5
```

To change a password associated with a PostgreSQL database account:

Procedure

1. Obtain the root password from the `/var/lib/cloudera-scm-server-db/data/generated_password.txt` file:

```
# cat /var/lib/cloudera-scm-server-db/data/generated_password.txt

MnPwGeWaip

The password above was generated by /usr/share/cmfb/bin/initialize_embedded_db.sh (part of the cloudera-scm-server-db package) and is the password for the user 'cloudera-scm' for the database in the current directory.

Generated at Fri Jun 29 16:25:43 PDT 2012.
```

2. On the host on which the Cloudera Manager Server is running, log into PostgreSQL as the root user:

```
psql -U cloudera-scm -p 7432 -h localhost -d postgres
Password for user cloudera-scm: MnPwGeWaip
psql (8.4.18)
Type "help" for help.

postgres=#
```

3. Determine the database and owner names:

```
postgres=# \l

              List of databases
  Name          |  Owner          | Encoding | Collation |  Ctype  |
-----+-----+-----+-----+-----+-----+-----
 amon           | amon            | UTF8     | en_US.UTF8 | en_US.UTF8 |
 hive          | hive           | UTF8     | en_US.UTF8 | en_US.UTF8 |
 nav           | nav            | UTF8     | en_US.UTF8 | en_US.UTF8 |
 navms         | navms          | UTF8     | en_US.UTF8 | en_US.UTF8 |
 postgres      | cloudera-scm   | UTF8     | en_US.UTF8 | en_US.UTF8 |
 rman          | rman           | UTF8     | en_US.UTF8 | en_US.UTF8 |
 scm           | scm            | UTF8     | en_US.UTF8 | en_US.UTF8 |
 template0     | cloudera-scm   | UTF8     | en_US.UTF8 | en_US.UTF8 |
 dera-scm"
                                                    =c/"clou
derascm"=CTc/"cloudera-scm"
                                                    : "cloudera
template1 | cloudera-scm | UTF8     | en_US.UTF8 | en_US.UTF8 |
 oudera-scm"
                                                    =c/"cl
oudera-scm"=CTc/"cloudera-scm"
                                                    : "cloude
(9 rows)
```

4. Set the password for an owner using the `\password` command. For example, to set the password for the `amon` owner, do the following:

```
postgres=# \password amon
Enter new password:
Enter it again:
```


5. Configure the role with the new password:
 - a) In the Cloudera Manager Admin Console, select ClustersCloudera Management Service.
 - b) Click the Configuration tab.
 - c) In the Scope section, select the role where you are configuring the database.
 - d) Select CategoryDatabase category.
 - e) Set the *ROLE NAME* Database Password property.
 - f) Enter a Reason for change, and then click Save Changes to commit the changes.

Migrating from the Cloudera Manager Embedded PostgreSQL Database Server to an External PostgreSQL Database

If you have already used the embedded PostgreSQL database and you are unable to redeploy a fresh cluster, you must migrate the embedded PostgreSQL database server to an external PostgreSQL database.

Cloudera Manager provides an embedded PostgreSQL database server for trial and proof of concept deployments when creating a cluster. To remind users that this embedded database is not suitable for production, Cloudera Manager displays the banner text: "You are running Cloudera Manager in non-production mode, which uses an embedded PostgreSQL database. Switch to using a supported external database before moving into production."

If, however, you have already used the embedded database, and you are unable to redeploy a fresh cluster, then you must migrate to an external PostgreSQL database.



Note: This procedure does not describe how to migrate to a database server other than PostgreSQL. Moving databases from one database server to a different type of database server is a complex process that requires modification of the schema and matching the data in the database tables to the new schema. It is strongly recommended that you engage with Cloudera Professional Services if you wish to perform a migration to an external database server other than PostgreSQL.

Prerequisites

Before migrating the Cloudera Manager embedded PostgreSQL database to an external PostgreSQL database, ensure that your setup meets the following conditions:

- The external PostgreSQL database server is running.
- The database server is configured to accept remote connections.
- The database server is configured to accept user logins using md5.
- No one has manually created any databases in the external database server for roles that will be migrated.



Note: To view a list of databases in the external database server (requires default superuser permission):

```
sudo -u postgres psql -l
```

- All health issues with your cluster have been resolved.

For details about configuring the database server, see *Configuring and Starting the PostgreSQL Server*.



Important: Only perform the steps in *Configuring and Starting the PostgreSQL Server*. Do not proceed with the creation of databases as described in the subsequent section.

For large clusters, Cloudera recommends running your database server on a dedicated host. Engage Cloudera Professional Services or a certified database administrator to correctly tune your external database server.

Identify Roles that Use the Embedded Database Server

Before you can migrate to another database server, you must first identify the databases using the embedded database server.

About this task

When the Cloudera Manager Embedded Database server is initialized, it creates the Cloudera Manager database and databases for roles in the Management Services. The Installation Wizard (which runs automatically the first time you log in to Cloudera Manager) or Add Service action for a cluster creates additional databases for roles when run. It is in this context that you identify which roles are used in the embedded database server.

To identify which roles are using the Cloudera Manager embedded database server:

Procedure

1. Obtain and save the cloudera-scm superuser password from the embedded database server. You will need this password in subsequent steps:

```
head -1 /var/lib/cloudera-scm-server-db/data/generated_password.txt
```

2. Make a list of all services that are using the embedded database server. Then, after determining which services are not using the embedded database server, remove those services from the list. The scm database must remain in your list. Use the following table as a guide:

Table 10: Cloudera Manager Embedded Database Server Databases

| Service | Role | Default Database Name | Default Username |
|-----------------------------|-----------------------|-----------------------|--------------------|
| Cloudera Manager Server | | scm | scm |
| Cloudera Management Service | Activity Monitor | amon | amon |
| Hive | Hive Metastore Server | hive | hive |
| Hue | Hue Server | hue | 7uu7uu7uhue |
| Oozie | Oozie Server | oozie_oozie_server | oozie_oozie_server |
| Cloudera Management Service | Reports Manager | rman | rman |
| Ranger | | ranger | rangeradmin |

3. Verify which roles are using the embedded database. Roles using the embedded database server always use port 7432 (the default port for the embedded database) on the Cloudera Manager Server host.
 - a. Verify which roles are using the embedded database. Roles using the embedded database server always use port 7432 (the default port for the embedded database) on the Cloudera Manager Server host.

For Cloudera Management Services:

1. Select Cloudera Management Service > Configuration, and type "7432" in the Search field.
2. Confirm that the hostname for the services being used is the same hostname used by the Cloudera Manager Server.



Note:

If any of the following fields contain the value "7432", then the service is using the embedded database:

- Activity Monitor
- Reports Manager

For the Oozie Service:

1. Select Oozie service > Configuration, and type "7432" in the Search field.
2. Confirm that the hostname is the Cloudera Manager Server.

For Hive and Hue Services:

1. Select the specific service > Configuration, and type "database host" in the Search field.
 2. Confirm that the hostname is the Cloudera Manager Server.
 3. In the Search field, type "database port" and confirm that the port is 7432.
 4. Repeat these steps for each of the services (Hive and Hue).
4. Verify the database names in the embedded database server match the database names on your list (Step 2). Databases that exist on the database server and not used by their roles do not need to be migrated. This step is to confirm that your list is correct.



Note: Do not add the postgres, template0, or template1 databases to your list. These are used only by the PostgreSQL server.

```
psql -h localhost -p 7432 -U cloudera-scm -l
```

```
Password for user cloudera-scm: <password>
```

| Name | Access | Owner | List of databases | | |
|--------------------|--------|--------------------|-------------------|------------|----------|
| | | | Encoding | Collate | Ctype |
| amon | | amon | UTF8 | en_US.UTF8 | en_US.U |
| TF8 | | | | | |
| hive | | hive | UTF8 | en_US.UTF8 | en_US.UT |
| F8 | | | | | |
| hue | | hue | UTF8 | en_US.UTF8 | en_US |
| .UTF8 | | | | | |
| navms | | navms | UTF8 | en_US.UTF8 | en_US. |
| UTF8 | | | | | |
| oozie_oozie_server | | oozie_oozie_server | UTF8 | en_US.UTF8 | en_US.U |
| TF8 | | | | | |
| postgres | | cloudera-scm | UTF8 | en_US.UTF8 | en_US.UT |
| F8 | | | | | |
| rman | | rman | UTF8 | en_US.UTF8 | en_US |
| .UTF8 | | | | | |

```

scm | scm | UTF8 | en_US.UTF8 | en_US.
UTF8 |
template0 | cloudera-scm | UTF8 | en_US.UTF8 | en_US.U
TF8 | =c/"cloudera-scm"
template1 | cloudera-scm | UTF8 | en_US.UTF8 | en_US.
UTF8 | =c/"cloudera-scm"
(12 rows)

```

Results

You should now have a list of all roles and database names that use the embedded database server, and are ready to proceed with the migration of databases from the embedded database server to the external PostgreSQL database server.

Migrate Databases from the Embedded Database Server to the External PostgreSQL Database Server

After you identify the roles that use the embedded database, you are ready to migrate from the embedded database server to an external PostgreSQL database server.

About this task

While performing this procedure, ensure that the Cloudera Manager Agents remain running on all hosts. Unless otherwise specified, when prompted for a password use the cloudera-scm password.



Note: After completing this migration, you cannot delete the cloudera-scm postgres superuser unless you remove the access privileges for the migrated databases. Minimally, you should change the cloudera-scm postgres superuser password.

Procedure

1. In Cloudera Manager, stop the cluster services identified as using the embedded database server. Be sure to stop the Cloudera Management Service as well. Also be sure to stop any services with dependencies on these services. The remaining Runtime services will continue to run without downtime.



Note: If you do not stop the services from within Cloudera Manager before stopping Cloudera Manager Server from the command line, they will continue to run and maintain a network connection to the embedded database server. If this occurs, then the embedded database server will ignore any command line stop commands (Step 2) and require that you manually stop the process, which in turn causes the services to crash instead of stopping cleanly.

2. Navigate to Hosts > All Hosts, and make note of the number of roles assigned to hosts. Also take note whether or not they are in a commissioned state. You will need this information later to validate that your scm database was migrated correctly.
3. Stop the Cloudera Manager Server. To stop the server:

```
sudo service cloudera-scm-server stop
```

4. Obtain and save the embedded database superuser password (you will need this password in subsequent steps) from the generated_password.txt file:

```
head -1 /var/lib/cloudera-scm-server-db/data/generated_password.txt
```

5. Export the PostgreSQL user roles from the embedded database server to ensure the correct users, permissions, and passwords are preserved for database access. Passwords are exported as an md5sum and are not visible in plain text. To export the database user roles (you will need the cloudera-scm user password):

```
pg_dumpall -h localhost -p 7432 -U cloudera-scm -v --roles-only -f "/var/tmp/cloudera_user_roles.sql"
```

6. Edit the `/var/tmp/cloudera_user_roles.sql` file to remove any `CREATE ROLE` and `ALTER ROLE` commands for databases not in your list. Leave the entries for the `cloudera-scm` user untouched, because this user role is used during the database import.



Important: If the external PostgreSQL database is an Amazon's Relational Database Service (RDS), then remove all entries for `ALTER ROLE` or `CREATE ROLE` commands from the `/var/tmp/cloudera_user_roles.sql` file for the Cloudera Manager database's user such as `cloudera-scm`, and then add the following command for the same user:

```
CREATE ROLE cloudera-scm WITH NOSUPERUSER INHERIT NOCREATEROLE NOCREATEDB LOGIN NOREPLICATION NOBYPASSRLS PASSWORD '<stripped>';
```

7. Export the data from each of the databases on your list you created in *Identify Roles that Use the Embedded Database Server*:

```
pg_dump -F c -h localhost -p 7432 -U cloudera-scm [database_name] > /var/tmp/[database_name]_db_backup-$(date +%m-%d-%Y).dump
```

The following is a sample data export command for the `scm` database:

```
pg_dump -F c -h localhost -p 7432 -U cloudera-scm scm > /var/tmp/scm_db_backup-$(date +%m-%d-%Y).dump
```

Password:

8. Stop and disable the embedded database server:

```
service cloudera-scm-server-db stop
chkconfig cloudera-scm-server-db off
```

Confirm that the embedded database server is stopped:

```
netstat -at | grep 7432
```

9. Back up the Cloudera Manager Server database configuration file:

```
cp /etc/cloudera-scm-server/db.properties /etc/cloudera-scm-server/db.properties.embedded
```

10. Copy the file `/var/tmp/cloudera_user_roles.sql` and the database dump files from the embedded database server host to `/var/tmp` on the external database server host:

```
cd /var/tmp
scp cloudera_user_roles.sql *.dump <user>@<postgres-server>:/var/tmp
```

11. Import the PostgreSQL user roles into the external database server.

The external PostgreSQL database server superuser password is required to import the user roles. If the superuser role has been changed, you will be prompted for the username and password.



Note: Only run the command that applies to your context; do not run both commands.

- To import users when using the default PostgreSQL superuser role:

```
sudo -u postgres psql -f /var/tmp/cloudera_user_roles.sql
```

- To import users when the superuser role has been changed:

```
psql -h <database-hostname> -p <database-port> -U <superuser> -f /var/tmp/cloudera_user_roles.sql
```

For example:

```
psql -h pg-server.example.com -p 5432 -U postgres -f /var/tmp/cloudera_user_roles.sql
```

```
Password for user postgres
```

12. Import the Cloudera Manager database on the external server. First copy the database dump files from the Cloudera Manager Server host to your external PostgreSQL database server, and then import the database data:

Note: To successfully run the `pg_restore` command, there must be an existing database on the database server to complete the connection; the existing database will not be modified. If the `-d <existing-database>` option is not included, then the `pg_restore` command will fail.

```
pg_restore -C -h <database-hostname> -p <database-port> -d <existing-database> -U cloudera-scm -v <data-file>
```

Repeat this import for each database.

The following example is for the scm database:

```
pg_restore -C -h pg-server.example.com -p 5432 -d postgres -U cloudera-scm -v /var/tmp/scm_server_db_backup-20180312.dump
```

```
pg_restore: connecting to database for restore
Password:
```

13. Update the Cloudera Manager Server database configuration file to use the external database server. Edit the `/etc/cloudera-scm-server/db.properties` file as follows:

- Update the `com.cloudera.cmf.db.host` value with the hostname and port number of the external database server.
- Change the `com.cloudera.cmf.db.setupType` value from "EMBEDDED" to "EXTERNAL".

14. Start the Cloudera Manager Server and confirm it is working:

```
service cloudera-scm-server start
```

Note that if you start the Cloudera Manager GUI at this point, it may take up to five minutes after executing the start command before it becomes available.

In Cloudera Manager Server, navigate to Hosts > All Hosts and confirm the number of roles assigned to hosts (this number should match what you found in Step 2); also confirm that they are in a commissioned state that matches what you observed in Step 2.

15. Update the role configurations to use the external database hostname and port number. Only perform this task for services where the database has been migrated.

For Cloudera Management Services:

- a. Select Cloudera Management Service > Configuration, and type "7432" in the Search field.
- b. Change any database hostname properties from the embedded database to the external database hostname and port number.
- c. Click Save Changes.

For the Oozie Service:

- a. Select Oozie service > Configuration, and type "7432" in the Search field.
- b. Change any database hostname properties from the embedded database to the external database hostname and port number.
- c. Click Save Changes.

For Hive and Hue Services:

- a. Select the specific service > Configuration, and type "database host" in the Search field.
- b. Change the hostname from the embedded database name to the external database hostname.
- c. Click Save Changes.

16. Start the Cloudera Management Service and confirm that all management services are up and no health tests are failing.

17. Start all Services via the Cloudera Manager web UI. This should start all services that were stopped for the database migration. Confirm that all services are up and no health tests are failing.

18. On the embedded database server host, remove the embedded PostgreSQL database server:

- a) Make a backup of the /var/lib/cloudera-scm-server-db/data directory:

```
tar czvf /var/tmp/embedded_db_data_backup-$(date +"%m-%d-%Y").tgz /var/lib/cloudera-scm-server-db/data
```

- b) Remove the embedded database package:

For RHEL/SLES:

```
rpm --erase cloudera-manager-server-db-2
```

For Ubuntu:

```
apt-get remove cloudera-manager-server-db-2
```

- c) Delete the /var/lib/cloudera-scm-server-db/data directory.

Installing and Configuring CDP with FIPS

This guide provides instructions for installing and configuring FIPS encryption on CDP.

Overview

This topic provides important background information about CDP running in FIPS-compliant mode via the use of FIPS 140-2 validated cryptographic modules.

The Federal Information Processing Standards (FIPS) publications are publicly available standards and guidelines jointly developed by the US government and industry, and issued by the National Institute of Standards and Technology (NIST) for use in information systems by Federal government agencies and government contractors.

Within the FIPS Publications, the FIPS Publication 140-2 (FIPS 140-2) is the standard for encryption modules. FIPS 140-2 specifies the security requirements that must be satisfied by a cryptographic module utilized within a security system protecting sensitive information. To ensure conformance with the FIPS 140-2 standard, cryptographic modules must first be validated as conforming to the FIPS 140-2 standard using the Cryptographic Module Validation Program (CMVP). Through the CMVP, validation of a cryptographic module for FIPS 140-2 conformance is conducted by independent Cryptographic and Security Testing (CST) laboratories that have been accredited by the National Voluntary Laboratory Accreditation Program (NVLAP). Following validation, cryptographic modules are issued validation certificates, and these modules can then be deployed by Federal agencies as part of information systems that require the protection of sensitive information. For additional details on the FIPS 140-2 Publication and standard, see [Security Requirements for Cryptographic Modules](#).

While the FIPS 140-2 standard has been broadly adopted, in the United States the FIPS 140-2 standard is leveraged in several government security compliance and accreditation mandates and frameworks, including FISMA, FedRAMP, and DISA Security Technical Implementation Guides (STIG). Within many of these compliance and accreditation mandates, it is specified that FIPS validated cryptography must be used at a minimum when encryption is employed within an information system. These mandates also specify that FIPS-validated cryptography should be used in a compliant manner consistent with the standard and mandates. As a result, system operators are typically required to:

1. Enable FIPS mode within an operating system (OS) used in the information system (e.g., RHEL and CentOS), to ensure that the OS is configured to be compliant with the FIPS 140-2 standard, and to enforce the use of FIPS-approved keystores, algorithms, and strengths with FIPS 140-2 validated cryptographic modules.
2. With respect to the application running on top of the OS, ensure that FIPS 140-2 validated cryptographic modules are used with the application. In addition, configure the application to be compliant with the FIPS 140-2 standard as well as the government security compliance and applicable accreditation mandate or framework. This typically includes employing the use of FIPS-approved keystores and algorithms with FIPS 140-2 validated cryptographic modules, as well as employing strong authentication, authorization, audit, data governance, in-transient data encryption, and at-rest data encryption features.

CDP Private Cloud Base can be configured to operate in a FIPS-compliant mode by leveraging FIPS 140-2 validated cryptographic modules. Cloudera has accomplished this by supporting the deployment of the CDP Private Cloud Base platform on a FIPS-mode enabled Operating System (e.g., RHEL or CentOS) that is integrated with FIPS 140-2 validated cryptography modules.

SafeLogic provides Cloudera with supported FIPS 140-2 validated modules that have been approved through the NIST CMVP. These modules replace JCE (Java Cryptographic Extension) providers (such as Bouncy Castle), OpenSSL, NSS, and Libgcrypt cryptographic libraries. The SafeLogic CryptoComply modules are separately licensed as a bundle and can be acquired through a request to your Cloudera Account Team. The SafeLogic CryptoComply modules are as follows:

- CryptoComply for Server (CCS) - OpenSSL RPMs
- CryptoComply for Java (CCJ) - Java Cryptography Extension JAR
- CryptoComply for Libgcrypt RPMs

Cloudera has integrated these FIPS-validated libraries with the CDP Private Cloud Base platform through installation and runtime configuration of the CDP Private Cloud Base platform. You must install the SafeLogic CryptoComply modules on the applicable operating system, configured in FIPS mode, and then configure CDP Private Cloud Base to use these modules in a FIPS-compliant manner.

CDP Private Cloud Base is capable of running in a FIPS-compliant mode. Cloudera currently supports a subset of platform components and features running on a FIPS-compliant operating system. Cloudera does not guarantee that the platform components themselves are FIPS 140-2 compliant. However, future releases of CDP Private Cloud Base will replace non-compliant platform components and features with fully compliant FIPS 140-2 implementations.

Given that the use of CDP Private Cloud Base security features within regulated government environments is commonplace, these features should be configurable to be compliant with the FIPS 140-2 standard, as well as the applicable government security compliance and accreditation mandate or framework. This typically includes the use of FIPS-approved keystores and algorithms with FIPS 140-2 validated cryptographic modules, strong authentication, authorization, audit, data governance, in-transient data encryption, and at-rest data encryption features. Cloudera recommends the use of the following components as described in the installation documentation:

- Encryption in-motion using TLS (Auto-TLS support).
- Encryption at-rest with HDFS Transparent Data Encryption (TDE) and Ranger KMS as the backend keystore.
- Strong authentication with Kerberos and Apache Knox.
- Authorization, audit, and data governance with Apache Ranger and Apache Atlas.

Cloudera is not responsible for providing instructions for enabling FIPS mode on a RHEL or CentOS-based operating system, or instructions on configuring the required external databases in a FIPS 140-2 compliant manner. Please consult the vendor documentation for your database for details.

The supported platform components and features and all limitations with this release are documented in the [Prerequisites for using FIPS](#) on page 73 section.

In summary, the ability to run CDP Private Cloud Base in a FIPS 140-2 compliant mode allows CDP Private Cloud Base FIPS platform customers to improve conformance with their compliance and accreditation standards within their information systems..

Prerequisites for using FIPS

This page provides comprehensive information regarding prerequisites that you must be aware of while using FIPS for CDP.

About CDP with FIPS

Creating a new, fresh cluster is the only way to enable or disable FIPS.

Unsupported Features

- Upgrades are not currently supported to or from CDP with FIPS.



Note: Upgrades that do not change FIPS status, i.e., CDP FIPS to CDP FIPS, are supported.

- Replication is not currently supported.
- MRIT localfs is not supported in FIPS environments where SHA2 compatibility is required.

System Requirements

- **Operating system:**

RHEL or RHEL 8.8. For more information, see [Operating system requirements](#).

- **Java:**

Support for FIPS + OpenJDK 8 or Oracle JDK 8.

Support for FIPS + OpenJDK 11 or Oracle JDK 11.

Support for FIPS + OpenJDK 17. For more information, see [Java requirements](#).

- OpenJDK 8 versions: For FIPS the only required and tested versions are 1.8u231 and 1.8u232.
- Install and configure a database. See [Install and Configure Databases](#) on page 85



Important: The minimum supported database for CDP with FIPS starts from PostgreSQL 13 version. Supported databases with FIPS includes PostgreSQL 14/15/16 versions. (The embedded version of PostgreSQL is not supported).



Caution: Cloudera requires disabling the fapolicyd daemon present in RHEL 8 (and later) systems before beginning installation of Cloudera Manager application. Be informed that fapolicyd is a user space daemon that determines access rights to files based on attributes of the process and file. It can be used to either blacklist or whitelist processes or file access. Proceed with caution with enforcing the use of this daemon. Improper configuration may render the system non-functional.

Supported CDP Versions

- Cloudera Manager versions 7.2.4, 7.3.1, 7.4.4, 7.6.1, 7.7.1, 7.7.3, 7.11.3, and 7.13.1.
- CDP Private Cloud Base versions 7.1.5, 7.1.6, 7.1.7, 7.1.7 SP1, 7.1.7 SP2, 7.1.8, 7.1.9, 7.1.9 SP1, and 7.3.1.

Supported CDP Components

The following components are supported in FIPS mode:

- Atlas
- Avro
- Cloudera Manager
- Cruise Control
- Hadoop
- Hadoop Credential Provider
- HDFS
- HBase
- Hive
- Hive-on-Tez
- Hive Meta Store
- Hive Warehouse Connector
- Hue
- Iceberg
- Impala
- Kafka
- Kerberos
- Knox
- Kudu
- Livy
- MapReduce
- OMID
- Oozie
- Parquet
- Phoenix
- Queue Manager
- Ranger
- Ranger KMS
- Schema Registry
- Streams Messaging Manager
- Streams Replication Manager
- Solr
- Spark
- Sqoop
- Tez
- TLS
- YARN
- ZooKeeper

**Note:**

Navigator Encrypt is not FIPS-compliant.

**Important:**

Please contact your Cloudera Sales or Support team to obtain the CDP PVC Base SafeLogic FIPS modules.

Step 1: Prepare hosts

Procedure

1. Cryptographic operations require entropy to ensure randomness.

Check the available entropy:

```
cat /proc/sys/kernel/random/entropy_avail
```

must be always above 2k

- In order to keep the entropy high, install the below tools and keep them running:
 - rng-tools - For information about checking available entropy and using rng-tools, see "Entropy Requirements" in [Data at Rest Encryption Requirements](#).
 - haveged - For information about using the haveged entropy daemon, see the [haveged documentation](#).



Note: Virtual Machines might have insufficient sources of entropy, which can cause extreme slowness of many Cloudera Manager and CDP operations even with rngd and haveged enabled. You might need to take the following additional hypervisor-level measures to provide enough entropy for strong cryptographic functions required for FIPS compliance:

- Ensure that the Hardware Random Number Generator (Hwrng) is enabled by setting `disableHwrng` to `false`
 - Set different entropy sources if necessary
2. Configure the operating system for FIPS.
See, for RHEL 8: [Using system-wide cryptographic policies](#)
 3. On all hosts, run one of the following commands to verify that FIPS mode is enabled:

```
cat /proc/sys/crypto/fips_enabled
sysctl crypto.fips_enabled
```

4. Configure a repository to install Cloudera Manager and other required packages.
 - a) On the Cloudera Manager server host, download the repository file for your operating system and version:

```
https://[username]:[password]@archive.cloudera.com/p/cm7/7.13.1.0/redhat8/yum/cloudera-manager.repo
```

- b) Open the `/etc/yum.repos.d/cloudera-manager.repo` file in a text editor and replace the changeme placeholder values with your user name and password.

```
[cloudera-manager]
name=Cloudera Manager 7.13.1.0
baseurl=https://archive.cloudera.com/p/cm7/7.13.1.0/redhat8/yum/
gpgkey=https://archive.cloudera.com/p/cm7/7.13.1.0/redhat8/yum/RPM-GPG-KEY-cloudera
username=changeme
password=changeme
gpgcheck=1
enabled=1
autorefresh=0
type=rpm-md
```

- c) If your hosts do not have access to <https://archive.cloudera.com>, you will need to set up a local repository. See [Configuring a Local Package Repository](#).
5. Manually install OpenJDK 8 / Oracle JDK 8 or OpenJDK 11 / Oracle JDK 11 / OpenJDK 17 on all hosts.
 - [Installing OpenJDK for CDP Runtime](#)
 - [Installing Oracle JDK for CDP Runtime](#)



Attention: The next step differs for JDK 8 and JDK 11:

6. Download and Install CryptoComply for Java (CC for Java) SafeLogic - Java JCE Provider on all hosts:

For JDK 8:

- a) Obtain the SafeLogic CC Java module JAR file.
- b) Copy the ccj-3.0.2.1.jar file to \$JAVA_HOME/jre/lib/ext.
- c) Obtain the SafeLogic BCTLS Java module JAR file.
- d) Copy the bctls-safelogic.jar file to \$JAVA_HOME/jre/lib/ext.
- e) Change the file permissions on both the ccj-3.0.2.1.jar and bctls-safelogic.jar files to root and 0644:

```
chown root: ${java_home}/jre/lib/ext/ccj-3.0.2.1.jar
chmod 0644 ${java_home}/jre/lib/ext/ccj-3.0.2.1.jar
chown root: ${java_home}/jre/lib/ext/bctls-safelogic.jar
chmod 0644 ${java_home}/jre/lib/ext/bctls-safelogic.jar
chown root: ${java_home}/jre/lib/ext/bctls-safelogic.jar
chmod 0644 ${java_home}/jre/lib/ext/bctls-safelogic.jar"
```

For **JDK 11**:

- a) Obtain the SafeLogic CC Java module JAR file.
- b) Copy the ccj-3.0.2.1.jar file to /path/of/your/choice/.
- c) Obtain the SafeLogic BCTLS Java module JAR file.
- d) Copy the bctls-safelogic.jar file to /path/of/your/choice/.
- e) Change the file permissions on both the ccj-3.0.2.1.jar and bctls-safelogic.jar files to root and 0644:

```
chown root: /path/of/your/choice/ccj-3.0.2.1.jar
chmod 0644 /path/of/your/choice/ccj-3.0.2.1.jar
chown root: /path/of/your/choice/bctls-safelogic.jar
chmod 0644 /path/of/your/choice/bctls-safelogic.jar
```



Note: The path /path/of/your/choice/ must be the same for both ccj-3.0.2.1.jar and bctls-safelogic.jar. Also, for JDK 11 or 17, you must complete steps 7, 8, and 9.

For JDK 17, follow the same instructions as provided for JDK 11.

7. Add the CCJ configuration to the \$JAVA_HOME/jre/lib/security/java.policy file within the closed bracket as shown below:

```
//CCJ Java Permissions
permission java.lang.RuntimePermission "getProtectionDomain";
permission java.lang.RuntimePermission "accessDeclaredMembers";
permission java.util.PropertyPermission "java.runtime.name", "read";
permission java.security.SecurityPermission "putProviderProperty.CCJ";
//CCJ Key Export and Translation
permission com.safelogic.cryptocomply.crypto.CryptoServicesPermission "exportKeys";
//CCJ SSL
permission com.safelogic.cryptocomply.crypto.CryptoServicesPermission "tlsAlgorithmsEnabled";
//CCJ Setting of Default SecureRandom
permission com.safelogic.cryptocomply.crypto.CryptoServicesPermission "defaultRandomConfig";
//CCJ Setting CryptoServicesRegistrar Properties
permission com.safelogic.cryptocomply.crypto.CryptoServicesPermission "globalConfig";
//CCJ Enable JKS
permission com.safelogic.cryptocomply.jca.enable_jks "true";
}
```

8. Edit the `$JAVA_HOME/jre/lib/security/java.security` file as follows:



Note:

Using yum install java-1.8.0-openjdk-devel on RHEL 8 will install a higher-than-recommended version of OpenJDK, such as 8u402, which should work with one adjustment to the java.security file. If "fips.provider" parameters exist in java.security, they must be replaced with the following:

```
# Security providers used when FIPS mode support is active
#fips.provider.1=sun.security.pkcs11.SunPKCS11 ${java.home}/lib/secure
ity/nss.fips.cfg
#fips.provider.2=sun.security.provider.Sun
#fips.provider.3=sun.security.ec.SunEC
#fips.provider.4=com.sun.net.ssl.internal.ssl.Provider SunPKCS11-NSS-
FIPS
fips.provider.1=com.safelogic.cryptocomply.jcajce.provider.CryptoCo
mplyFipsProvider
fips.provider.2=org.bouncycastle.jsse.provider.BouncyCastleJsseProv
ider fips:CCJ
fips.provider.3=sun.fips.provider.Sun
fips.provider.4=sun.security.rsa.SunRsaSign
fips.provider.5=sun.security.ec.SunEC
#fips.provider.6=com.sun.net.ssl.internal.ssl.Provider
fips.provider.6=com.sun.crypto.provider.SunJCE
fips.provider.7=sun.security.jgss.SunProvider
fips.provider.8=com.sun.security.sasl.Provider
fips.provider.9=org.jcp.xml.dsig.internal.dom.XMLDSigRI
#fips.provider.11=sun.security.smartcardio.SunPCSC
```

- a) Add the following lines:

```
# List of providers and their preference orders (see above):
security.provider.1=com.safelogic.cryptocomply.jcajce.provider.CryptoC
omplyFipsProvider
security.provider.2=org.bouncycastle.jsse.provider.BouncyCastleJssePro
vider fips:CCJ
security.provider.3=sun.security.provider.Sun
security.provider.4=sun.security.rsa.SunRsaSign
security.provider.5=sun.security.ec.SunEC
#security.provider.6=com.sun.net.ssl.internal.ssl.Provider
security.provider.6=com.sun.crypto.provider.SunJCE
security.provider.7=sun.security.jgss.SunProvider
security.provider.8=com.sun.security.sasl.Provider
security.provider.9=org.jcp.xml.dsig.internal.dom.XMLDSigRI
#security.provider.11=sun.security.smartcardio.SunPCSC
```

- b) Comment out the `ssl.KeyManagerFactory.algorithm=SunX509` line and add a new line with the text `ssl.KeyManagerFactory.algorithm=X.509`.

```
# Determines the default key and trust manager factory algorithms for
# the javax.net.ssl package.
#ssl.KeyManagerFactory.algorithm=SunX509
ssl.KeyManagerFactory.algorithm=X.509
ssl.TrustManagerFactory.algorithm=PKIX
```

ONLY for JDK 11 or above:

9. Make the following changes to the Cloudera Manager configuration:

- a) Open `/etc/default/cloudera-scm-server`.
 b) uncomment the below configs related to FIPS:

```
# Enable FIPS mode
```

```
# To enable FIPS mode set the -Dcom.cloudera.cmf.fipsMode to true
# export CMF_JAVA_OPTS="${CMF_JAVA_OPTS} -Dcom.cloudera.cmf.fipsMode=true"
# If JDK version is 11 or higher:
# Uncomment and provide values below to include CCJ with FIPS mode
# export CMF_JAVA_OPTS="${CMF_JAVA_OPTS} -Dcom.cloudera.cloudera.cmf.fipsMode.jdk11plus.ccj.jar.path=/path/to/ccj.jar -Dcom.cloudera.cloudera.cmf.fipsMode.jdk11plus.ccj.moduleName=ccj_module_name"
# If JDK version is 11 or higher:
# Uncomment and provide values below to include BCTLS with FIPS mode
# export CMF_JAVA_OPTS="${CMF_JAVA_OPTS} -Dcom.cloudera.cloudera.cmf.fipsMode.jdk11plus.bctls.jar.path=/path/to/bctls.jar -Dcom.cloudera.cloudera.cmf.fipsMode.jdk11plus.bctls.moduleName=bctls_module_name"
#
```

to

```
#
# Enable FIPS mode
# To enable FIPS mode set the -Dcom.cloudera.cmf.fipsMode to true
export CMF_JAVA_OPTS="${CMF_JAVA_OPTS} -Dcom.cloudera.cmf.fipsMode=true"
# If JDK version is 11 or higher:
# Uncomment and provide values below to include CCJ with FIPS mode
export CMF_JAVA_OPTS="${CMF_JAVA_OPTS} -Dcom.cloudera.cloudera.cmf.fipsMode.jdk11plus.ccj.jar.path=/path/of/your/choice/ccj-3.0.2.1.jar -Dcom.cloudera.cloudera.cmf.fipsMode.jdk11plus.ccj.moduleName=ccj_module_name"
# If JDK version is 11 or higher:
# Uncomment and provide values below to include BCTLS with FIPS mode
export CMF_JAVA_OPTS="${CMF_JAVA_OPTS} -Dcom.cloudera.cloudera.cmf.fipsMode.jdk11plus.bctls.jar.path=/path/of/your/choice/bctls-safelogic.jar -Dcom.cloudera.cloudera.cmf.fipsMode.jdk11plus.bctls.moduleName=bctls_module_name"
#
```



Note: The moduleName of ccj and bctls modules depends on the how the jars were published. If the jar has a 'Automatic Module Name' label inside the META-INF/MANIFEST.MF file of the jar, then use that as the module name. Otherwise, the name of the jar (separated by dots, explained below) becomes the default module name.

For example:

If the ccj jar file name is ccj-test-3.0.2.1.jar, then the module name becomes cj.test. The version numbers are ignored.

You can also find out what the module name would be, using the following command:

```
$ sudo ${JAVA_HOME}/bin/jar --file=/path/of/your/choice/ccj-test-3.0.2.1.jar --describe-module
No module descriptor found. Derived automatic module.
```

```
ccj.test@3.0.2.1 automatic <---- module Name is ccj.test
requires java.base mandated
contains com.safelogic.cryptocomply
```

To provide Livy Support on FIPS for JDK 11 and JDK 17

10. Add the following safety-valve settings for Spark cluster mode:

For SPARK_ON_YARN>GATEWAY role:

```
spark-conf/spark-env.sh_client_config_safety_valve
```

```
export SPARK_SUBMIT_OPTS="$SPARK_SUBMIT_OPTS --add-exports=java.base/sun.security.provider=bctls --add-exports=java.base/sun.sec
```

```
urity.provider=com.safelogic.cryptocomply.fips.core --add-module
s=com.safelogic.cryptocomply.fips.core,bctls --module-path=<BCTL
S_JARS_DIR>"
```

For SPARK3_ON_YARN > GATEWAY role:

```
spark3-conf/spark-env.sh_client_config_safety_valve
```

```
export SPARK_SUBMIT_OPTS="$SPARK_SUBMIT_OPTS --add-exports=java.
base/sun.security.provider=bctls --add-exports=java.base/sun.sec
urity.provider=com.safelogic.cryptocomply.fips.core --add-module
s=com.safelogic.cryptocomply.fips.core,bctls --module-path=<BCTL
S_JARS_DIR>"
```

Where <BCTLS_JARS_DIR> is the directory containing the SafeLogic bctls and fips core jar files.

For Spark to work correctly on FIPS for JDK 11 or above:

11. Add the following safety-valve settings:

For SPARK_ON_YARN>GATEWAY role:

```
spark-conf/spark-defaults.conf_client_config_safety_valve
```

```
spark.yarn.am.extraJavaOptions=--add-exports=java.base/sun.secur
ity.provider=bctls --add-exports=java.base/sun.security.provider
=com.safelogic.cryptocomply.fips.core --add-modules=com.safelogi
c.cryptocomply.fips.core,bctls --module-path=<BCTLS_JARS_DIR> -D
com.safelogic.cryptocomply.fips.approved_only=true -Djava.net.pr
eferIPv4Stack=true -Djdk.tls.ephemeralDHKeySize=2048 -Djdk.tls.t
rustNameService=true -Dorg.bouncycastle.jsse.client.assumeOrigin
alHostName=true
spark.driver.extraJavaOptions=--add-exports=java.base/sun.securi
ty.provider=bctls --add-exports=java.base/sun.security.provider=
com.safelogic.cryptocomply.fips.core --add-modules=com.safelogic
.cryptocomply.fips.core,bctls --module-path=<BCTLS_JARS_DIR> -Dc
om.safelogic.cryptocomply.fips.approved_only=true -Djava.net.pre
ferIPv4Stack=true -Djdk.tls.ephemeralDHKeySize=2048 -Djdk.tls.tr
ustNameService=true -Dorg.bouncycastle.jsse.client.assumeOrigina
lHostName=true
spark.executor.extraJavaOptions=--add-exports=java.base/sun.secur
ity.provider=bctls --add-exports=java.base/sun.security.provider
=com.safelogic.cryptocomply.fips.core --add-modules=com.safelogi
c.cryptocomply.fips.core,bctls --module-path=<BCTLS_JARS_DIR> -D
com.safelogic.cryptocomply.fips.approved_only=true -Djava.net.pr
eferIPv4Stack=true -Djdk.tls.ephemeralDHKeySize=2048 -Djdk.tls.t
rustNameService=true -Dorg.bouncycastle.jsse.client.assumeOrigin
alHostName=true
```

For SPARK3_ON_YARN > GATEWAY role:

```
spark3-conf/spark-defaults.conf_client_config_safety_valve
```

```
spark.yarn.am.extraJavaOptions=--add-exports=java.base/sun.secur
ity.provider=bctls --add-exports=java.base/sun.security.provider
=com.safelogic.cryptocomply.fips.core --add-modules=com.safelogi
c.cryptocomply.fips.core,bctls --module-path=<BCTLS_JARS_DIR> -D
com.safelogic.cryptocomply.fips.approved_only=true -Djava.net.pr
eferIPv4Stack=true -Djdk.tls.ephemeralDHKeySize=2048 -Djdk.tls.t
rustNameService=true -Dorg.bouncycastle.jsse.client.assumeOrigin
alHostName=true
spark.driver.defaultJavaOptions=--add-exports=java.base/sun.secu
rity.provider=bctls --add-exports=java.base/sun.security.provide
r=com.safelogic.cryptocomply.fips.core --add-modules=com.safelog
ic.cryptocomply.fips.core,bctls --module-path=<BCTLS_JARS_DIR> -
Dcom.safelogic.cryptocomply.fips.approved_only=true -Djava.net.p
```

```
referIPv4Stack=true -Djdk.tls.ephemeralDHKeySize=2048 -Djdk.tls.trustNameService=true -Dorg.bouncycastle.jsse.client.assumeOriginalHostName=true
spark.executor.defaultJavaOptions=--add-exports=java.base/sun.security.provider=bctls --add-exports=java.base/sun.security.provider=com.safelogic.cryptocomply.fips.core --add-modules=com.safelogic.cryptocomply.fips.core,bctls --module-path=<BCTLS_JARS_DIR> -Dcom.safelogic.cryptocomply.fips.approved_only=true -Djava.net.preferIPv4Stack=true -Djdk.tls.ephemeralDHKeySize=2048 -Djdk.tls.trustNameService=true -Dorg.bouncycastle.jsse.client.assumeOriginalHostName=true
```

Where <BCTLS_JARS_DIR> is the directory containing the SafeLogic bctls and fips core jar files.

Step 2: Install Cloudera Manager server

Procedure

1. Log in to the Cloudera Manager server host.
2. Run the following command to install Cloudera Manager server.

```
sudo yum install cloudera-manager-daemons cloudera-manager-agent cloudera-manager-server
```

3. Add the following line at the end of the /etc/default/cloudera-scm-server file:

```
export CMF_JAVA_OPTS="${CMF_JAVA_OPTS} -Dcom.cloudera.cmf.fipsMode=true -Dcom.safelogic.cryptocomply.fips.approved_only=true"
```

Step 3: Validate the CCJ and CCS installation

Run the following commands on each host to validate the CCJ and CCS installation.

Procedure

1. Run the following command:

```
sysctl crypto.fips_enabled
```

This should return:

```
crypto.fips_enabled = 1
```

2. Run the following command:

```
echo greeting | openssl md5
```

This command should fail, indicating that FIPS is enabled.



Attention: The next step differs for JDK 8 and JDK 11:

3. Run the following command:

JDK 8

Run the following command to verify the list of security providers in JDK 8

```
read -r -d '' list_providers <<EOF
p = java.security.Security.getProviders();
```



```
for (i = 0; i < p.length; i++) { java.lang.System.out.println(
p[i]); }
EOF
${JAVA_HOME}/bin/jrunscript -e "$list_providers"
```

This command should return the version numbers of the SafeLogic packages, for example:

```
CCJ version 1.01
SUN version 1.8
SunRsaSign version 1.8
SunEC version 1.8
SunJSSE version 1.8
SunJCE version 1.8
SunJGSS version 1.8
SunSASL version 1.8
XMLDSig version 1.8
SunPCSC version 1.8
```

JDK 11 (Recommended)

Run the following command on the Cloudera Manager Server to verify the list of security providers in JDK 11, which grabs the chosen path for the ccj jar file (assume that the bctls file is in the same directory) and show providers with those modules added:

```
cat > ListSecurityProviders.java <<-EOF
import java.security.Provider;
import java.security.Security;

public class ListSecurityProviders {
    public static void main(String[] args) {
        Provider[] providers = Security.getProviders();
        for (Provider provider : providers) {
            System.out.println("Provider: " + provider.getName());
            System.out.println("Version: " + provider.getVersionStr());
            System.out.println("Info: " + provider.getInfo());
            System.out.println();
        }
    }
}
EOF
java -p $(grep ccj\.jar /etc/default/cloudera-scm-server | awk
'{print $3}' | awk -F= '{print $2}' | sed -r 's/(.*)\./.*\/\1/')
ListSecurityProviders.java
```

The output will include the following providers if they are configured and referenced properly: for example:

```
Provider: CCJ
Version: <version>
Info: CryptoComply® for Java version <version>
Provider: BCJSSE
Version: <version>
Info: Bouncy Castle JSSE Provider Version <version>
```

For **JDK 17**: Follow the same instruction as provided for JDK 11.

4. Run the following command:

```
read -r -d '' do_maxAESKeyLength <<EOF
java.lang.System.out.println(javax.crypto.Cipher.getMaxAllowedKeyLength("
AES/CBC/PKCS5Padding"));
EOF
```

```
answer=`${JAVA_HOME}/bin/jrunscript -Dcom.safelogic.cryptocomply.fips.a
pproved_only=true -e "$do_maxAESKeyLength"`
echo $answer
```

This command should return:

```
2147483647
```

Step 4: Install and configure databases

About this task



Note:

Running the embedded PostgreSQL database on a FIPS mode enabled OS, configured in a FIPS compliant manner, is not supported.

Procedure

1. Configure the database in a FIPS-compliant manner. Consult the vendor documentation for your database for details.
2. Enable the database for TLS/SSL clients, to ensure that all JDBC connections into these databases are FIPS compliant. Consult the vendor documentation for your database for details.
3. Configure JDBC Driver in a FIPS compliant manner with TLS/SSL and BCFKS provided by CCJ JCE provider. Consult the following Cloudera Knowledge Base article for more information: [Configuring SSL/TLS from the various CDH Services to their respective PostgreSQL Databases](#).
4. Complete the setup of your databases for use with Cloudera Manager and Cloudera Runtime components. See [Install and Configure PostgreSQL for CDP](#) on page 86.



Note: If you are using PostgreSQL as a backend database for Hue on a FIPS cluster, you must install a version of the psycopg2 package from the source to be at least 2.9.5 on all Hue hosts because the psycopg2-binary package uses its version of the libssl library file which does not support FIPS. See [Installing the psycopg2 Python package for PostgreSQL database on a FIPS cluster \(RHEL 8\)](#).

Configure Cloudera Manager for FIPS

Perform the following steps to install and configure Cloudera Manager for FIPS.

Procedure

1. Log in to the Cloudera Manager server host and run the following command to start the Cloudera Manager server:

```
sudo systemctl start cloudera-scm-server
```

2. Wait a few minutes for Cloudera Manager server to start.
3. Run the following command to start the Cloudera Manager agents, the `supervisord` process, and all managed service processes:

```
sudo systemctl start cloudera-scm-agent
```

4. Use a web browser to navigate to `http://<server_host>:7180`, where `<server_host>` is the FQDN or IP address of the host where the Cloudera Manager server is running.
5. Log into Cloudera Manager Admin Console. The default credentials are:
 - User name: admin
 - Password: admin

6. Set up a cluster. See [Step 5: Start the Cloudera Manager Service](#) and [Installing Cloudera Runtime](#) on page 154 for more information.

Install and configure additional required components

Use the following steps to install additional required components for FIPS.

About this task



Note:

FIPS publications (including the 140-2 publication) do not mandate the use of Apache Knox, Kerberos, Apache Ranger, Apache Atlas, HDFS TDE, or Ranger KMS. However, it is typical that these features are employed with Cloudera deployments in government regulated environments to achieve many types of government authorizations with various government standards, such as FedRAMP or FISMA. FIPS and NIST publications serve as the basis for many of these government standards.

Procedure

1. Perform the [Additional Steps for Apache Ranger](#) on page 169.
2. Add Ranger to the Shadow group.

```
usermod -a -G shadow ranger
```

3. Install and Configure TLS either automatically or manually.

If you are using Auto-TLS, see:

- [Use case 1: Use CM to generate an internal CA and corresponding certificates](#)
- [Use case 2: Use an existing Certificate Authority](#)

If you are manually configuring TLS, see:

- [Manually Configuring TLS Encryption for Cloudera Manager](#)



Note: Additional manual TLS configuration steps may be required for stack components.

Generate certificates in BCFKS format

The standard keytool utility distributed with the JDK can generate BCFKS formatted keystores using the CCJ security provider. When the CCJ security provider is statically installed into the JDK as previously described, there is no need to pass the keytool utility the `-providerpath path/to/ccj-3.0.2.1.jar` or `-providerclass com.safelogic.cryptocomply.jcajce.provider.ProvBCFKS` arguments. It is only necessary to pass BCFKS as the storetype for the keytool operation being invoked.

For example, `keytool -importkeystore` can be used to import a PKCS12 keystore into a BCFKS keystore:

```
keytool \
  -importkeystore -v \
  -srckeystore <pkcs12_keystore_file> \
  -srcstoretype PKCS12 \
  -srcstorepass <pkcs12_pass> \
  -destkeystore <bcfks_keystore_file> \
  -deststoretype BCFKS \
  -deststorepass <bcfks_keystore_pass> \
  -destkeypass <bcfks_key_pass>
```

Systems administrators and other platform implementers should consult their organization's information systems security managers for the correct procedures for generating keypairs and requesting signing of x509 certificates.

The Cloudera Data Platform requires the private key and signed certificate in both PEM encoded and BCFKS keystore format. The steps to accomplish this task might look similar to the following:

- a) openssl genpkey
- b) openssl req
- c) Have the CA sign the CSR.
- d) Import the private key and signed certificate into a PKCS12 keystore:

```
openssl pkcs12
```

- e) Import the PKCS12 keystore into a BCFKS keystore:

```
keytool -importkeystore
```

4. Enable Kerberos authentication using the [Cloudera Manager Kerberos wizard](#).
5. Set the kdc_timeout value in the krb5.conf file to a high enough setting to avoid client timeout errors while running queries.
 - a) Open the /etc/krb5.conf file with a text editor.
 - b) Under [libdefaults], set the kdc_timeout value to a minimum of 5000 (5 seconds).
6. Install Apache Knox. See [Installing Apache Knox](#) on page 171.
7. Install Ranger KMS.

As Ranger KMS KTS and Key Trustee Server are not supported anymore, you need to migrate your encryption keys from Ranger KMS KTS and Key Trustee Server to Ranger KMS. For more information, see [Key migration in UCL](#).
8. Configure [HDFS Transparent Data Encryption](#) with Ranger KMS.

Production Installation

These topics provide procedures for installing Cloudera Private Cloud Base in a production environment.

Related Information

[CDP Private Cloud Base Installation Guide](#)

Before You Install

Before you begin a production installation of Cloudera Manager, Cloudera Runtime, and other managed services, review the [System Requirements](#) on page 13, in addition to the Cloudera Data Platform Release Notes.

For planning, best practices, and recommendations, review the [CDP Private Cloud Base Reference Architecture](#).



Important:

- In a typical installation process, socket's somax connection must NOT be set to a very low value (default is 128, which is very low for Hadoop systems). Cloudera recommends that you set socket's somax connection value to at least 16000 OOTB via Cloudera Manager or host inspector.
- Security-Enhanced Linux (SELinux) allows you to set access control through policies. However, if you are unable to deploy the Runtime cluster using your policies, you can set SELinux in permissive mode on each host of your cluster before you deploy the Runtime parcels.



Caution: Cloudera requires disabling the fapolicyd daemon present in RHEL 8 (and later) systems before beginning installation of Cloudera Manager application. Be informed that fapolicyd is a user space daemon that determines access rights to files based on attributes of the process and file. It can be used to either blacklist or whitelist processes or file access. Proceed with caution with enforcing the use of this daemon. Improper configuration may render the system non-functional.



Caution: CDP Private Cloud Data Services 1.5.4 is not supported on CDP Private Cloud Base 7.3.1. You must not install or upgrade to CDP Private Cloud Base 7.3.1 if you are using Data Services 1.5.4 on your cluster as it is incompatible.



Note: The importance of security in a production environment cannot be understated. TLS and Kerberos form the baseline for secure operations of your CDP Runtime environment. Cloudera supports security services such as Ranger and Atlas only when they are run on clusters where Kerberos is enabled to authenticate users.

The following topics describe additional considerations you should be aware of before beginning an installation:

Install and Configure Databases

Cloudera Manager uses various databases and datastores to store information about the Cloudera Manager configuration, as well as information such as the health of the system, or task progress.

Although you can deploy different types of databases in a single environment, doing so can create unexpected complications. Cloudera recommends choosing one supported database provider for all of the Cloudera databases.


Cloudera recommends installing the databases on different hosts than the services, located in the same data center. Separating databases from services can help isolate the potential impact from failure or resource contention in one or the other. It can also simplify management in organizations that have dedicated database administrators.

For information about supported databases, see [Database Requirements](#)

Required Databases

The following components all require databases: Cloudera Manager Server, Oozie Server, Sqoop Server, Reports Manager, Hive Metastore Server, Hue Server, and Ranger.

The type of data contained in the databases and their relative sizes are as follows:

- Cloudera Manager Server - Contains all the information about services you have configured and their role assignments, all configuration history, commands, users, and running processes. This relatively small database (< 100 MB) is the most important to back up.
-  **Important:** When you restart processes, the configuration for each of the services is redeployed using information saved in the Cloudera Manager database. If this information is not available, your cluster cannot start or function correctly. You must schedule and maintain regular backups of the Cloudera Manager database to recover the cluster in the event of the loss of this database.
- Oozie Server - Contains Oozie workflow, coordinator, and bundle data. Can grow very large. (Only available when installing CDH 5 or CDH 6 clusters.)
 - Sqoop Server - Contains entities such as the connector, driver, links and jobs. Relatively small. (Only available when installing CDH 5 or CDH 6 clusters.)
 - Reports Manager - Tracks disk utilization and processing activities over time. Medium-sized.
 - Hive Metastore Server - Contains Hive metadata. Relatively small.
 - Hue Server - Contains user account information, job submissions, and Hive queries. Relatively small.
 - YARN Queue Manager - If you install CDP 7.1.9 CHF 2 or later, no database changes are required. YARN Queue Manager will continue to use your current embedded database. If you install CDP 7.1.9 or CDP 7.1.9 CHF 1, you must use a PostgreSQL database which stores information about queues created by YARN Queue Manager. If you choose to update from an earlier CDP 7.1.9 version to CHF 2, CDP will continue to use your PostgreSQL database and will not migrate back to the embedded database.
 - Sentry Server - Contains authorization metadata. Relatively small.
 - Cloudera Navigator Audit Server - Contains auditing information. In large clusters, this database can grow large. (Only available when installing CDH 5 or CDH 6 clusters.)
 - Cloudera Navigator Metadata Server - Contains authorization, policies, and audit report metadata. Relatively small. (Only available when installing CDH 5 or CDH 6 clusters.)
 - Ranger Admin - Contains administrative information such as Ranger users, groups, and access policies. Medium-sized.
 - Ranger KMS database - Stores the encrypted keys.

- Streaming Components:
 - Schema Registry - Contains the schemas and their metadata, all the versions and branches. You can use either MySQL, Postgres, or Oracle.



Important: For the Schema Registry database, you must set collation to be case sensitive.

- Streams Messaging Manager Server - Contains Kafka metadata, stores metrics, and alert definitions. Relatively small.

The Host Monitor and Service Monitor services use local disk-based datastores.

The JDBC connector for your database must be installed on the hosts where you assign the Activity Monitor and Reports Manager roles.

For instructions on installing and configuring databases for Cloudera Manager, Runtime, and other managed services, see the instructions for the type of database you want to use.

Related Information

[Database Requirements](#)

Install and Configure PostgreSQL for CDP

To use a PostgreSQL database, follow these procedures. For information on compatible versions of the PostgreSQL database, see [Database Requirements](#) on page 29.



Note: The following instructions are for a dedicated PostgreSQL database for use in production environments, and are unrelated to the embedded PostgreSQL database provided by Cloudera for trial installations.

Installing Postgres JDBC Driver

You must install the required Postgres JDBC driver.

Download, extract, and copy the JDBC driver, renamed, to /usr/share/java/. If the target directory does not yet exist, create it.

Installing the Postgres JDBC Driver

1. Install the PostgreSQL JDBC driver by running the following command:

```
wget https://jdbc.postgresql.org/download/postgresql-42.<version>.jar
```



Important: Make sure to download the specific JAR file for your current JAVA version based on the chart provided in [PostgreSQL JDBC Driver website](#).

2. Alternatively, if you would like to use the PostgreSQL JDBC driver version shipped with the OS repositories, run the following commands with a driver version that is compatible with the PostgreSQL Server version:

RHEL

```
sudo yum install postgresql-jdbc<compatible_version>
```

Ubuntu

```
sudo apt-get install libpostgresql-jdbc-java<compatible_version>
```

SLES

```
sudo zypper install postgresql-jdbc<compatible_version>
```

- Rename the Postgres JDBC driver .jar file to postgresql-connector-java.jar and copy it to the /usr/share/java directory. The following copy command can be used if the Postgres JDBC driver .jar file is installed from the OS repositories:

```
cp /usr/share/java/postgresql-jdbc.jar /usr/share/java/postgresql-connector-java.jar
```

- Confirm that the .jar file is in the Java share directory:

```
ls /usr/share/java/
```

- Change the access mode of the .jar file to 644:

```
chmod 644 /usr/share/java/postgresql-connector-java.jar
```

Installing PostgreSQL Server

Install the PostgreSQL packages on the PostgreSQL server.



Note:

- If you already have a PostgreSQL database set up, you can skip to the section *Configuring and Starting the PostgreSQL Server* to verify that your PostgreSQL configurations meet the requirements for Cloudera Manager.
- Make sure that the data directory, which by default is /var/lib/postgresql/data/, is on a partition that has sufficient free space.
- Cloudera Manager supports the use of a custom schema name for the Cloudera Manager Server database, but not the Runtime component databases (such as Hive and Hue). For more information, see *Schemas* in the PostgreSQL documentation.

Install the PostgreSQL packages as follows:

RHEL



Important: To install any specific version of PostgreSQL packages, see this [page](#).

```
sudo yum install postgresql-server
```

SLES

```
sudo zypper addrepo -t YUM http://packages.2ndquadrant.com/postgresql-z-suse
/zypper/sles-11sp3-s390x pg
sudo zypper refresh
sudo zypper in postgresql postgresql-server postgresql-contrib
```



Note: This command installs PostgreSQL 11. If you want to install a different version, you can use zypper search postgresql to search for an available supported version.

Ubuntu

```
sudo apt-get install postgresql
```

Installing the psycopg2 Python package for PostgreSQL database

If you are using PostgreSQL as a backend database for Hue on CDP Private Cloud Base 7, then you must install a version of the psycopg2 package to be at least 2.9.5 on all Hue hosts. The psycopg2 package is automatically installed as a dependency of Cloudera Manager Agent, but the version installed is often lower than 2.9.3.

Before you begin, you must disable the postgresql10 section from the cloudera-manager.repo file as follows:

- SSH in to the Cloudera Manager host as an Administrator.

2. Change to the directory where you had downloaded the cloudera-manager.repo file. On RHEL, the file is present under the /etc/yum.repos.d directory.
3. Open the file for editing and update the value of the enabled property to 0 as follows:

```
[postgresql10]
name=Postgresql 10
baseurl=https://archive.cloudera.com/postgresql10/redhat8/
gpgkey=https://archive.cloudera.com/postgresql10/redhat8/RPM-GPG-KEY-PG
DG-10
enabled=0
gpgcheck=1
module_hotfixes=true
```

4. Save the file and exit.



Note: The steps to disable the postgresql10 section are applicable to all supported operating systems (CentOS, RHEL, SLES, and Ubuntu).

For CentOS RHEL OEL 7 8

The following steps apply to CentOS 7, RHEL 7, and OEL 7, CentOS 8, RHEL 8, OEL 8:

1. SSH into the Hue server host as a root user.
2. Before you install psycopg2-binary package, run the following pip command to install dependencies and to ensure smooth psycopg2 installation:

```
yum install -y python39-pip
```

3. Install the psycopg2-binary package as follows:

Python 3.9

```
python3.9 -m pip install psycopg2-binary
python3.9 -m pip show psycopg2-binary
```

Python 3.8

```
python3.8 -m pip install psycopg2-binary
python3.8 -m pip show psycopg2-binary
```

4. Repeat these steps on all the Hue server hosts.

If you get the "Error: pg_config executable not found" error while installing the psycopg2-binary package, then run the following commands to install the postgresql, postgresql-devel, python-devel packages:

```
yum install postgresql postgresql-devel python-devel
```

For RHEL 9

The following steps apply to RHEL 9, as the minimum version of Python is 3.9:

1. SSH into the Hue server host as a root user.
2. Install pip for Python as follows:

```
yum install python3-pip -y
```

3. Add the /usr/local/bin path to the PATH environment variable:

```
export PATH=$PATH:/usr/local/bin
echo $PATH
```


4. Install the psycopg2-binary package as follows:

```
pip3 install psycopg2-binary
```

5. Repeat these steps on all the Hue server hosts.

If you get the "Error: pg_config executable not found" error while installing the psycopg2-binary package, then run the following commands to install the postgresql, postgresql-devel, python-devel packages:

```
yum install postgresql postgresql-devel python-devel
```

For SLES

1. SSH into the Hue host as a root user.
2. Install the psycopg2 package dependencies for SLES by running the following commands:

```
zypper install xmlsec1
zypper install xmlsec1-devel
zypper install xmlsec1-openssl-devel
```

3. Install the postgresql-devel package corresponding to your database version by running the following command:

```
zypper -n postgresql[***DB-VERSION***]-devel
```

4. Add the location of the installed postgresql-devel package to the PATH environment variable by running the following command:

```
export PATH=$PATH:/usr/local/bin
```

5. Install the psycopg2 package by running the following command:

```
pip3.8 install psycopg2==2.9.3 --ignore-installed
```

For Ubuntu

1. SSH into the Hue host as a root user.
2. Install the psycopg2 package dependencies for Ubuntu by running the following commands:

```
apt-get install -y xmlsec1
apt-get install libxmlsec1-openssl
apt-get install libpq-dev python3-pip -y
```

3. Install the python3-dev and libpq-dev packages by running the following command:

```
apt install python3-dev libpq-dev
```

4. Add the location of the installed postgresql-devel package to the PATH environment variable by running the following command:

```
export PATH=$PATH:/usr/local/bin
```

5. Install the psycopg2 package by running the following command:

```
pip3.8 install psycopg2==2.9.3 --ignore-installed
```

Installing the psycopg2 Python package for PostgreSQL database on a FIPS cluster (RHEL 8)

If you use PostgreSQL as a backend database for Hue on a FIPS cluster, you must install a version of the psycopg2 package from the source to be at least 2.9.5 on all Hue hosts because the psycopg2-binary package uses its version of the libssl library file which does not support FIPS.

About this task



Note: This topic provides instructions on downloading and installing the `psycpg2` package from the source. This is required for using the PostgreSQL database with Hue on FIPS-enabled CDP 7.1.9 SP1 cluster and higher on RHEL 8.

Before you begin

1. Uninstall the preinstalled `psycpg2` or `psycpg2-binary` packages.
2. Download and install the PostgreSQL database using the following commands:

```
dnf install -y https://download.postgresql.org/pub/repos/yum/reposrms/EL-8-x86_64/pgdg-redhat-repo-latest.noarch.rpm
dnf install -y postgresql[***DATABASE-VERSION***]-server
yum install -y postgresql[***DATABASE-VERSION***]-devel
```

Replace `[***DATABASE-VERSION***]` with the actual database version you are want to install. For example, 16. If you do not specify the `[***DATABASE-VERSION***]`, then it defaults to 12.

Procedure

1. SSH into the Hue host as a root user.
2. Download the `psycpg2` package as follows:

```
wget https://files.pythonhosted.org/packages/d1/1e/b450599a27b1809bccbd4e369f397cb18dc56b875778d961f9ae180b54b7/psycpg2-2.9.3.tar.gz
```

3. Extract the tarball as follows:

```
tar -xzvf psycpg2-2.9.3.tar.gz
```

4. Locate the `pg_config` executable file as follows:

```
find / -name pg_config
```

5. Add the directory containing the `pg_config` file to the `$PATH` variable:

```
export PATH="/usr/pgsql-[***DATABASE-VERSION***]/bin:$PATH"
```

6. Build and install the `psycpg2` package as follows:

```
/usr/bin/python3.8 setup.py build_ext --pg-config=/usr/pgsql-[***DATABASE-VERSION***]/bin/pg_config install
```

Configuring and Starting the PostgreSQL Server

By default, PostgreSQL only accepts connections on the loopback interface. Configure PostgreSQL to accept the connections based on hostname, IP address (including CIDR address), or MAC address. A fully qualified domain name (FQDN) is not a requirement. If you do not make these changes, the services cannot connect to and use the database on which they depend.

Before you begin

If you are making changes to an existing database, make sure to stop any services that use the database before continuing.

Procedure

1. Initialize the PostgreSQL database cluster:

| OS | Command |
|------------------------|---|
| RHEL, SLES, and Ubuntu | <code>/usr/bin/postgresql-setup initdb</code> |

2. Make sure that LC_ALL is set to en_US.UTF-8 and initialize the database as follows:

- **RHEL**

```
echo 'LC_ALL="en_US.UTF-8"' >> /etc/locale.conf
```

- **SLES**

```
sudo su -l postgres -c "initdb --pgdata=/var/lib/pgsql/data --encoding=UTF-8"
```

- **Ubuntu**

```
echo 'LC_ALL="en_US.UTF-8"' >> /etc/default/locale.conf
```

3. Enable SCRAM-SHA-256 authentication. Edit `pg_hba.conf`, which is usually found in `/var/lib/pgsql/data` or `/etc/postgresql/<VERSION>/main`. Add the following line:

```
host all all 127.0.0.1/32 scram-sha-256
```

If the default `pg_hba.conf` file contains the following line:

```
host all all 127.0.0.1/32 ident
```

then the host line specifying `scram-sha-256` authentication shown above must be inserted before this `ident` line. Failure to do so may cause an authentication error when running the `scm_prepare_database.sh` script. You can modify the contents of the `scram-sha-256` line shown above to support different configurations. For example, if you want to access PostgreSQL from a different host, replace `127.0.0.1` with your IP address and update `postgres.conf`, which is typically found in the same place as `pg_hba.conf`, to include:

```
listen_addresses = '*'
```



Attention: `127.0.0.1` is a loopback address. Making `127.0.0.1` the only IP for authentication means that the only host that is allowed to authenticate to the database is the one on which it is running. When you have multiple services that use the database, if they are located on other hosts, they could have problems connecting to the database and could fail. If the goal is to allow open authentication from all hosts, that should be `0.0.0.0/32`, not `127.0.0.1`. Otherwise, you should add lines for explicit IP addresses of hosts that need to authenticate.

4. Configure settings to ensure your system performs as expected. Update these settings in the `/var/lib/pgsql/data/postgresql.conf` or `/var/lib/postgresql/data/postgresql.conf` file. Settings vary based on cluster size and resources as follows:

- Small to mid-sized clusters - Consider the following settings as starting points. If resources are limited, consider reducing the buffer sizes and checkpoint segments further. Ongoing tuning may be required based on each host's resource utilization. For example, if the Cloudera Manager Server is running on the same host as other roles, the following values may be acceptable:
 - `password_encryption = scram-sha-256`
 - `max_connection` - In general, allow each database on a host 100 maximum connections and then add 50 extra connections. You may have to increase the system resources available to PostgreSQL, as described at [Connection Settings](#).

- shared_buffers - 256MB
- wal_buffers - 8MB
- checkpoint_segments - 16



Note: The checkpoint_segments setting is removed in PostgreSQL 9.5 and higher, replaced by min_wal_size and max_wal_size. The PostgreSQL 9.5 release notes provides the following formula for determining the new settings:

$$\text{max_wal_size} = (3 * \text{checkpoint_segments}) * 16\text{MB}$$

- checkpoint_completion_target - 0.9
- Large clusters - Can contain up to 1000 hosts. Consider the following settings as starting points.
 - password_encryption = scram-sha-256
 - max_connection - For large clusters, each database is typically hosted on a different host. In general, allow each database on a host 100 maximum connections and then add 50 extra connections. You may have to increase the system resources available to PostgreSQL, as described at [Connection Settings](#).
 - shared_buffers - 1024 MB. This requires that the operating system can allocate sufficient shared memory. See PostgreSQL information on Managing Kernel Resources for more information on setting kernel resources.
 - wal_buffers - 16 MB. This value is derived from the shared_buffers value. Setting wal_buffers to be approximately 3% of shared_buffers up to a maximum of approximately 16 MB is sufficient in most cases.
 - checkpoint_segments - 128. The PostgreSQL Tuning Guide recommends values between 32 and 256 for write-intensive systems, such as this one.



Note: The checkpoint_segments setting is removed in PostgreSQL 9.5 and higher, replaced by min_wal_size and max_wal_size. The PostgreSQL 9.5 Release Notes provides the following formula for determining the new settings:

$$\text{max_wal_size} = (3 * \text{checkpoint_segments}) * 16\text{MB}$$

- checkpoint_completion_target - 0.9.



Note: On PostgreSQL12 and above, Cloudera recommends to disable jit. You can set jit=off.

5. Configure the PostgreSQL server to start at boot.

| OS | Command |
|------------------------|---|
| RHEL, SLES, and Ubuntu | <pre>sudo systemctl enable postgresql</pre> |

6. Restart the PostgreSQL database by running the following command:

| OS | Command |
|------------------------|--|
| RHEL, SLES, and Ubuntu | <pre>sudo systemctl restart postgresql</pre> |



Important:

On RHEL 8.4 or higher, while restarting PostgreSQL if you are unable to proceed further with the process then perform the following steps:

- a. Create a directory by running the following command:

```
mkdir -p /etc/systemd/system/postgresql.service.d
```

- b. Create a configuration file by running the following command:

```
cat >
/etc/systemd/system/postgresql.service.d/stop.conf <<
EOF
[Service]
ExecStopPost+=/usr/bin/systemctl daemon-reload
EOF
```

- c. Reload the systemd daemon by running the following command:

```
systemctl daemon-reload
```

Creating Databases for Cloudera Software

You must create databases and service accounts for components that require databases.

About this task

The following components require databases:

- Cloudera Manager Server
- Cloudera Management Service roles:
 - Reports Manager
- Hue
- Each Hive metastore
- Oozie
- Schema Registry
- Streams Messaging Manager

The databases must be configured to support the PostgreSQL UTF8 character set encoding.

Record the values you enter for database names, usernames, and passwords. The Cloudera Manager installation wizard requires this information to correctly connect to these databases.



Note: The instructions for Cloudera Manager Server, Cloudera Management Service roles, Reports Manager, Hue, Hive metastores, and Oozie are documented in this topic.

Additional configuration for Ranger is documented in the following two topics. Refer to those topics for detailed instructions on the Ranger database.

To create databases for Cloudera Manager Server, Cloudera Management Service roles, Reports Manager, Hue, Hive metastores, and Oozie, complete the following steps:

Procedure

1. Connect to PostgreSQL:

```
sudo -u postgres psql
```

2. Create databases for each service you are using from the below table:

```
CREATE ROLE <USER> LOGIN PASSWORD '<PASSWORD>';
```

```
CREATE DATABASE <DATABASE> OWNER <USER> ENCODING 'UTF8';
```

You can use any value you want for `<DATABASE>`, `<USER>`, and `<PASSWORD>`. The following examples are the default names provided in the Cloudera Manager configuration settings, but you are not required to use them:

Table 11: Databases for Cloudera Software

| Service | Database | User |
|---------------------------|----------------|----------------|
| Cloudera Manager Server | scm | scm |
| Reports Manager | rman | rman |
| Ranger RHEL/CentOS/Ubuntu | ranger | rangeradmin |
| Ranger KMS RHEL/CentOS | rangerkms | rangerkms |
| Hue | hue | hue |
| Hive Metastore Server | hive | hive |
| Oozie | oozie | oozie |
| Schema Registry | schemaregistry | schemaregistry |
| Streams Messaging Manager | smm | smm |

Record the databases, usernames, and passwords chosen because you will need them later.

3. For PostgreSQL 8.4 and higher, set `standard_conforming_strings=off` for the Hive Metastore and Oozie databases:

```
ALTER DATABASE <DATABASE> SET standard_conforming_strings=off;
```

What to do next

- If you plan to use Apache Ranger, see the following topic for instructions on creating and configuring the Ranger database and to install the JDBC driver for the database. See [Configuring a PostgreSQL Database for Ranger or Ranger KMS](#) on page 131.
- If you plan to use Schema Registry or Streams Messaging Manager, see the following topic for instructions on configuring the database: [Configuring the Database for Streaming Components](#) on page 137
- After you install and configure PostgreSQL databases for Cloudera software, continue to [Set up and Configure the Cloudera Manager Database](#) to configure a database for Cloudera Manager.

Install and Configure MySQL for Cloudera Software

You can install a MySQL database for use with Cloudera Manager and other components that require a database.

To use a MySQL database, follow these procedures. For information on compatible versions of the MySQL database, see [Database Requirements](#) on page 29.

Before you begin

Ensure that the MySQL DB is configured with the InnoDB engine by running the following command from the MySQL shell:

```
mysql> show table status;
```

Installing the MySQL Server



Note:

- If you already have a MySQL database set up, you can skip to the section [Configuring and Starting the MySQL Server](#) on page 95 to verify that your MySQL configurations meet the requirements for Cloudera Manager.
- For MySQL 5.6 and 5.7, you must install the MySQL-shared-compat or MySQL-shared package. This is required for the Cloudera Manager Agent package installation.
- It is important that the datadir directory, which, by default, is /var/lib/mysql, is on a partition that has sufficient free space.
- Cloudera Manager installation fails if GTID-based replication is enabled in MySQL.

1. Install the MySQL database:

| OS | Command |
|--------|---|
| RHEL | <p>MySQL is no longer included with RHEL. You must download the repository from the MySQL site and install it directly. You can use the following commands to install MySQL. For more information, visit the MySQL website.</p> <pre>wget <URL TO MYSQL RPM></pre> <pre>sudo rpm -ivh <FILENAME>.rpm</pre> <pre>sudo yum update</pre> <pre>sudo yum install mysql-server</pre> <pre>sudo systemctl start mysqld</pre> |
| SLES | <pre>sudo zypper install mysql libmysqlclient_r17</pre> |
| Ubuntu | <pre>sudo apt-get install mysql-server</pre> |

Configuring and Starting the MySQL Server



Note: If you are making changes to an existing database, make sure to stop any services that use the database before continuing.

1. Stop the MySQL server if it is running.

| OS | Command |
|-------------------------------------|---------------------------------------|
| RHEL 7 Compatible, SLES, and Ubuntu | <pre>sudo systemctl stop mysqld</pre> |

2. Move old InnoDB log files /var/lib/mysql/ib_logfile0 and /var/lib/mysql/ib_logfile1 out of /var/lib/mysql/ to a backup location.
3. Determine the location of the [option file](#), my.cnf (/etc/my.cnf by default).

4. Update my.cnf so that it conforms to the following requirements:

- To prevent deadlocks, set the isolation level to READ-COMMITTED.
- Configure the InnoDB engine.



Important: Cloudera Manager does not start if its tables are configured with the MyISAM engine. (Typically, tables revert to MyISAM if the InnoDB engine is misconfigured.)

- The default settings in the MySQL installations in most distributions use conservative buffer sizes and memory usage. Cloudera Management Service roles need high write throughput because they might insert many records in the database. Cloudera recommends that you set the `innodb_flush_method` property to `O_DIRECT`.
- Set the `max_connections` property according to the size of your cluster:
 - Fewer than 50 hosts - You can store more than one database (for example, both the Cloudera Manager Server and Reports Manager) on the same host. If you do this, you should:
 - Put each database on its own physical disk for best performance. You can do this by manually setting up symbolic links or running multiple database instances (each instance uses a different data directory path).
 - Allow 100 maximum connections for each database and then add 50 extra connections. For example, for two databases, set the maximum connections to 250. If you store four databases on one host (the databases for Cloudera Manager Server, Hue, Reports Manager, and Hive metastore), set the maximum connections to 450.
 - More than 50 hosts - Do not store more than one database on the same host. Use a separate host for each database/host pair. The hosts do not need to be reserved exclusively for databases, but each database should be on a separate host.
- If the cluster has more than 1000 hosts, set the `max_allowed_packet` property to 16M. Without this setting, the cluster may fail to start due to the following exception: `com.mysql.jdbc.PacketTooBigException`.
- Binary logging is not a requirement for Cloudera Manager installations. Binary logging provides benefits such as MySQL replication or point-in-time incremental recovery after database restore. Examples of this configuration follow. For more information, see [The Binary Log](#).

Here is an option file with Cloudera recommended settings:

```
[mysqld]
datadir=/var/lib/mysql
socket=/var/lib/mysql/mysql.sock
transaction-isolation = READ-COMMITTED
# Disabling symbolic-links is recommended to prevent assorted security risks;
# to do so, uncomment this line:
symbolic-links = 0

key_buffer_size = 32M
max_allowed_packet = 16M
thread_stack = 256K
thread_cache_size = 64

# The following 3 parameters only apply to MySQL version 5.7 and lower:
query_cache_limit = 8M
query_cache_size = 64M
query_cache_type = 1

max_connections = 550
#expire_logs_days = 10
#max_binlog_size = 100M

#log_bin should be on a disk with enough free space.
#Replace '/var/lib/mysql/mysql_binary_log' with an appropriate path for
your
#system and chown the specified folder to the mysql user.
```



```

log_bin=/var/lib/mysql/mysql_binary_log
#In later versions of MySQL, if you enable the binary log and do not set
#a server_id, MySQL will not start. The server_id must be unique within
#the replicating group.
server_id=1

binlog_format = mixed

read_buffer_size = 2M
read_rnd_buffer_size = 16M
sort_buffer_size = 8M
join_buffer_size = 8M

# InnoDB settings
innodb_file_per_table = 1
innodb_flush_log_at_trx_commit = 2
innodb_log_buffer_size = 64M
innodb_buffer_pool_size = 4G
innodb_thread_concurrency = 8
innodb_flush_method = O_DIRECT
innodb_log_file_size = 512M

[mysqld_safe]
log-error=/var/log/mysqld.log
pid-file=/var/run/mysqld/mysqld.pid
sql_mode=STRICT_ALL_TABLES

```

5. If you are using MySQL version 8, remove the following three parameters from the options file:

```

query_cache_limit = 8M
query_cache_size = 64M
query_cache_type = 1

```

6. If AppArmor is running on the host where MySQL is installed, you might need to configure AppArmor to allow MySQL to write to the binary.
7. Ensure the MySQL server starts at boot:

| OS | Command |
|-------------------------------------|---|
| RHEL 7 Compatible, SLES, and Ubuntu | <code>sudo systemctl enable mysqld</code> |

8. Start the MySQL server:

| OS | Command |
|-------------------------------------|--|
| RHEL 7 Compatible, SLES, and Ubuntu | <code>sudo systemctl start mysqld</code> |

9. Run `/usr/bin/mysql_secure_installation` to set the MySQL root password and other security-related settings. In a new installation, the root password is blank. Press the Enter key when you're prompted for the root password. For the rest of the prompts, enter the responses listed below in bold:

```
sudo /usr/bin/mysql_secure_installation
```

```

[...]
Enter current password for root (enter for none):
OK, successfully used password, moving on...
[...]
Set root password? [Y/n] Y
New password:
Re-enter new password:
Remove anonymous users? [Y/n] Y

```

```
[...]
Disallow root login remotely? [Y/n] N
[...]
Remove test database and access to it [Y/n] Y
[...]
Reload privilege tables now? [Y/n] Y
All done!
```

Installing the MySQL JDBC Driver

Install the JDBC driver on the Cloudera Manager Server host, as well as any other hosts running services that require database access.



Note: If you already have the JDBC driver installed on the hosts that need it, you can skip this section. However, MySQL 5.7 requires a 5.1 driver version 5.1.x.. You can also use version 5.1.x.x to connect to MySQL 8.x.



Important: If you are using TLS v1.2, you must use version 5.1.48.

Cloudera recommends that you consolidate all roles that require databases on a limited number of hosts, and install the driver on those hosts. Locating all such roles on the same hosts is recommended but not required. Make sure to install the JDBC driver on each host running roles that access the database.



Note: Cloudera recommends using only version 8.0 of the JDBC driver.

| OS | Command |
|--------|---|
| RHEL | <p> Important: Using the yum install command to install the MySQL driver package before installing a JDK installs OpenJDK, and then uses the Linux alternatives command to set the system JDK to be OpenJDK. If you intend to use an Oracle JDK, make sure that it is installed before installing the MySQL driver using yum install. If you want to use OpenJDK, you can install the driver using yum.</p> <p>Alternatively, use the following procedure to manually install the driver.</p> <ol style="list-style-type: none"> 1. Download the MySQL JDBC driver from http://www.mysql.com/downloads/connector/j/5.1.html (in .tar.gz format). As of the time of writing, you can download version 8.0.22 using wget as follows: <pre>wget https://dev.mysql.com/get/Downloads/Connector-J/mysql-connector-java-8.0.22.tar.gz</pre> 2. Extract the JDBC driver JAR file from the downloaded file. For example: <pre>tar zxvf mysql-connector-java-8.0.22.tar.gz</pre> 3. Copy the JDBC driver, renamed, to /usr/share/java/. If the target directory does not yet exist, create it. For example: <pre>sudo mkdir -p /usr/share/java/ cd mysql-connector-java-8.0.22 sudo cp mysql-connector-java-8.0.22.jar /usr/share/java/ mysql-connector-java.jar</pre> |
| SLES | <pre>sudo zypper install mysql-connector-java</pre> |
| Ubuntu | <pre>sudo apt-get install libmysql-java</pre> |

Installing the MySQL client

To use MySQL as a backend database for Hue, you must install the MySQL client and other required dependencies on all the Hue hosts based on your operating system.

For Cent OS

1. SSH into the Hue host as a root user.
2. Download the MySQL yum repository as follows:

```
curl -sSLO https://dev.mysql.com/get/mysql80-community-release-el7-5.noarch.rpm
```

3. Install the package as follows:

```
rpm -ivh mysql80-community-release-el7-5.noarch.rpm
```

4. Install the required dependencies as follows:

```
yum install mysql-devel  
yum install -y xmlsec1 xmlsec1-openssl
```

For MySQL version 8.0.27, add the mysql-community-client-8.0.25 client package as follows:

```
yum install mysql-community-client-8.0.25
```

5. Add the path where you installed the MySQL client and packages to the PATH environment variable as follows:

```
export PATH=/usr/local/bin:$PATH
```

6. Install the MySQL client as follows:

```
pip3.8 install mysqlclient
```

For RHEL

1. SSH into the Hue host as a root user.
2. Download the MySQL yum repository as follows:

(RHEL 7)

```
curl -sSLO https://dev.mysql.com/get/mysql80-community-release-el7-5.noarch.rpm
```

(RHEL 8)

```
curl -sSLO https://dev.mysql.com/get/mysql80-community-release-el8-8.noarch.rpm
```

(RHEL 9)

```
curl -sSLO https://dev.mysql.com/get/mysql80-community-release-el9-4.noarch.rpm
```

3. Install the package as follows:

(RHEL 7)

```
rpm -ivh mysql80-community-release-el7-5.noarch.rpm
```

(RHEL 8)

```
rpm -ivh mysql80-community-release-el8-8.noarch.rpm
```

(RHEL 9)

```
rpm -ivh mysql80-community-release-el9-4.noarch.rpm
```

4. Install the required dependencies as follows:

```
yum install mysql-devel  
yum install -y xmlsec1 xmlsec1-openssl
```

5. Add the path where you installed the MySQL client and packages to the PATH environment variable as follows:

```
export PATH=/usr/local/bin:$PATH
```

6. Install the MySQL client as follows:

(RHEL 8)

```
pip3.8 install mysqlclient
```

(RHEL 9)

```
pip3.9 install mysqlclient
```

For SLES

1. SSH into the Hue host as a root user.
2. Install the required packages and dependencies as follows:

```
zypper install libmysqlclient-devel  
zypper install xmlsec1  
zypper install xmlsec1-devel  
zypper install xmlsec1-openssl-devel
```

3. Add the path where you installed the packages to the PATH environment variable as follows:

```
export PATH=/usr/local/bin:$PATH
```

4. Install the MySQL client as follows:

```
pip3.8 install mysqlclient
```

For Ubuntu

1. SSH into the Hue host as a root user.
2. Install the required packages and dependencies as follows:

```
apt-get install libmysqlclient-dev  
apt-get install -y xmlsec1  
apt-get install libxmlsec1-openssl
```

3. Add the path where you installed the packages to the PATH environment variable as follows:

```
export PATH=/usr/local/bin:$PATH
```

4. Install the MySQL client as follows:

```
pip3.8 install mysqlclient
```

Creating Databases for Cloudera Software

Services that require databases

Create databases and service accounts for components that require databases:

- Cloudera Manager Server
- Cloudera Management Service roles:
 - Reports Manager
- Hue
- Each Hive metastore
- Oozie
- Schema Registry
- Streams Messaging Manager

Steps

1. Log in as the root user, or another user with privileges to create database and grant privileges:

```
mysql -u root -p
```

```
Enter password:
```

2. Create databases for each service deployed in the cluster using the following commands. You can use any value you want for the `<DATABASE>`, `<USER>`, and `<PASSWORD>` parameters. The Databases for Cloudera Software table, below lists the default names provided in the Cloudera Manager configuration settings, but you are not required to use them.

Configure all databases to use the utf8 character set.

Include the character set for each database when you run the CREATE DATABASE statements described below.

```
CREATE DATABASE <DATABASE> DEFAULT CHARACTER SET utf8 DEFAULT COLLATE utf8_general_ci;
```

```
Query OK, 1 row affected (0.00 sec)
```

Create USER by following the steps in this topic: [CREATE USER Statement](#).

```
GRANT ALL ON <DATABASE>.* TO '<USER>'@'%' IDENTIFIED BY '<PASSWORD>';
```

```
Query OK, 0 rows affected (0.00 sec)
```

Table 12: Databases for Cloudera Software

| Service | Database | User |
|-------------------------|----------|------|
| Cloudera Manager Server | scm | scm |

| Service | Database | User |
|---------------------------|----------------|----------------|
| Reports Manager | rman | rman |
| Ranger RHEL/CentOS/Ubuntu | ranger | rangeradmin |
| Ranger KMS RHEL/CentOS | rangerkms | rangerkms |
| Hue | hue | hue |
| Hive Metastore Server | hive | hive |
| Oozie | oozie | oozie |
| Schema Registry | schemaregistry | schemaregistry |
| Streams Messaging Manager | smm | smm |

3. Confirm that you have created all of the databases:

```
SHOW DATABASES ;
```

You can also confirm the privilege grants for a given user by running:

```
SHOW GRANTS FOR '<USER>'@'%' ;
```

4. Record the values you enter for database names, usernames, and passwords. The Cloudera Manager installation wizard requires this information to correctly connect to these databases.

Next Steps

- If you plan to use Apache Ranger, see the following topic for instructions on creating and configuring the Ranger database. See [Configuring a Ranger or Ranger KMS Database: MySQL/MariaDB](#) on page 128.
- If you plan to use Schema Registry or Streams Messaging Manager, see the following topic for instructions on configuring the database: [Configuring the Database for Streaming Components](#) on page 137.
- After you install and configure MySQL databases for Cloudera software, continue to [Set up and Configure the Cloudera Manager Database](#) to configure a database for Cloudera Manager.

Install and Configure MariaDB for Cloudera Software

You can install a MariaDB database for use with Cloudera Manager and other components that require a database.

To use a MariaDB database, follow these procedures. For information on compatible versions of the MariaDB database, see [Database Requirements](#) on page 29.

Installing MariaDB Server



Note:

- If you already have a MariaDB database set up, you can skip to the section [Configuring and Starting the MariaDB Server](#) on page 103 to verify that your MariaDB configurations meet the requirements for Cloudera Manager.
- It is important that the datadir directory (/var/lib/mysql by default), is on a partition that has sufficient free space. For more information, see [Hardware Requirements](#) on page 13.

1. Install MariaDB server:

| OS | Command |
|-----------------|--|
| RHEL compatible | <code>sudo yum install mariadb-server</code> |
| SLES | <code>sudo zypper install mariadb-server</code> |
| Ubuntu | <code>sudo apt-get install mariadb-server</code> |

If these commands do not work, you might need to add a repository or use a different yum install command, particularly on RHEL 6 compatible operating systems. For more assistance, see the following topics on the MariaDB website:

- RHEL compatible: [Installing MariaDB with yum](#)
- SLES: [MariaDB Package Repository Setup and Usage](#)
- Ubuntu: [Installing MariaDB .deb Files](#)

Configuring and Starting the MariaDB Server



Note: If you are making changes to an existing database, make sure to stop any services that use the database before continuing.

1. Stop the MariaDB server if it is running:

| OS | Command |
|-------------------------------------|--|
| RHEL 7 Compatible, SLES, and Ubuntu | <code>sudo systemctl stop mariadb</code> |

2. If they exist, move old InnoDB log files `/var/lib/mysql/ib_logfile0` and `/var/lib/mysql/ib_logfile1` out of `/var/lib/mysql/` to a backup location.
3. Determine the location of the [option file](#), `my.cnf` (`/etc/my.cnf` by default).
4. Update `my.cnf` so that it conforms to the following requirements:
 - To prevent deadlocks, set the isolation level to `READ-COMMITTED`.
 - The default settings in the MariaDB installations in most distributions use conservative buffer sizes and memory usage. Cloudera Management Service roles need high write throughput because they might insert many records in the database. Cloudera recommends that you set the `innodb_flush_method` property to `O_DIRECT`.
 - Set the `max_connections` property according to the size of your cluster:
 - Fewer than 50 hosts - You can store more than one database (for example, both the Cloudera Manager Server and Reports Manager) on the same host. If you do this, you should:
 - Put each database on its own physical disk for best performance. You can do this by manually setting up symbolic links or running multiple database instances (each instance uses a different data directory path).
 - Allow 100 maximum connections for each database and then add 50 extra connections. For example, for two databases, set the maximum connections to 250. If you store four databases on one host (the

databases for Cloudera Manager Server, Hue, Reports Manager, and Hive metastore), set the maximum connections to 450.

- More than 50 hosts - Do not store more than one database on the same host. Use a separate host for each database/host pair. The hosts do not need to be reserved exclusively for databases, but each database should be on a separate host.
- If the cluster has more than 1000 hosts, set the `max_allowed_packet` property to 16M. Without this setting, the cluster may fail to start due to the following exception: `com.mysql.jdbc.PacketTooBigException`.
- Although binary logging is not a requirement for Cloudera Manager installations, it provides benefits such as MariaDB replication or point-in-time incremental recovery after a database restore. The provided example configuration enables the binary log. For more information, see [The Binary Log](#).

Here is an option file with Cloudera recommended settings:

```
[mysqld]
datadir=/var/lib/mysql
socket=/var/lib/mysql/mysql.sock
transaction-isolation = READ-COMMITTED
# Disabling symbolic-links is recommended to prevent assorted security risks;
# to do so, uncomment this line:
symbolic-links = 0
# Settings user and group are ignored when systemd is used.
# If you need to run mysqld under a different user or group,
# customize your systemd unit file for mariadb according to the
# instructions in http://fedoraproject.org/wiki/Systemd

key_buffer = 16M
key_buffer_size = 32M
max_allowed_packet = 32M
thread_stack = 256K
thread_cache_size = 64
query_cache_limit = 8M
query_cache_size = 64M
query_cache_type = 1

max_connections = 550
#expire_logs_days = 10
#max_binlog_size = 100M
#log_bin should be on a disk with enough free space.
#Replace '/var/lib/mysql/mysql_binary_log' with an appropriate path for your
#system and chown the specified folder to the mysql user.
log_bin=/var/lib/mysql/mysql_binary_log

#In later versions of MariaDB, if you enable the binary log and do not set
#a server_id, MariaDB will not start. The server_id must be unique within
#the replicating group.
server_id=1

binlog_format = mixed

read_buffer_size = 2M
read_rnd_buffer_size = 16M
sort_buffer_size = 8M
join_buffer_size = 8M
# InnoDB settings
innodb_file_per_table = 1
innodb_flush_log_at_trx_commit = 2
innodb_log_buffer_size = 64M
innodb_buffer_pool_size = 4G
innodb_thread_concurrency = 8
innodb_flush_method = O_DIRECT
```



```
innodb_log_file_size = 512M
[mysqld_safe]
log-error=/var/log/mariadb/mariadb.log
pid-file=/var/run/mariadb/mariadb.pid
#
# include all files from the config directory
#
!includedir /etc/my.cnf.d
```

- If AppArmor is running on the host where MariaDB is installed, you might need to configure AppArmor to allow MariaDB to write to the binary.
- Ensure the MariaDB server starts at boot:

| OS | Command |
|-------------------------------------|--|
| RHEL 7 Compatible, SLES, and Ubuntu | <code>sudo systemctl enable mariadb</code> |

- Start the MariaDB server:

| OS | Command |
|-------------------------------------|---|
| RHEL 7 Compatible, SLES, and Ubuntu | <code>sudo systemctl start mariadb</code> |

- Run `/usr/bin/mysql_secure_installation` to set the MariaDB root password and other security-related settings. In a new installation, the root password is blank. Press the Enter key when you're prompted for the root password. For the rest of the prompts, enter the responses listed below in bold:

```
sudo /usr/bin/mysql_secure_installation
```

```
[...]
Enter current password for root (enter for none):
OK, successfully used password, moving on...
[...]
Set root password? [Y/n] Y
New password:
Re-enter new password:
[...]
Remove anonymous users? [Y/n] Y
[...]
Disallow root login remotely? [Y/n] N
[...]
Remove test database and access to it [Y/n] Y
[...]
Reload privilege tables now? [Y/n] Y
[...]
All done!  If you've completed all of the above steps, your MariaDB
installation should now be secure.

Thanks for using MariaDB!
```

Installing the MySQL JDBC Driver for MariaDB


The MariaDB JDBC driver is not supported. Follow the steps in this section to install and use the MySQL JDBC driver instead.

Install the JDBC driver on the Cloudera Manager Server host, as well as any other hosts running services that require database access.

Cloudera recommends that you consolidate all roles that require databases on a limited number of hosts, and install the driver on those hosts. Locating all such roles on the same hosts is recommended but not required. Make sure to install the JDBC driver on each host running roles that access the database.



Note: Cloudera recommends using only version 8.0 of the JDBC driver.

| OS | Command |
|--------|--|
| RHEL | <p> Important: Using the yum install command to install the MySQL driver package before installing a JDK installs OpenJDK, and then uses the Linux alternatives command to set the system JDK to be OpenJDK. If you intend to use an Oracle JDK, make sure that it is installed before installing the MySQL driver using yum install. If you want to use OpenJDK, you can install the driver using yum.</p> <p>Alternatively, use the following procedure to manually install the driver.</p> <ol style="list-style-type: none"> 1. Download the MySQL JDBC driver from http://www.mysql.com/downloads/connector/j/5.1.html (in .tar.gz format). As of the time of writing, you can download version 8.0.22 using wget as follows: <pre>wget https://dev.mysql.com/get/Downloads/Connector-J/mysql-connector-java-8.0.22.tar.gz</pre> 2. Extract the JDBC driver JAR file from the downloaded file. For example: <pre>tar zxvf mysql-connector-java-8.0.22.tar.gz</pre> 3. Copy the JDBC driver, renamed, to /usr/share/java/. If the target directory does not yet exist, create it. For example: <pre>sudo mkdir -p /usr/share/java/ cd mysql-connector-java-8.0.22 sudo cp mysql-connector-java-8.0.22.jar /usr/share/java/ mysql-connector-java.jar</pre> |
| SLES | <pre>sudo zypper install mysql-connector-java</pre> |
| Ubuntu | <pre>sudo apt-get install libmysql-java</pre> |

Installing the MySQL client

To use MariaDB as a backend database for Hue, you must install the MySQL client and other required dependencies on all the Hue hosts based on your operating system.

For Cent OS

1. SSH into the Hue host as a root user.
2. Install the required dependencies as follows:

```
yum install -y xmlsec1 xmlsec1-openssl
```

3. Add the path where you installed the packages to the PATH environment variable as follows:

```
export PATH=/usr/local/bin:$PATH
```

4. Install the MySQL client as follows:

```
pip3.8 install mysqlclient
```

For RHEL

1. SSH into the Hue host as a root user.
2. Install the required dependencies as follows:

```
yum install -y python39-devel
yum install mysql-devel
```

```
yum install -y xmlsec1 xmlsec1-openssl
```

3. Add the path where you installed the packages to the PATH environment variable as follows:

```
export PATH=/usr/local/bin:$PATH
```

4. Install the MySQL client as follows:

(RHEL 8)

Python 3.8

```
python3.9 -m pip install mysqlclient
```

Python 3.9

```
python3.8 -m pip install mysqlclient
```

(RHEL 9)

```
pip3.9 install mysqlclient
```

For SLES

1. SSH into the Hue host as a root user.
2. Install the required packages and dependencies as follows:

```
zypper install libmysqlclient-devel
zypper install xmlsec1
zypper install xmlsec1-devel
zypper install xmlsec1-openssl-devel
```



Attention: While installing the mysql-devel and libmysqlclient-devel packages on SLES15, use the “--replacefiles” zypper switch or manually enter yes on the interactive pop-up that you see when the files are being overwritten. Else, you may see an error such as: File /usr/bin/mariadb_config from install of MariaDB-devel-<version>.x86_64 conflicts with file from install of libmariadb-devel-3.1.21-150000.3.33.3.x86_64 (SLES Module Server Applications Updates).

3. Add the path where you installed the packages to the PATH environment variable as follows:

```
export PATH=/usr/local/bin:$PATH
```

4. Install the MySQL client as follows:

```
pip3.8 install mysqlclient
```

For Ubuntu

1. SSH into the Hue host as a root user.
2. Install the required packages and dependencies as follows:

```
apt-get install libmysqlclient-dev
apt-get install -y xmlsec1
apt-get install libxmlsec1-openssl
```

3. Add the path where you installed the packages to the PATH environment variable as follows:

```
export PATH=/usr/local/bin:$PATH
```

4. Install the MySQL client as follows:

```
pip3.8 install mysqlclient
```

Creating Databases for Cloudera Software

Services that require databases

Create databases and service accounts for components that require databases:

- Cloudera Manager Server
- Cloudera Management Service roles:
 - Reports Manager
- Hue
- Each Hive metastore
- Oozie
- Schema Registry
- Streams Messaging Manager

Steps

1. Log in as the root user, or another user with privileges to create database and grant privileges:

```
mysql -u root -p
```

```
Enter password:
```

2. Create databases for each service deployed in the cluster using the following commands. You can use any value you want for the `<DATABASE>`, `<USER>`, and `<PASSWORD>` parameters. The Databases for Cloudera Software table, below lists the default names provided in the Cloudera Manager configuration settings, but you are not required to use them.

Configure all databases to use the utf8 character set.

Include the character set for each database when you run the CREATE DATABASE statements described below.

```
CREATE DATABASE <DATABASE> DEFAULT CHARACTER SET utf8 DEFAULT COLLATE utf8
_general_ci;
```

```
Query OK, 1 row affected (0.00 sec)
```

Create USER by following the steps in this topic: [CREATE USER Statement](#).

```
GRANT ALL ON <DATABASE>.* TO '<USER>'@'%' IDENTIFIED BY '<PASSWORD>';
```

```
Query OK, 0 rows affected (0.00 sec)
```

Table 13: Databases for Cloudera Software

| Service | Database | User |
|---------------------------|-----------|-------------|
| Cloudera Manager Server | scm | scm |
| Reports Manager | rman | rman |
| Ranger RHEL/CentOS/Ubuntu | ranger | rangeradmin |
| Ranger KMS RHEL/CentOS | rangerkms | rangerkms |

| Service | Database | User |
|---------------------------|----------------|----------------|
| Hue | hue | hue |
| Hive Metastore Server | hive | hive |
| Oozie | oozie | oozie |
| Schema Registry | schemaregistry | schemaregistry |
| Streams Messaging Manager | smm | smm |

- Confirm that you have created all of the databases:

```
SHOW DATABASES ;
```

You can also confirm the privilege grants for a given user by running:

```
SHOW GRANTS FOR '<USER>'@'%' ;
```

- Record the values you enter for database names, usernames, and passwords. The Cloudera Manager installation wizard requires this information to correctly connect to these databases.

Next Steps

- If you plan to use Apache Ranger, see the following topic for instructions on creating and configuring the Ranger database. See [Configuring a Ranger or Ranger KMS Database: MySQL/MariaDB](#) on page 128.
- If you plan to use Schema Registry or Streams Messaging Manager, see the following topic for instructions on configuring the database: [Configuring the Database for Streaming Components](#) on page 137
- After you install and configure MariaDB databases for Cloudera software, continue to [Set up and Configure the Cloudera Manager Database](#) to configure a database for Cloudera Manager.

Configure Oracle Database for Cloudera Software

You can configure an external Oracle database for use with Cloudera Manager and other components that require a database.

To use an Oracle database, follow these procedures. For information on compatible versions of the Oracle database, see [Database Requirements](#) on page 29.

Collecting Oracle Database Information

To configure Cloudera Manager to work with an Oracle database, get the following information from your Oracle DBA:

- Hostname - The DNS name or the IP address and the port of the host where the Oracle database is installed.
- SID - The name of the schema that will store Cloudera Manager information.
- Username - A username for each schema that is storing information. You could have four unique usernames for the four schema.
- Password - A password corresponding to each username.

Configuring the Oracle Server



Note: If you are making changes to an existing database, make sure to stop any services that use the database before continuing.

Adjusting Oracle Settings to Accommodate Larger Clusters

Cloudera Management services require high write throughput. Depending on the size of your deployments, your DBA may need to modify Oracle settings for monitoring services. These guidelines are for larger clusters and do not apply to the Cloudera Manager configuration database and to smaller clusters. Many factors help determine whether you need to change your database settings, but in most cases, if your cluster has more than 100 hosts, you should consider making the following changes:

- Enable direct and asynchronous I/O by setting the `FILESYSTEMIO_OPTIONS` parameter to `SETALL`.

- Increase the RAM available to Oracle by changing the MEMORY_TARGET parameter. The amount of memory to assign depends on the size of the Hadoop cluster.
- Create more redo log groups and spread the redo log members across separate disks or logical unit numbers.
- Increase the size of redo log members to be at least 1 GB.

Modifying the Maximum Number of Oracle Connections

Work with your Oracle database administrator to ensure appropriate values are applied for your Oracle database settings. You must determine the number of connections, transactions, and sessions to be allowed.

Allow 100 maximum connections for each service that requires a database and then add 50 extra connections. For example, for two services, set the maximum connections to 250. If you have four services that require a database on one host (the databases for Cloudera Manager Server, Hue, Reports Manager, and Hive metastore), set the maximum connections to 450.

From the maximum number of connections, you can determine the number of anticipated sessions using the following formula:

```
sessions = (1.1 * maximum_connections) + 5
```

For example, if a host has a database for two services, anticipate 250 maximum connections. If you anticipate a maximum of 250 connections, plan for 280 sessions.

Once you know the number of sessions, you can determine the number of anticipated transactions using the following formula:

```
transactions = 1.1 * sessions
```

Continuing with the previous example, if you anticipate 280 sessions, you can plan for 308 transactions.

Work with your Oracle database administrator to apply these derived values to your system.

Using the sample values above, Oracle attributes would be set as follows:

```
alter system set processes=250;  
alter system set transactions=308;  
alter system set sessions=280;
```

Ensuring Your Oracle Database Supports UTF8

The database you use must support UTF8 character set encoding. You can implement UTF8 character set encoding in Oracle databases by using the dbca utility. In this case, you can use the characterSet AL32UTF8 option to specify proper encoding. Consult your DBA to ensure UTF8 encoding is properly configured.

Installing the Oracle JDBC Connector

You must install the JDBC connector on the Cloudera Manager Server host and any other hosts that use a database. The JDBC connector **MUST** be supplied by the Oracle DBA to ensure it matches the Oracle DB server release.

Cloudera recommends that you assign all roles that require a database on the same host and install the connector on that host. Locating all such roles on the same host is recommended but not required. If you install a role, such as Reports Manager, on one host and other roles on a separate host, you would install the JDBC connector on each host running roles that access the database.

Alternatively, you can perform the following steps to distribute the Oracle JDBC connector file to all the nodes on the same directory:

1. Obtain the Oracle JDBC Driver from the Oracle DBA. For example, Oracle RAC 19c is provided with both ojdbc8.jar and ojdbc10.jar, and you should receive the later release as it is more updated (ojdbc10.jar).

- Copy the Oracle JDBC JAR file as root user to `/usr/share/java/oracle-connector-java.jar` on the relevant nodes. The Cloudera Manager databases and the Hive Metastore database use this shared filename and location. For example:

```
sudo mkdir -p /usr/share/java
sudo cp /tmp/ojdbc10.jar /usr/share/java/oracle-connector-java.jar
sudo chmod 644 /usr/share/java/oracle-connector-java.jar
```

Creating Databases for Cloudera Software

Provide the Oracle DBA with the information for creating the Create schema and user accounts for components that require databases (depending on the type of services that you install on the Cloudera Private Cloud Base Cluster).

To ease the tracking, provide a prefix name for each schema you define based on the environment you build such as `cdp_tst_db_xxx` for test environment, `cdp_prd_db_xxx` for production etc. For more information about a prefix name, see the following table:

Table 14: Databases for Cloudera Private Cloud Base Cluster

| Service | Database | Username |
|--|--|-------------------------------------|
| Cloudera Manager Server | <code>cdp_xxx_db_scm</code> | <code>cdp_xxx_scm</code> |
| Reports Manager | <code>cdp_xxx_db_rman</code> | <code>cdp_xxx_rman</code> |
| Hive Metastore | <code>cdp_xxx_db_hive</code> | <code>cdp_xxx_hive</code> |
| Ranger | <code>cdp_xxx_db_ranger</code> | <code>cdp_xxx_rangeradmin</code> |
| Ranger KMS | <code>cdp_xxx_db_rangerkms</code> | <code>cdp_xxx_rangerkms</code> |
| YARN Queue Manager | <code>cdp_xxx_db_configstore</code> | <code>cdp_xxx_qadmin</code> |
| Hue | <code>cdp_xxx_db_hue</code> | <code>cdp_xxx_hue</code> |
| Schema Registry (only if used) | <code>cdp_xxx_db_schemaregistry</code> | <code>cdp_xxx_schemaregistry</code> |
| Streams Messaging Manager (only if used) | <code>cdp_xxx_db_smm</code> | <code>cdp_xxx_smm</code> |



Important: For information about creating the relevant schema DBs, see [Creating the relevant schema DBs](#).

You can create the Oracle database, schema and users on the host where the Cloudera Manager Server will run, or on any other hosts in the cluster. For performance reasons, you should install each database on the host on which the service runs, as determined by the roles you assign during installation or upgrade. In larger deployments or in cases where database administrators are managing the databases the services use, you can separate databases from services, but use caution.

The databases must be configured to support UTF-8 character set encoding.

Record the values you enter for database names, usernames, and passwords. The Cloudera Manager installation wizard requires this information to correctly connect to these databases.



Note: If you are deploying Oracle RAC (for high availability), enter the database name using the following format:

```
(DESCRIPTION=(LOAD_BALANCE=off)(FAILOVER=on)(CONNECT_TIMEOUT=5)(
TRANSPORT_CONNECT_TIMEOUT=3)(RETRY_COUNT=3)(ADDRESS=(PROTOCOL=TCP)(H
OST=[***HOSTNAME***])(PORT=[***PORT***]))(CONNECT_DATA=(SERVICE_NAM
E=[***SERVICE_NAME***])))
```

Provide the Oracle DBA with a list of commands to run in order to create the above schema, users and passwords on the Oracle server. Make sure to ask the DBA to provide you back the password created for each user/schema.

Note that you can ask the DBA to set the quota to unlimited to each user as follows:

```
ALTER USER <USER> quota unlimited on <TABLESPACE>;
```

Creating the relevant schema DBs

The format of the user/schema table is built using “xxx” where xxx should be replaced by either dev/tst/prd/dr etc. (for different environments separation on the Oracle DB)

Also, the “password” that is marked bold should be updated with a unique password given by the Oracle DBA per the security regulation of the Oracle DB server. That password will be used for connecting to the schema and will be configured on the Cloudera Manager UI later.



Important:

Unless stated otherwise, each DB is given GRANTS based on the need. The only exception is RMAN which needs GRANT ALL.



Important:

In the following commands, you should replace the **XXX** with the string for the relevant environment, and make sure the password string is replaced with the unique password string generated by Oracle DBA during the creation of the user.

You can create the relevant schema DBs by running the following set of commands:

Cloudera Manager Server DB

```
CREATE DATABASE cdp_XXX_db_scm CHARACTER SET AL32UTF8;
CREATE USER 'cdp_XXX_scm'@'%' IDENTIFIED BY
'cdp_XXX_scm_password';
GRANT SELECT_CATALOG_ROLE, CONNECT, RESOURCE ON cdp_XXX_db_scm.*
TO cdp_XXX_scm'@'%;
GRANT CREATE SESSION,CREATE PROCEDURE,CREATE TABLE,CREATE VIEW,CR
EATE SEQUENCE,CREATE TRIGGER,UNLIMITED TABLESPACE ON cdp_XXX_db_
scm.* TO cdp_XXX_scm'@'%;
ALTER USER cdp_XXX_scm DEFAULT TABLESPACE cdp_XXX_db_scm;
ALTER USER cdp_XXX_scm quota unlimited on cdp_XXX_db_scm;
```

Reports Manager DB



Important: Reports Manager (rman) needs GRANT ALL PRIVILEGES on its DB.

```
CREATE DATABASE cdp_XXX_db_rman CHARACTER SET AL32UTF8;
CREATE USER 'cdp_XXX_rman'@'%' IDENTIFIED BY
'cdp_XXX_rman_password';
GRANT ALL PRIVILEGES ON cdp_XXX_db_rman.* TO 'cdp_XXX_rman'@'%' ;
```

Hive Metastore DB

```
CREATE DATABASE cdp_XXX_db_hive CHARACTER SET AL32UTF8;
CREATE USER 'cdp_XXX_hive'@'%' IDENTIFIED BY
'cdp_XXX_hive_password';
GRANT SELECT_CATALOG_ROLE, CONNECT, RESOURCE ON cdp_XXX_db_hive.*
TO cdp_XXX_hive'@'%;
GRANT CREATE SESSION,CREATE PROCEDURE,CREATE TABLE,CREATE VIEW,C
REATE SEQUENCE,CREATE TRIGGER,UNLIMITED TABLESPACE ON cdp_XXX_db_
hive.* TO cdp_XXX_hive'@'%;
ALTER USER cdp_XXX_hive DEFAULT TABLESPACE cdp_XXX_db_hive;
```



```
ALTER USER cdp_XXX_hive quota unlimited on cdp_XXX_db_hive;
```

Ranger DB

```
CREATE DATABASE cdp_XXX_db_ranger CHARACTER SET AL32UTF8;
CREATE USER 'cdp_XXX_rangeradmin'@'%' IDENTIFIED BY
'cdp_XXX_rangeradmin_password';
GRANT SELECT_CATALOG_ROLE, CONNECT, RESOURCE TO cdp_XXX_rangeradmin'@'%;
GRANT CREATE SESSION,CREATE PROCEDURE,CREATE TABLE,CREATE VIEW,CREATE SEQUENCE,CREATE PUBLIC SYNONYM,CREATE ANY SYNONYM,CREATE TRIGGER,UNLIMITED TABLESPACE TO cdp_XXX_rangeradmin'@'%;
ALTER USER cdp_XXX_rangeradmin DEFAULT TABLESPACE cdp_XXX_db_rangeradmin;
ALTER USER cdp_XXX_rangeradmin quota unlimited on cdp_XXX_db_rangeradmin;
```



Important:

CREATE_PUBLIC_SYNONYM and CREATE_ANY_SYNONYM are optional and not mandatory.

Ranger KMS DB

```
CREATE DATABASE cdp_XXX_db_rangerkms CHARACTER SET AL32UTF8;
CREATE USER 'cdp_XXX_rangerkms'@'%' IDENTIFIED BY
'cdp_XXX_rangerkms_password';
GRANT SELECT_CATALOG_ROLE, CONNECT, RESOURCE TO cdp_XXX_rangerkms'@'%;
GRANT CREATE SESSION,CREATE PROCEDURE,CREATE TABLE,CREATE VIEW,CREATE SEQUENCE,CREATE PUBLIC SYNONYM,CREATE ANY SYNONYM,CREATE TRIGGER,UNLIMITED TABLESPACE TO cdp_XXX_rangerkms'@'%;
ALTER USER cdp_XXX_rangerkms DEFAULT TABLESPACE cdp_XXX_db_rangerkms;
ALTER USER cdp_XXX_rangerkms quota unlimited on cdp_XXX_db_rangerkms;
```



Important:

CREATE_PUBLIC_SYNONYM and CREATE_ANY_SYNONYM are optional and not mandatory.

YARN Queue Manager DB

```
CREATE ROLE cdp_XXX_qmadmin PASSWORD 'cdp_XXX_qmadmin_password'
SUPERUSER CREATEDB CREATEROLE INHERIT LOGIN;
CREATE DATABASE "cdp_XXX_db_configstore";
ALTER DATABASE "cdp_XXX_db_configstore" OWNER TO cdp_XXX_qmadmin;
```

Hue DB

```
CREATE DATABASE cdp_XXX_db_hue CHARACTER SET AL32UTF8;
CREATE USER 'cdp_XXX_hue'@'%' IDENTIFIED BY
'cdp_XXX_hue_password';
GRANT CREATE SESSION,CREATE PROCEDURE,CREATE TABLE,CREATE VIEW,CREATE SEQUENCE,CREATE TRIGGER,UNLIMITED TABLESPACE TO cdp_XXX_hue'@'%;
ALTER USER cdp_XXX_hue DEFAULT TABLESPACE cdp_XXX_db_hue;
ALTER USER cdp_XXX_hue quota unlimited on cdp_XXX_db_hue;
```

STREAMS MESSAGING MANAGER (SMM) / SCHEMA REGISTRY

```

CREATE TABLESPACE cdp_XXX_db_schemaregistry ONLINE;
CREATE TABLESPACE cdp_XXX_db_smm ONLINE;
CREATE USER 'cdp_XXX_schemaregistry'@'%' IDENTIFIED BY
'cdp_XXX_schemaregistry_password';
CREATE USER 'cdp_XXX_smm'@'%' IDENTIFIED BY
'cdp_XXX_smm_password';

ALTER USER cdp_XXX_schemaregistry DEFAULT TABLESPACE cdp_XXX_db_
schemaregistry;
ALTER USER cdp_XXX_smm DEFAULT TABLESPACE cdp_XXX_db_smm;

GRANT CONNECT, CREATE PROCEDURE,CREATE TABLE,CREATE SEQUENCE,C
REATE INDEX,ALTER PROCEDURE,ALTER TABLE,ALTER SEQUENCE,ALTER IND
EX,DROP PROCEDURE,DROP TABLE,DROP SEQUENCE,DROP INDEX,UNLIMITED
TABLESPACE TO cdp_XXX_schemaregistry'@'%' ;

GRANT CONNECT, CREATE PROCEDURE,CREATE TABLE,CREATE SEQUENCE,CREA
TE INDEX,ALTER PROCEDURE,ALTER TABLE,ALTER SEQUENCE,ALTER INDEX,
DROP PROCEDURE,DROP TABLE,DROP SEQUENCE,DROP INDEX,UNLIMITED TAB
LESPACE TO cdp_XXX_smm'@'%' ;

```



Important: The new users for smm/schema registry need to have permissions to create or drop tables and other database structures because when the Schema Registry or SMM service starts, it automatically creates the database structure. If the database structure already exists, then the service alters it as necessary.

```
FLUSH PRIVILEGES;
```

For further information about Oracle privileges, see [Authorization: Privileges, Roles, Profiles, and Resource Limitations](#).

Next Steps

- If you plan to use **Apache Ranger**, see the following topic for instructions on creating and configuring the Ranger database and to install the JDBC driver for the database. See [Configuring a Ranger or Ranger KMS Database: Oracle](#) on page 129.
- If you plan to use **Schema Registry** or **Streams Messaging Manager**, see the following topic for instructions on configuring the database: [Configuring the Database for Streaming Components](#) on page 137
- After you install and configure Oracle databases for Cloudera software, continue to [Set up and Configure the Cloudera Manager Database](#) to configure a database for Cloudera Manager.
- If you plan to use **Hue** in the cluster, see [Configuring the Hue Server to Store Data in the Oracle database](#).

Configuring the Hue Server to Store Data in the Oracle database

You can connect Hue to your Oracle database while installing Cloudera Runtime (and Hue).

Connect Hue Service to Oracle

If you want to connect Hue service to Oracle with an existing CDH installation, then connect and restart Hue without saving the data in your current database. Alternatively, you can migrate the old data into Oracle.

New Cloudera Runtime Installation

See [Step 3: Install Cloudera Manager Server](#) to install Cloudera Manager (and its Installation Wizard), which you will use here to install Cloudera Runtime and the Oracle client.

**Note:**

Hue on CDP 7.1.9 SP1 and higher uses Python version 3.10. The compatible cx_Oracle version that you can use with Hue is 8.3.0. cx_Oracle 8.3.0 is distributed with CDP. Oracle's standard client-server version interoperability allows connection to both older and newer versions of databases.

CDP 7.1.8 uses Django version 3.2.13 which supports Oracle Database Server versions 12.2 and higher and cx_Oracle (the Python interface for Oracle database) versions 6.0 or higher.

For a complete setup, see [Using Oracle database with Hue](#).

Existing CDH Installation


If you are using Oracle database with Hue and are upgrading to CDP 7.x from CDH 5 or CDH 6, then do the following:

Deactivate the Oracle Client Parcel

1. Log on to Cloudera Manager.
- 2.

Go to the Parcels page by clicking Hosts Parcels (or clicking the parcels icon ).





3. Click the ConfigurationCheck for New Parcels.
4. Find ORACLE_INSTANT_CLIENT and click Deactivate.

| Parcel Name | Version | Status | Actions |
|-----------------------|--|------------------------|------------|
| ORACLE_INSTANT_CLIENT | 11.2-1.oracleinstantclient1.0.0.p0.130  | Distributed, Activated | Deactivate |

Install Hue with Oracle database 12c and higher

1. Download the zip files for the [Instant Client Package](#), both Basic and SDK (with headers).

Version 12.2.0.1.0

| Name | Download | Description |
|------------------------------|--|--|
| Instant Client Package (ZIP) |  instantclient-basic-linux.x64-12.2.0.1.0.zip | Basic: All files required to run OCI, OCCI, and JDBC-OCI applications (68,965,195 bytes) (cksum - 3923339140) |
| Instant Client Package (ZIP) |  oracle-instantclient12.2-basic-12.2.0.1.0-1.x86_64.rpm | Basic: All files required to run OCI, OCCI, and JDBC-OCI applications (52,826,628 bytes) (cksum - 888077889) |
| Name | Download | Description |
| Instant Client Package (ZIP) |  instantclient-sdk-linux.x64-12.2.0.1.0.zip | SDK: Additional header files and an example makefile for developing Oracle applications with Instant Client (674,743 bytes) (cksum - 2114815674) |
| Instant Client Package (RPM) |  oracle-instantclient12.2-devel-12.2.0.1.0-1.x86_64.rpm | SDK: Additional header files and an example makefile for developing Oracle applications with Instant Client (606,864 bytes) (cksum - 2680490862) |



Note: If you are using Oracle database 11g, then download the corresponding 11g Instant Client Package from the Oracle website.

2. Switch to the host with the downloaded files and upload zip to the Hue server host:

```
scp instantclient-*.zip root@<hue server hostname>:.
```

3. Arrange the client libraries to mirror the tree structure in the image as shown in the following example:

```
# Create nested directories: /usr/share/oracle/instantclient/lib/
mkdir -pm 755 /usr/share/oracle/instantclient/lib
```

```
# Unzip. The files expand into /usr/share/oracle/instantclient/instantc
lient_<ver>/
unzip '*.zip' -d /usr/share/oracle/instantclient/

# Move lib files from instantclient_<ver> to /usr/share/oracle/instantcl
ient/lib/
mv /usr/share/oracle/instantclient/`ls -l /usr/share/oracle/instantclient/
 | grep instantclient_ | awk '{print $9}'`/lib* /usr/share/oracle/instan
tclient/lib/

# Move rest of the files to /usr/share/oracle/instantclient/
mv /usr/share/oracle/instantclient/`ls -l /usr/share/oracle/instantclient
 / | grep instantclient_ | awk '{print $9}'`/* /usr/share/oracle/instantc
lient/

# Create symbolic links. Remember to edit version numbers as necessary
cd /usr/share/oracle/instantclient/lib
ln -s libclntsh.so.<VER>.1 libclntsh.so
ln -s libocci.so.<VER>.1 libocci.so
```

where <VER> is the version of the Instant Client Package. Replace <VER> with the actual version of the Instant Client Package.

4. Install the libaiol package on all hosts that run the Hue server.

On Ubuntu, run the following command to install the libaiol package:

```
sudo apt-get install libaiol
```

5. Set the path for \$ORACLE_HOME and \$LD_LIBRARY_PATH as shown in the following example:

```
export ORACLE_HOME=/usr/share/oracle/instantclient
export LD_LIBRARY_PATH=$LD_LIBRARY_PATH:$ORACLE_HOME/lib
```

Connect Hue to Oracle

If you are not migrating the current (or old) database, simply connect to your new Oracle database and restart Hue.

1. [migration only] Stop Hue Service
 - a. In Cloudera Manager, navigate to ClusterHue.
 - b. Select Actions Stop.



Note: If necessary, refresh the page to ensure the Hue service is stopped:



2. [migration only] Dump Current Database
 - a. Select Actions Dump Database.
 - b. Click Dump Database. The file is written to /tmp/hue_database_dump.json on the host of the Hue server.
 - c. Log on to the host of the Hue server in a command-line terminal.
 - d. Edit the /tmp/hue_database_dump.json file by removing all objects with useradmin.userprofile in the model field. For example:

```
# Count number of objects
grep -c useradmin.userprofile /tmp/hue_database_dump.json
```

```
vi /tmp/hue_database_dump.json
```

```
{
  "pk": 1,
  "model": "useradmin.userprofile",
```

```

"fields": {
  "last_activity": "2016-10-03T10:06:13",
  "creation_method": "HUE",
  "first_login": false,
  "user": 1,
  "home_directory": "/user/admin"
},
{
  "pk": 2,
  "model": "useradmin.userprofile",
  "fields": {
    "last_activity": "2016-10-03T10:27:10",
    "creation_method": "HUE",
    "first_login": false,
    "user": 2,
    "home_directory": "/user/alice"
  }
},

```

- e. Remove the following lines from the /tmp/hue_database_dump.json file:

```

ALERT: This appears to be a CM Managed environment
ALERT: HUE_CONF_DIR must be set when running hue commands in CM Managed
environment
ALERT: Please run 'hue <command> --cm-managed'

```



Important: The above lines that are present in the /tmp/hue_database_dump.json file cause the following error: `django.core.serializers.base.DeserializationError: Problem installing fixture '/tmp/hue_database_dump.json': No JSON object could be decoded because they are not in the JSON format.` You must remove these lines before reloading the database dump.

- f. Save the /tmp/hue_database_dump.json file and exit.

3. Connect to New Database

- a. Configure Database connections:

- Go to Hue Configuration and filter by category, Database.
- Set database properties and click Save Changes:

```

Hue Database Type (or engine): Oracle
Hue Database Hostname: <fqdn of host with Oracle server>
Hue Database Port: 1521
Hue Database Username: hue
Hue Database Password: <hue database password>
Hue Database Name (or SID): orcl

```

- b. Add support for a multi-threaded environment:

- Filter by Category, Hue-service and Scope, Advanced.
- Set Hue Service Advanced Configuration Snippet (Safety Valve) for hue_safety_valve.ini and click Save Changes:

```

[desktop]
[[database]]
options={"threaded":true}

```

4. [migration only] Synchronize New Database

- a. Select Actions Synchronize Database
- b. Click Synchronize Database.

5. [migration only] Load Data from Old Database



Important: All user tables in the Hue database must be empty.

```
sqlplus hue/<your hue password> < delete_from_tables.ddl
```

6. Re/Start Hue service

- a. Navigate to ClusterHue.
- b. Select Actions Start, and click Start.
- c. Click Hue Web UI to log on to Hue with a custom Oracle database.

Enabling TLS 1.2 on Database Server

Perform the following steps for managing the configuration of the Database Server and setting up TLS 1.2 connections to ensure the secure and proper functioning of the database environment.

Enabling TLS 1.2 for MySQL Database Server

TLS 1.2 encrypts the connection between the MySQL server and the Cloudera Manager server. You must enable TLS 1.2 for the MySQL database before setting up Cloudera Manager and add the MySQL root Certificate Authorities (CA) to the Cloudera Manager truststore.

Procedure

1. SSH into the MySQL database host.
2. Start the MySQL server:

```
service mysqld start
```

3. Establish an encrypted connection with the client:

```
mysql -p --ssl-mode=required
```

4. Verify whether TLS 1.2 is enabled on MySQL by running the following command:

```
mysql> show global variables like '%ssl%';
```

If TLS 1.2 is enabled, you see the value of `have_ssl` equal to YES, as follows. Otherwise, you see the value of `have_ssl` equal to DISABLED:

| Variable_name | Value |
|---------------|-------|
| have_openssl | YES |
| have_ssl | YES |
| ... | ... |

If TLS 1.2 is enabled, then you can skip the following steps and go to [Importing the MySQL root certificate](#).

5. Create a certificate authority by running the following commands:

```
mkdir /etc/my.cnf.d/ssl/
cd /etc/my.cnf.d/ssl/
openssl genrsa 2048 > ca-key.pem
```

6. Create a certificate for the server using the CA certificate generated earlier by running the following command:

```
openssl req -new -x509 -nodes -days 365000 -key ca-key.pem -out ca-cert.
pem
openssl req -newkey rsa:2048 -days 365 -nodes -keyout server-key.pem -out
server-req.pem
```

```
openssl rsa -in server-key.pem -out server-key.pem
```

7. Create a certificate for the clients using the same CA certificate by running the following command:

```
openssl x509 -req -in server-req.pem -days 365 -CA ca-cert.pem -CAkey ca-key.pem -set_serial 01 -out server-cert.pem
```

8. Add the following lines in the /etc/my.cnf.d/server.cnf file under the [mysqld] section:

```
ssl-ca=/etc/my.cnf.d/ssl/ca-cert.pem
ssl-cert=/etc/my.cnf.d/ssl/server-cert.pem
ssl-key=/etc/my.cnf.d/ssl/server-key.pem
bind-address=*
```

You can view the content of the server.cnf file by running the following command:

```
vim /etc/my.cnf.d/server.cnf
```

9. Restart the MySQL server:

```
service mysqld restart
```

10. Check the TLS 1.2 status by running the following commands:

```
mysql -p --ssl-mode=required
> SHOW VARIABLES LIKE '%ssl%';
> status
```

Sample output:

```
> SHOW VARIABLES LIKE '%ssl%';
+-----+-----+
| Variable_name | Value |
+-----+-----+
| admin_ssl_ca  |      |
| admin_ssl_capath |      |
| admin_ssl_cert |      |
| admin_ssl_cipher |      |
| admin_ssl_crl  |      |
| admin_ssl_crlpath |      |
| admin_ssl_key  |      |
| have_openssl  | YES   |
| have_ssl      | YES   |
| mysqlx_ssl_ca  |      |
| mysqlx_ssl_capath |      |
| mysqlx_ssl_cert |      |
| mysqlx_ssl_cipher |      |
| mysqlx_ssl_crl  |      |
| mysqlx_ssl_crlpath |      |
| mysqlx_ssl_key  |      |
| performance_schema_show_processlist | OFF   |
| ssl_ca        | ca.pem |
| ssl_capath    |      |
| ssl_cert      | server-cert.pem |
| ssl_cipher    |      |
| ssl_crl       |      |
| ssl_crlpath   |      |
| ssl_fips_mode | OFF   |
| ssl_key       | server-key.pem |
+-----+-----+

> status
```

```
SSL: Cipher in use is ECDHE-RSA-AES128-GCM-SHA256
```

Enabling TCPS for Oracle Database Server

You must enable TCPS for the Oracle database before setting up Cloudera Manager. Enabling TCPS establishes a secure channel between the client (Cloudera Manager) and the server (Oracle Database Server).

Procedure

1. SSH into the Oracle database server host.
2. Change to the "oracle" user as follows:

```
sudo -su oracle
```

3. Append the location of ORACLE_HOME to the PATH environment variable by running the following commands:

```
export ORACLE_HOME=/opt/oracle/product/19c/dbhome_1
export PATH=${PATH}:${ORACLE_HOME}/bin
```

4. Create an auto-login wallet by running the following command:

```
orapki wallet create -wallet /opt/oracle/product/19c/dbhome_1/wallet -auto_login
```

An auto-login wallet uses SSL's single sign-on functionality. The users do not need to specify password each time they open the wallet.

5. Add a self-signed certificate to this wallet by running the following command:

```
orapki wallet add -wallet /opt/oracle/product/19c/dbhome_1/wallet -dn "CN=server" -keysize 4096 -self_signed -validity 365
```

6. Export the certificate from the Oracle wallet by running the following command:

```
orapki wallet export -wallet /opt/oracle/product/19c/dbhome_1/wallet -dn "CN=server" -cert server_ca.cert
```

This exports a certificate with the subject's distinguished name (-dn) (CN=server) from a wallet to the file that is specified by -cert (server_ca.cert).

7. Add the following lines to the /opt/oracle/product/19c/dbhome_1/network/admin/listener.ora configuration file:

```
SSL_CLIENT_AUTHENTICATION = FALSE
WALLET_LOCATION =
  (SOURCE =
    (METHOD = FILE)
    (METHOD_DATA =
      (DIRECTORY = /opt/oracle/product/19c/dbhome_1/wallet)
    )
  )
Register a new address in LISTENER:
(ADDRESS = (PROTOCOL = TCPS)(HOST = [***HOST***])(PORT = 2484))
```

8. Add the following lines to the /opt/oracle/product/19c/dbhome_1/network/admin/sqlnet.ora profile configuration file:

```
SSL_CLIENT_AUTHENTICATION = FALSE
WALLET_LOCATION =
  (SOURCE =
    (METHOD = FILE)
    (METHOD_DATA =
      (DIRECTORY = /opt/oracle/product/19c/dbhome_1/wallet)
```



```
)
)
```

9. Add the following lines to the `/opt/oracle/product/19c/dbhome_1/network/admin/tnsnames.ora` configuration file:

```
ORCLPDB1_SSL =
  (DESCRIPTION =
    (ADDRESS = (PROTOCOL = TCPS)(HOST = [***HOST***])(PORT = 2484))
    (CONNECT_DATA =
      (SERVER = DEDICATED)
      (SERVICE_NAME = ORCLPDB1)
    )
    (SECURITY =
      (MY_WALLET_DIRECTORY = /opt/oracle/product/19c/dbhome_1/wallet)
    )
  )
```

10. Restart the listener by running the following commands:

```
lsnrctl stop
lsnrctl start
```

11. Check the TCPS status by running the following command

```
sqlplus cm/cmverystr0ngP4ss@ORCLPDB1_SSL
SELECT sys_context('USERENV', 'NETWORK_PROTOCOL') as network_protocol F
ROM dual;
```

Sample output:

```
NETWORK_PROTOCOL
-----
tcps
```

Enabling TLS 1.2 for MariaDB Database Server

TLS 1.2 encrypts the connection between the MariaDB server and the Cloudera Manager server. You must enable TLS 1.2 for the MariaDB database before setting up Cloudera Manager and add the MariaDB root Certificate Authorities (CA) to the Cloudera Manager truststore.

Procedure

1. SSH into the MariaDB database host.
2. Start the MariaDB server:

```
service mysqld start
```

3. Establish an encrypted connection with the client:

```
mysql -p --ssl=true
```

4. Verify whether TLS 1.2 is enabled on MariaDB by running the following command:

```
mysql> show global variables like '%ssl%';
```

If TLS 1.2 is enabled, you see the value of `have_ssl` equal to `YES`, as follows. Otherwise, you see the value of `have_ssl` equal to `DISABLED`:

```
+-----+-----+
| Variable_name | Value      |
+-----+-----+
```

```
| have_openssl | YES |
| have_ssl    | YES |
| ...        | ... |
```

If TLS 1.2 is enabled, then you can skip the following steps and go to [Importing the MariaDB root certificate](#).

5. Create a certificate authority by running the following commands:

```
mkdir /etc/my.cnf.d/ssl/
cd /etc/my.cnf.d/ssl/
openssl genrsa 2048 > ca-key.pem
```

6. Create a certificate for the server using the CA certificate generated earlier by running the following command:

```
openssl req -new -x509 -nodes -days 365000 -key ca-key.pem -out ca-cert.
pem
openssl req -newkey rsa:2048 -days 365 -nodes -keyout server-key.pem -out
server-req.pem
openssl rsa -in server-key.pem -out server-key.pem
```

7. Create a certificate for the clients using the same CA certificate by running the following command:

```
openssl x509 -req -in server-req.pem -days 365 -CA ca-cert.pem -CAkey ca-
key.pem -set_serial 01 -out server-cert.pem
```

8. Add the following lines in the `/etc/my.cnf.d/server.cnf` file under the `[mysqld]` section:

```
ssl-ca=/etc/my.cnf.d/ssl/ca-cert.pem
ssl-cert=/etc/my.cnf.d/ssl/server-cert.pem
ssl-key=/etc/my.cnf.d/ssl/server-key.pem
bind-address=*
```

You can view the content of the `server.cnf` file by running the following command:

```
vim /etc/my.cnf.d/server.cnf
```

9. Run the following commands to change the permission and ownership of the `server-key.pem` file:

```
sudo chown mysql:mysql /etc/my.cnf.d/ssl/server-key.pem
sudo chmod 600 /etc/my.cnf.d/ssl/server-key.pem
```

10. Restart the MariaDB server:

```
service mysqld restart
```

11. Check the TLS 1.2 status by running the following commands:

```
mysql -p --ssl=true
> SHOW VARIABLES LIKE '%ssl%';
> status
```

Sample output:

```
> SHOW VARIABLES LIKE '%ssl%';
+-----+-----+
| Variable_name | Value                                     |
+-----+-----+
| have_openssl  | YES                                       |
| have_ssl     | YES                                       |
| ssl_ca       | /etc/my.cnf.d/ssl/ca-cert.pem          |
| ssl_capath   |                                           |
| ssl_cert     | /etc/my.cnf.d/ssl/server-cert.pem      |
+-----+-----+
```

```

ssl_cipher
ssl_crl
ssl_crlpath
ssl_key          /etc/my.cnf.d/ssl/server-key.pem
version_ssl_library  OpenSSL 1.0.2k-fips  26 Jan 2017
+-----+-----+
> status
SSL:   Cipher in use is DHE-RSA-AES256-GCM-SHA384

```

Enabling TLS 1.2 for PostgreSQL Database Server

TLS 1.2 encrypts the connection between the PostgreSQL server and the Cloudera Manager server. You must enable TLS 1.2 for the PostgreSQL database before setting up Cloudera Manager.

Before you begin



Important:

Depending on your PostgreSQL installation, the PostgreSQL version number and the exact paths might vary in your environment. Ensure to adjust the commands according to the PostgreSQL version number. For more information about supported PostgreSQL versions, see [Cloudera Support Matrix](#)

Procedure

1. SSH into the PostgreSQL database host.
2. Start the PostgreSQL server by running the following command:

```
systemctl start postgresql-14
```

3. Verify whether TLS 1.2 is enabled on PostgreSQL by running the following command:

```
SHOW ssl;
```

If TLS 1.2 is enabled, you see the value of ssl equal to on, as follows:

```

ssl
-----
  on
(1 row)

```

If TLS 1.2 is enabled, then you can skip the following steps and go to [Importing the PostgreSQL root certificate](#).

4. Create a certificate authority by running the following commands:

```

cd /var/lib/pgsql/14/data
openssl genrsa -des3 -out server.key 1024
openssl rsa -in server.key -out server.key
chmod 400 server.key

```

5. Create a certificate for the server using the CA certificate generated earlier by running the following command:

```
openssl req -new -key server.key -days 3650 -out server.crt -x509 -subj '/CN=hostname'
```

6. Change the ownership and permissions of the files by running the following commands:

```

chown postgres server.crt server.key
chmod 400 server.key server.crt

```

7. Go to `/var/lib/pgsql/14/data` and open the `postgresql.conf` file to update the following database configurations:

```
ssl = on
ssl_cert_file = '/var/lib/pgsql/14/data/server.crt'
ssl_key_file = '/var/lib/pgsql/14/data/server.key'
```

8. Restart the PostgreSQL server by running the following command:

```
systemctl restart postgresql-14.service
```

9. Check the TLS 1.2 status by running the following commands:

```
SELECT name, setting
FROM pg_settings
WHERE name LIKE '%ssl%';
```

Sample output:

```
+-----+-----+
| name          | setting                                |
+-----+-----+
| ssl           | on                                     |
| ssl_ca_file   | server.crt                             |
| ssl_cert_file | server.crt                             |
| ssl_ciphers   | HIGH:MEDIUM:+3DES:!aNULL             |
| ssl_crl_dir   |                                         |
| ssl_crl_file  |                                         |
| ssl_dh_params_file |                                         |
| ssl_ecdh_curve | prime256v1                             |
| ssl_key_file  | server.key                             |
| ssl_library   | OpenSSL                                 |
| ssl_max_protocol_version |                                         |
| ssl_min_protocol_version | TLSv1.2                               |
| ssl_passphrase_command |                                         |
| ssl_passphrase_command_supports_reload | off                                   |
| ssl_prefer_server_ciphers | on                                     |
+-----+-----+
(15 rows)
```



Important: To change the default setting for `ssl_ciphers` from `HIGH:MEDIUM:+3DES:!aNULL` to `HIGH:!aNULL:!eNULL:!EXPORT:!DES:!RC4:!MD5:!kRSA:!PSK:AESGCM`. Add the following line to the `postgresql.conf` file:

```
ssl_ciphers= 'HIGH:!aNULL:!eNULL:!EXPORT:!DES:!RC4:!MD5:!kRSA:!PSK:AESGCM'
```

Restart the PostgreSQL server to check the new `ssl_ciphers` is reflected in the sample output.

Enabling Kerberos (MIT and AD) authentication for MariaDB Database Server

Perform the following steps for enabling Kerberos authentication on MariaDB Database Server and to connect Cloudera Manager Server to Kerberos enabled MariaDB. These steps are applicable for TLS 1.2 and non-TLS 1.2 clusters.

Procedure

1. SSH into the MariaDB database host.

2. Run the following command to install the auth_gssapi.so plugin:

```
sudo yum install MariaDB-gssapi-server
```

Ensure the plugin is present in the following directory `/usr/lib64/mysql/plugin`.

3. On the MariaDB server, create Service Principal and Keytab by running the following commands:

- a. **For MIT Kerberos**

Run the following command to create Service Principal:

```
kadmin -p root/admin -q "addprinc -randkey mariadb/${HOST} "
```



Note: For example, `kadmin -p root/admin -q "addprinc -randkey mariadb/mariaa-1.mariaa.root.hwx.site"`.

-
- For AD Kerberos**

Run the following command on AD server to create Service Principal:

```
dsadd user CN=mariadb,CN=Users,DC=qe-infra-ad,DC=cloudera,DC=com  
-pwd Test123 -samid mariadb -upn mariadb@QE-INFRA-AD.CLOUDERA.COM
```

-
-
- b. For MIT Kerberos**

Run the following command to create Keytab:

```
kadmin -p root/admin -q "ktadd -k /path/to/mariadb.keytab mariadb/${HOST} "
```

-
-
-
- For AD Kerberos**

Run the following command on AD server to create Keytab:

```
ktpass.exe /princ mariadb@QE-INFRA-AD.CLOUDERA.COM /mapuser mariadb@QE-INFRA-AD.CLOUDERA.COM /pass Test123 /out mariadb.keytab /crypto all /ptype KRB5_NT_PRINCIPAL /mapop set
```

Copy the Keytab file to the database host.

-
-
-
- c. For AD Kerberos only**

Run the following command to map service principal name to the principal:

```
setspn -s mariadb/QE-INFRA-AD.CLOUDERA.COM mariadb
```

-
-
-
- d. Add the Service Principal and Keytab to the `/etc/my.cnf` configuration file:**

```
gssapi_keytab_path=/path/to/mariadb.keytab  
gssapi_principal_name=service_principal_name/host.domain.com@REALM
```

4. You must install the plugin on the Mariadb (database) side. You can do this either by following Step 4. a. or Step 4. b.:

- a. Run the following query on Mariadb database:

```
INSTALL SONAME 'auth_gssapi';
```

- b. Add the following plugin to the /etc/my.cnf configuration file by running the following command:

```
plugin_load_add = auth_gssapi
```

Restart the MariaDB server by running the following command:

```
sudo systemctl restart mariadb
```

After performing Step 4. a. or Step 4. b., the plugin is visible in the plugin table. To verify the plugin, run the following query:

```
SHOW PLUGINS;
```

5. Create user principals and do kinit on the Cloudera Manager Server by running the following commands:

For MIT Kerberos

- a. Create user principal by running the following command:

```
kadmin -p root/admin -q "addprinc cm_kerb_user"
```

- b. Run the following command to create Keytab for the user in MIT:

```
kadmin -p root/admin -q "ktadd -k /mdbktb/cm_kerb_user.keytab  
cm_kerb_user"
```

- c. Do kinit by running the following command:

```
kinit cm_kerb_user
```

For AD Kerberos

- a. Run the following command to create user in Active Directory:

```
dsadd user CN=cm_kerb_user,CN=Users,DC=qe-infra-ad,DC=cloudera,  
DC=com -pwd Test123 -samid cm_kerb_user -upn cm_kerb_user  
@QE-INFRA-AD.CLOUDERA.COM
```

- b. Run the following command to create Keytab for the user in Active Directory:

```
ktpass.exe /princ cm_kerb_user@QE-INFRA-AD.CLOUDERA.COM /map  
user cm_kerb_user@QE-INFRA-AD.CLOUDERA.COM /pass Test123 /ou  
t cm_kerb_user.keytab /crypto all /ptype KRB5_NT_PRINCIPAL /  
mapop set
```

- c. Run the following command to map service principal name to the principal in Active Directory:

```
setspn -s cm_kerb_user/QE-INFRA-AD.CLOUDERA.COM cm_kerb_user
```

- d. Copy the Keytab file to the Cloudera Manager Server host.

- e. Do kinit by running the following command in the Cloudera Manager Server host:

```
sudo /usr/bin/kinit -kt /cdep/keytabs/cm_kerb_user.keytab -l  
ld -r 8d cm_kerb_user
```

6. On MariaDB Database, you must create the user for using the Kerberos authentication by running the following commands:

```
CREATE USER 'cm_kerb_user'@'%' IDENTIFIED WITH gssapi;
```

```
GRANT ALL PRIVILEGES ON cm.* TO 'cm_kerb_user'@'%' IDENTIFIED VIA gssapi;
```

7. Run the following command to log in the user using Kerberos and verify whether the Kerberos configuration and user are working correctly:

```
mysql --plugin-dir=/usr/lib64/mysql/plugin --user=cm_kerb_user --host=hostname
```

8. Connect Cloudera Manager Server to Kerberos enabled MariaDB by performing the following steps:

- a. By default mysql-connector-java.jar is available. You must have MariaDB Connector/J JDBC driver for building Java applications on top of MariaDB such as [mariadb-java-client-3.1.4.jar](#).

Add [mariadb-java-client-3.1.4.jar](#) file to /usr/share/java location.



Important: Before you proceed to Step 8. b., you must install Cloudera Manager packages by performing the steps from [Step 3: Install Cloudera Manager Server](#).

- b. Add the following line to the /etc/default/cloudera-scm-server file.

```
export CMF_JDBC_DRIVER_JAR="${CMF_JDBC_DRIVER_JAR}:/usr/share/java/mariadb-java-client-3.3.3.jar"
```

- c. Create a /etc/jaas.conf file with the following content. Also, for the keyTab section, add the correct directory location for the cm_kerb_user.keytab keytab:

```
Krb5ConnectorContext {
    com.sun.security.auth.module.Krb5LoginModule required
    useKeyTab=true
    keyTab="/mdbktb/cm_kerb_user.keytab"
    principal="cm_kerb_user@ROOT.COMOPS.SITE"
    doNotPrompt=true;
};
```

- d. For TLS cluster

Update the JDBC URL in /etc/cloudera-scm-server/db.properties as follows:



Important: Do the following modifications to the original JDBC URL:

- Modify from user=cm to user=cm_kerb_user
- Remove useSSL=true and add sslMode=PREFERRED

The updated URL should look like this:

```
com.cloudera.cmf.orm.hibernate.connection.url=jdbc:mysql://localhost:3306/cm?user=cm_kerb_user&sslMode=PREFERRED&trustCertificateKeyStoreUrl=file:///cdep/mariadbssl/db_keystore.jks&trustCertif
```

```
icateKeyStoreType=jks&trustCertificateKeyStorePassword=verystrongpassword&enabledTLSProtocols=TLSv1.2
```

For non-TLS cluster

Update the JDBC URL in `/etc/cloudera-scm-server/db.properties` as follows:



Important: Do the following modifications to the original JDBC URL:

- Modify from `user=cm` to `user=cm_kerb_user`

The updated URL should look like this:

```
com.cloudera.cmf.orm.hibernate.connection.url=jdbc:mariadb://<<host>>:3306/cm?user=cm_kerb_user
```

- e. Add below properties to `/etc/default/cloudera-scm-server`:

```
export CMF_JAVA_OPTS="{CMF_JAVA_OPTS}
-Djava.security.krb5.kdc=krbmariadb-1.krbmariadb.root.hwx.site
-Djava.security.krb5.realm=ROOT.HWX.SITE -Djava.security.auth.login.config=/etc/jaas.conf"
```

- f. Restart the Cloudera Manager Server by running the following command:

```
sudo systemctl restart cloudera-scm-server
```

Configuring a database for Ranger or Ranger KMS

Additional steps to configure databases for Ranger or Ranger KMS.

After you have installed a database, use these steps to configure the database for Ranger or Ranger KMS. Ranger and Ranger KMS should use separate databases.

Configuring a Ranger or Ranger KMS Database: MySQL/MariaDB

Prior to upgrading your cluster to Cloudera Private Cloud Base you must configure the MySQL or MariaDB database instance for Ranger by creating a Ranger database and user. Before you begin the transition, review the support policies of database and admin policy support for transactions.

Before you begin

A supported version of MySQL or MariaDB must be running and available to be used by Ranger. See [Database Requirements](#).



Important:

- Ranger and Ranger KMS should use separate databases.
- Ranger only supports the InnoDB engine for MySQL and MariaDB databases.

When using MySQL or MariaDB, the storage engine used for the Ranger admin policy store tables must support transactions. InnoDB supports transactions. A storage engine that does not support transactions is not suitable as a policy store.

Procedure

1. Log in to the host where you want to set up the MySQL database for Ranger.
2. Make sure you have the MySQL connector for MySQL version 5.7 or higher in the `/usr/share/java/` directory with name `mysql-connector-java.jar`.



Important: If you are using TLS v1.2, you must use version 5.1.48

3. Edit the following file: `/etc/my.cnf` and add the following line:

```
log_bin_trust_function_creators = 1
```



Warning: If you do not add this configuration, the upgrade will fail and reverting your deployment to a stable state will be difficult.

4. Restart the database:

```
systemctl restart mysqld
```

or:

```
systemctl restart mariadb
```

5. Log in to mysql:

```
mysql -u root
```

6. Run the following commands to create the Ranger database and user.

Substitute the following in the command:

- (optional) Replace `rangeradmin` with a username of your choice. Note this username, you will need to enter it later when running the Upgrade Cluster command.
- (optional) Replace `cloudera` with a password of your choice. Note this password, you will need to enter it later when running the Upgrade Cluster command.
- `<RANGER ADMIN ROLE HOSTNAME>` – the name of the host where the Ranger Admin role will run. Note this host, you will need to enter it later when running the Upgrade Cluster command.

```
CREATE DATABASE ranger;
CREATE USER 'rangeradmin'@'%' IDENTIFIED BY 'cloudera';
CREATE USER 'rangeradmin'@'localhost' IDENTIFIED BY 'cloudera';
CREATE USER 'rangeradmin'@'<RANGER ADMIN ROLE HOSTNAME>' IDENTIFIED BY
'rangeradmin';
GRANT ALL PRIVILEGES ON ranger.* TO 'rangeradmin'@'%' ;
GRANT ALL PRIVILEGES ON ranger.* TO 'rangeradmin'@'localhost';
GRANT ALL PRIVILEGES ON ranger.* TO 'rangeradmin'@'<RANGER ADMIN ROLE
HOSTNAME>';
FLUSH PRIVILEGES;
```

7. Use the `exit;` command to exit MySQL.
8. Test connecting to the database using the following command:

```
mysql -u RANGERADMIN -pCLOUDERA
```

9. After testing the connection, use the `exit;` command to exit MySQL.
10. Continue with the cluster installation or upgrade to complete the transition.

Configuring a Ranger or Ranger KMS Database: Oracle

Prior to upgrading your cluster to CDP Private Cloud Base you must configure the Oracle database instance for Ranger by creating a Ranger database and user. Before you begin the transition, review the support policies of database and admin policy support for transactions.

Before you begin

A supported version of Oracle must be running and available to be used by Ranger.

Procedure

1. Log in to the host where the Oracle database is running and launch Oracle sqlplus:

```
sqlplus sys/root as sysdba
```

2. Provide the Ranger database and user instructions to the DBA to execute. Consult the username/schema name carefully in case of using multiple environments (test/dev etc.) on the same Oracle DB server. For information about creating Ranger database and user, see [Creating the relevant schema DBs](#).

What to do next

Continue installing or upgrading your cluster.

Configuring a Ranger or Ranger KMS Database: Oracle using /ServiceName format

Prior to upgrading your cluster to Cloudera Private Cloud Base you must configure the Oracle database instance for Ranger by creating a Ranger database and user. Before you begin the transition, review the support policies of database and admin policy support for transactions.

Before you begin

A supported version of Oracle must be running and available to be used by Ranger. See [Database Requirements](#).



Important: Ranger and Ranger KMS should use separate databases.

Procedure

1. While installing Ranger service from Cloudera Manager using the installation wizard, in Setup Database, set the connection properties, as shown in the following example:

2. In Database Type, select Oracle.
3. In Use JDBC URL Override, select Yes.
4. In JDBC URL, type:

```
jdbc:oracle:thin:@//host:port/ServiceName
```

This sets the JDBC URL to have the ServiceName connection url format.

5. In Username, type the user name required for connecting to the Oracle database Service Name you defined in the JDBC URL.

- In Password, type the user name required for connecting to the Oracle database Service Name you defined in the JDBC URL.



Note: Use similar steps to configure Ranger KMS service with Oracle database type using /ServiceName format. For Ranger KMS, use rangerkms rather than rangeradmin.

- Click Test Connection.
- After connection succeeds, click Continue.

What to do next

Continue installing or upgrading your cluster.

Configuring a PostgreSQL Database for Ranger or Ranger KMS

Complete the following steps to configure a PostgreSQL database instance for Ranger or Ranger KMS.

Configuring a PostgreSQL Database for Ranger or Ranger KMS on RHEL/Centos

Before you begin



Important: Ranger and Ranger KMS should use separate databases.



Note: For supported RHEL/Centos versions, see [Cloudera Support Matrix](#).

Procedure

- Run the following command to install PostgreSQL server:

```
sudo yum install postgresql-server
```

- Initialize the Postgres database and start PostgreSQL:

```
sudo postgresql-setup initdb
sudo systemctl start postgresql
```

- Optional: Configure PostgreSQL to start on boot:

```
sudo systemctl enable postgresql
```

- Update the postgresql.conf file, which is usually found in /var/lib/pgsql/data or /var/lib/postgresql/data:

- Uncomment and change #listen_addresses = 'localhost' to listen_addresses = '*'
- Uncomment the #port = line and specify the port number (the default is 5432)
- Optional: Uncomment and change #standard_conforming_strings= to standard_conforming_strings = off

- Update the pg_hba.conf file, which is usually found in /var/lib/pgsql/data or /etc/postgresql/<version>/main:

- Add the following line to allow connection to the Ranger database from any host:

```
host    ranger          rangeradmin    0.0.0.0/0          md5
```



Note: For Ranger KMS, use rangerkms rather than rangeradmin.

- Restart PostgreSQL:

```
sudo systemctl restart postgresql
```

7. The PostgreSQL database administrator should be used to create the Ranger databases. The following series of commands could be used to create the rangeradmin user and grant it adequate privileges. Be sure to replace 'password' with a strong password.

```
echo "CREATE DATABASE ranger;" | sudo -u postgres psql -U postgres
echo "CREATE USER rangeradmin WITH PASSWORD 'password';" | sudo -u postgres psql -U postgres
echo "GRANT ALL PRIVILEGES ON DATABASE ranger TO rangeradmin;" | sudo -u postgres psql -U postgres
```



Note: For Ranger KMS, use rangerkms rather than rangeradmin.

8. Install the PostgreSQL JDBC driver. If you would like to use the PostgreSQL JDBC driver version shipped with the OS repositories, run the following command:

```
yum install postgresql-jdbc*
```

You can also download the JDBC driver from the official PostgreSQL JDBC Driver website – <https://jdbc.postgresql.org/download/>.

9. Rename the Postgres JDBC driver .jar file to postgresql-connector-java.jar and copy it to the /usr/share/java directory. The following copy command can be used if the Postgres JDBC driver .jar file is installed from the OS repositories:

```
cp /usr/share/java/postgresql-jdbc.jar /usr/share/java/postgresql-connector-java.jar
```

10. Confirm that the .jar file is in the Java share directory:

```
ls /usr/share/java/postgresql-connector-java.jar
```

11. Change the access mode of the .jar file to 644:

```
chmod 644 /usr/share/java/postgresql-connector-java.jar
```

What to do next

Ensure that the Ranger Solr and Ranger HDFS plugins are enabled. See [Additional Steps for Apache Ranger](#) on page 169 for details.

[Configuring a PostgreSQL Database for Ranger on Ubuntu](#)

Procedure

1. Run the following command to install PostgreSQL server:

```
apt-get install postgresql-server
```

2. Initialize the Postgres database and start PostgreSQL:

```
sudo postgresql-setup initdb
sudo systemctl start postgresql
```

3. Optional: Configure PostgreSQL to start on boot:

```
sudo systemctl enable postgresql
```

4. Edit the `/var/lib/pgsql/data/postgresql.conf` file:

- Uncomment and change `#listen_addresses = 'localhost'` to `listen_addresses = '*'`
- Uncomment the `#port =` line and specify the port number (the default is 5432)
- Optional: Uncomment and change `#standard_conforming_strings=` to `standard_conforming_strings = off`

5. Update the `/var/lib/pgsql/data/pg_hba.conf` file to allow connection to the Ranger database from any host:

- Add the following line:

```
host    ranger          rangeradmin    0.0.0.0/0          md5
```

6. Restart PostgreSQL:

```
sudo systemctl restart postgresql
```

7. The PostgreSQL database administrator should be used to create the Ranger databases. The following series of commands could be used to create the rangeradmin user and grant it adequate privileges. Be sure to replace 'password' with a strong password.

```
echo "CREATE DATABASE ranger;" | sudo -u postgres psql -U postgres
echo "CREATE USER rangeradmin WITH PASSWORD 'password';" | sudo -u postgres psql -U postgres
echo "GRANT ALL PRIVILEGES ON DATABASE ranger TO rangeradmin;" | sudo -u postgres psql -U postgres
```

8. Install the PostgreSQL connector:

```
apt-get install postgresql-jdbc
```

9. Copy the connector .jar file to the Java share directory:

```
cp /usr/share/java/postgresql-jdbc.jar /usr/share/java/postgresql-connector-java.jar
```

10. Confirm that the .jar file is in the Java share directory:

```
ls /usr/share/java/postgresql-connector-java.jar
```

11. Change the access mode of the .jar file to 644:

```
chmod 644 /usr/share/java/postgresql-connector-java.jar
```

What to do next

Ensure that the Ranger Solr and Ranger HDFS plugins are enabled. See the following topic, *Additional Steps for Ranger*, for details.

Configure Ranger with SSL/TLS enabled PostgreSQL Database

Steps to configure Ranger service with SSL/TLS enabled PostgreSQL database.

Before you begin

Make sure that:

- The database and database user for Ranger service are created in the required PostgreSQL.
- A database server certificate is issued by a trusted certificate authority.
- The server host name matches the host name in the database server certificate.



Note: From CDPDC-7.1.5 onwards, Ranger service requires postgres jdbc driver version \geq 42.2.5. The Ranger code also constructs the JDBC connection string to have `sslmode=verify-full`, if Ranger Database SSL configurations are set in case of postgresql database type.

- Copy the database server certificate to `/var/lib/ranger/` path , or use any custom path.

About this task

While installing Ranger service from Cloudera Manager using the installation wizard, stop at Setup Database to set the connection properties. The following steps apply to both FIPS-enabled and non FIPS-enabled clusters.

Procedure

1. In Setup Databases Type , select PostgreSQL.
2. In Use JDBC URL Override, select Yes.
3. In JDBC URL, type the following connection URL format:

```
jdbc:postgresql://<DB-HOST>:<DB-PORT>/<RANGER-DB>?sslmode=verify-
full&sslrootcert=
<path-to-database-server-certificate>
```

4. Click Test Connection.
5. Click Continue.
6. In Review Config, update the following configurations:

ranger.db.ssl.enabled

true

ranger.db.ssl.verifyServerCertificate

true

ranger.db.ssl.auth.type

1-way

ranger.db.ssl.certificateFile

<path-to-db-server-certificate>

Enable HA for a Ranger Postgres database

Ranger supports high availability enabled databases when deployed with Postgres.

About this task

To support high availability (HA) of a Postgres Ranger database, integrate HAProxy (a third-party load balancer product) into your environment. HAProxy will handle the load balancing. Replication Manager (repmgr) handles failover and recovery of the database.



Note: Currently, recovery of a previous master (as secondary) is not supported.

Before you begin

Ranger jdbc URL must point to a load balancer URL.

Example JDBC URL to connect to load balancer:

SSL:

```
jdbc:postgresql://<lb_hostname>:<lb_port>/ranger1?sslmode=verify-ca&sslrootc
ert=/cdep/pgssl/server.crt
```

Non-SSL:

```
jdbc:postgresql://<lb_hostname>:<lb_port>/ranger1
```

where:

Lb_hostname = Load balancer hostname

For example: mvnssl-sync-1.mvnssl-sync.root.hwx.site

Lb_port = Load balancer port

For example: 6432

The following steps describe how to setup HAProxy as a load balancer and repmgr as replication manager for postgres database:

Procedure

1. Install the HAProxy load balancer.



Note: Install the load balancer only on the first node.

- a) On CentOS 7, use yum repository to install HAProxy.

```
yum install haproxy
```

The latest version of HAProxy available installs in yum repository.

- b) Run the following command to ensure that HAProxy runs every time the server reboots.

```
chkconfig haproxy on
```

- c) Start the service, using the following command.

```
systemctl start haproxy && systemctl status haproxy
```

2. Install the replication manager.



Note: Perform this step on all the nodes of databases.

You can use repmgr package for performing replication of databases. repmgr is available along with postgres repository so we can directly run the install command to install this package.

```
sudo yum install repmgr_12
```



Note: this command installs postgres 12. Use a repmgr version that supports the postgres version installed.

3. Configure the HA proxy:

- a) Edit the HAProxy Configuration file.

```
vi /etc/haproxy/haproxy.cfg
```

- b) Add the primary database server hostname and port number.

Example configuration file for haproxy.cfg:

```
frontend                                postgres-front
  mode tcp
  option http-server-close
  timeout client                        3h
  timeout http-keep-alive 10s
  bind *:6432
  option httpchk
  default_backend postgres-back
  option tcplog

backend postgres-back
  mode tcp
```

```

option http-server-close
retries          5
timeout connect  3s
timeout server   3h
timeout http-keep-alive 10s
option httpchk
option tcp-check
option tcplog
tcp-check connect
balance          source
server postgresprimary <hostname_of_primary_db>:5432 check

```

4. Configure the replication manager:

Postgres service must be up & running.

- a) Update the following settings in postgresql.conf on the primary server.

```

max_wal_senders = 10

max_replication_slots = 10

wal_level = 'hot_standby' or 'replica' or 'logical'

hot_standby = on
archive_mode = on

archive_command = '/bin/true'

shared_preload_libraries = 'repmgr'

```



Note: In case of synchronous replication, synchronous_standby_names config param needs to be set in postgresql.conf

- b) Create a dedicated user for repmgr.

```

create user repmgr;
create database repmgr with owner repmgr;

```

- c) Ensure the repmgr user has appropriate permissions in pg_hba.conf and can connect in replication mode.

```

local   replication  repmgr          trust
host    replication  repmgr          127.0.0.1/32    trust
host    replication  repmgr          192.168.1.0/24  trust

local   repmgr       repmgr          trust
host    repmgr       repmgr          127.0.0.1/32    trust
host    repmgr       repmgr          192.168.1.0/24  trust

```

- d) Create a repmgr.conf on the master server with the following entries:

```

cluster='failovertest'

node_id=1

node_name=node1

conninfo='host=node1 user=repmgr dbname=repmgr connect_timeout=2'

data_directory='/var/lib/pgsql/12/data/'
failover=automatic
promote_command='/usr/pgsql-12/bin/repmgr standby promote -f /var/lib/pgsql/repmgr.conf --log-to-file'

```



```
follow_command='/usr/pgsql-12/bin/repmgr standby follow -f /var/lib/pgsql/repmgr.conf --log-to-file --upstream-node-id=%n'
```



Note: Users can also provide a script to automate the updating of HAProxy configurations in case of a failover. Provide this script in the above promote_command config.

- e) Register the primary server with repmgr:

```
-bash-4.2$ /usr/pgsql-12/bin/repmgr -f /var/lib/pgsql/repmgr.conf primary register
```

- f) Create the repmgr.conf file on standby server with following settings:



Note: In the commands for the host IP info, specify the IP of the standby server.



Note: Users can also provide a script to automate the updating of HAProxy configurations in case of a failover. Provide this script in the promote_command config.

```
-bash-4.2$ cat repmgr.conf

node_id=2

node_name=node2

conninfo='host=172.16.140.137 user=repmgr dbname=repmgr connect_timeout=2'

data_directory='/var/lib/pgsql/12/data'
failover=automatic
promote_command='/usr/pgsql-12/bin/repmgr standby promote -f /var/lib/pgsql/repmgr.conf --log-to-file'
follow_command='/usr/pgsql-12/bin/repmgr standby follow -f /var/lib/pgsql/repmgr.conf --log-to-file --upstream-node-id=%n'
```

- g) Start cloning the database, using the following command:

```
-bash-4.2$ /usr/pgsql-12/bin/repmgr -h 172.16.140.135 -U repmgr -d repmgr -f /var/lib/pgsql/repmgr.conf standby clone
```

- h) Register the standby server with repmgr :

```
-bash-4.2$ /usr/pgsql-12/bin/repmgr -f /var/lib/pgsql/repmgr.conf standby register
```

- i) Enable the automatic failover, by starting the repmgrd daemon process on master and slave:

```
-bash-4.2$ /usr/pgsql-12/bin/repmgrd -f /var/lib/pgsql/repmgr.conf
```

Related Information

[HA Proxy Basics: Load Balance your servers](#)

[Prerequisites for setting up a basic replication cluster with repmgr](#)

Configuring the Database for Streaming Components

Additional steps to configure the databases for Schema Registry and Streams Messaging Manager (SMM).

Configure PostgreSQL for Streaming Components

If you are installing Schema Registry or Streams Messaging Manager (SMM), you must configure the database to store metadata.

About this task

After you install PostgreSQL, configure the database to store:

- Schema Registry data such as the schemas and their metadata, all the versions and branches.
- SMM data such as Kafka metadata, stores metrics, and alert definitions.



Important: For the Schema Registry database, you must set collation to be case sensitive.

.

Procedure

1. Log in to Postgres:

```
sudo su postgres
psql
```

2. For the Schema Registry metadata store, create a database called registry with the password registry:

```
create database registry;
CREATE USER registry WITH PASSWORD 'registry';
GRANT ALL PRIVILEGES ON DATABASE "registry" to registry;
```

3. For the SMM metadata store, create a database called streamsmgmr with the password streamsmgmr:

```
create database streamsmgmr;
CREATE USER streamsmgmr WITH PASSWORD 'streamsmgmr';
GRANT ALL PRIVILEGES ON DATABASE "streamsmgmr" to streamsmgmr;
```

If you cannot grant all privileges, grant the following privileges that SMM and Schema Registry require at a minimum:

- CREATE/ALTER/DROP TABLE
- CREATE/ALTER/DROP INDEX
- CREATE/ALTER/DROP SEQUENCE
- CREATE/ALTER/DROP PROCEDURE

For example:

```
grant create session to streamsmgmr;
grant create table to streamsmgmr;
grant create sequence to streamsmgmr;
```

Configuring MySQL for Streaming Components

If you intend to use MySQL to store the metadata for Streams Messaging Manager or Schema Registry, you must configure the MySQL database.

About this task

Configure the database to store:

- In Schema Registry, the schemas and their metadata, all the versions and branches.
- In SMM, the Kafka metadata, stores metrics, and alert definitions.



Important: For the Schema Registry database, you must set collation to be case sensitive.

.

Procedure

1. Log in to the host.

- a) Run the following command for Schema Registry:

```
ssh [MY_SCHEMA_REGISTRY_HOST]
```

- b) Run the following command for Streams Messaging Manager:

```
ssh [MY_STREAMS_MESSAGING_MANAGER_HOST]
```

2. Launch the MySQL monitor:

```
mysql -u root -p
```

3. Create the database for the Schema Registry and the SMM metastore:

```
create database registry;
create database streamsmgmr;
```

4. Create Schema Registry and SMM user accounts, replacing the final IDENTIFIED BY string with your password:

```
CREATE USER 'registry'@'%' IDENTIFIED BY 'R12$%34qw';
CREATE USER 'streamsmgmr'@'%' IDENTIFIED BY 'R12$%34qw';
```

5. Assign privileges to the user account:

```
GRANT ALL PRIVILEGES ON registry.* TO 'registry'@'%' WITH GRANT OPTION ;
GRANT ALL PRIVILEGES ON streamsmgmr.* TO 'streamsmgmr'@'%' WITH GRANT OPTION ;
```

If you cannot grant all privileges, grant the following privileges that SMM and Schema Registry require at a minimum:

- CREATE/ALTER/DROP/REFERENCES TABLE
- CREATE/ALTER/DROP INDEX
- CREATE/ALTER/DROP SEQUENCE
- CREATE/ALTER/DROP PROCEDURE

For example:

```
grant create session to streamsmgmr;
grant create table to streamsmgmr;
grant create sequence to streamsmgmr;
```

6. Commit the operation:

```
commit;
```

Configuring Oracle for Streaming Components

If you intend to use Oracle to store the metadata for Streams Messaging Manager or Schema Registry, you must configure the Oracle database.

About this task

After you install Oracle, configure the database to store:

- Schema Registry data such as the schemas and their metadata, all the versions and branches.

- SMM data such as Kafka metadata, stores metrics, and alert definitions.

For setting the relevant tablespaces for the SMM and Schema Registry, see [Creating the relevant schema DBs](#).

Results

The new user needs to have permissions to create or drop tables and other database structures because when the Schema Registry or SMM service starts, it automatically creates the database structure. If the database structure already exists, then the service alters it as necessary.



Note: When using Oracle RAC, you need to enter the JDBC connection URL into the `database_jdbc_url_override` field in Cloudera Manager for both Schema Registry and SMM, as shown in the following images:

For Schema Registry,

Schema Registry Database JDBC Url Override SCHEMAREGISTRY-1 (Service-Wide) [Show All Descriptions](#)

database_jdbc_url_override [database_jdbc_url_override](#)

`jdbc:oracle:thin:@(DESCRIPTION=(LOAD_BALANCE=off)(FAILOVER=on)(CONNECT_TIMEOUT=5)(T`

For SMM,

Streams Messaging Manager Database JDBC Url Override STREAMS_MESSAGING_MANAGER-1 (Service-Wide) [Show All Descriptions](#)

database_jdbc_url_override [database_jdbc_url_override](#)

`jdbc:oracle:thin:@(DESCRIPTION=(LOAD_BALANCE=off)(FAILOVER=on)(CONNECT_TIMEOUT=5)(T`

For more information on URL for Oracle RAC, see https://docs.oracle.com/cd/E57185_01/EPMIS/apbs01s01.html.

Configure Network Names

You must configure each host in the cluster to ensure that all members can communicate with each other.

About this task



Important: Cloudera Runtime requires IPv4. IPv6 is not supported.



Tip: When bonding, use the `bond0` IP address as it represents all aggregated links.

Procedure

1. Set the hostname to a unique name (not `localhost`).

```
sudo hostnamectl set-hostname foo-1.example.com
```

2. Edit `/etc/hosts` with the IP address and fully qualified domain name (FQDN) of each host in the cluster. You can add the unqualified name as well.

```
1.1.1.1 foo-1.example.com foo-1
2.2.2.2 foo-2.example.com foo-2
3.3.3.3 foo-3.example.com foo-3
```

```
4.4.4.4 foo-4.example.com foo-4
```

**Important:**

- The canonical name of each host in `/etc/hosts` must be the FQDN (for example `myhost-1.example.com`), not the unqualified hostname (for example `myhost-1`). The canonical name is the first entry after the IP address.
- Do not use aliases, either in `/etc/hosts` or in configuring DNS.
- Unqualified hostnames (short names) must be unique in a Cloudera Manager instance. For example, you cannot have both `HOST01.EXAMPLE.COM` and `HOST01.STANDBY.EXAMPLE.COM` managed by the same Cloudera Manager Server.

3. Edit `/etc/sysconfig/network` with the FQDN of this host only:

```
HOSTNAME=foo-1.example.com
```

4. Verify that each host consistently identifies to the network:

- Run `uname -a` and check that the hostname matches the output of the `hostname` command.
- Run `/sbin/ifconfig` and note the value of `inet addr` in the `eth0` (or `bond0`) entry, for example:

```
eth0      Link encap:Ethernet  HWaddr 00:0C:29:A4:E8:97
          inet addr:172.29.82.176  Bcast:172.29.87.255  Mask:255.255.2
48.0
...
```

- Run `host -v -t A $(hostname)` and verify that the output matches the `hostname` command. The IP address should be the same as reported by `ifconfig` for `eth0` (or `bond0`):

```
Trying "foo-1.example.com"
...
;; ANSWER SECTION:
foo-1.example.com. 60 IN A 172.29.82.176
```



Important: If the `host` command is not installed on your system, then install it by running the following command:

- RHEL:

```
yum install bind-utils
```

- Ubuntu:

```
apt install bind9-host
```

- SLES:

```
zypper in bind-utils
```

Setting SELinux Mode

Security-Enhanced Linux (SELinux) allows you to set access control through policies. If you are having trouble deploying Runtime or CDH with your policies, set SELinux in permissive mode on each host before you deploy Runtime or CDH on your cluster.

About this task



Note: CDP Private Cloud Base, with the exception of Cloudera Navigator Encrypt, is supported on platforms with Security-Enhanced Linux (SELinux) enabled and in enforcing mode. Cloudera is not responsible for SELinux policy development, support, or enforcement. If you experience issues running Cloudera software with SELinux enabled, contact your OS provider for assistance.

If you are using SELinux in enforcing mode, Cloudera Support can request that you disable SELinux or change the mode to permissive to rule out SELinux as a factor when investigating reported issues.

Procedure

1. Check the SELinux state:

```
getenforce
```

2. If the output is either Permissive or Disabled, you can skip this task and continue to [Disabling the Firewall](#) to disable the firewall on each host in your cluster. If the output is enforcing, continue to the next step.
3. Open the `/etc/selinux/config` file (in some systems, the `/etc/sysconfig/selinux` file).
4. Change the line `SELINUX=enforcing` to `SELINUX=permissive`.
5. Save and close the file.
6. Restart your system or run the following command to disable SELinux immediately:

```
setenforce 0
```

After you have installed and deployed Runtime or CDH, you can re-enable SELinux by changing `SELINUX=permissive` back to `SELINUX=enforcing` in `/etc/selinux/config` (or `/etc/sysconfig/selinux`), and then running the following command to immediately switch to enforcing mode:

```
setenforce 1
```

If you are having trouble getting Cloudera Software working with SELinux, contact your OS vendor for support. Cloudera is not responsible for developing or supporting SELinux policies.

Disabling the Firewall

To disable the firewall on each host in your cluster, perform the following steps on each host.

Procedure

1. If the `iptables` command is not installed on your system, then install it by running the following command:

- RHEL:

```
sudo yum install iptables
```

- SLES:

```
sudo zypper install iptables
```

- Ubuntu:

```
sudo apt-get install iptables
```

2. For `iptables`, save the existing rule set:

```
sudo iptables-save > ~/firewall.rules
```

3. Disable the firewall:

- RHEL 7 compatible:

```
sudo systemctl disable firewalld
sudo systemctl stop firewalld
```

- SLES:

```
sudo chkconfig SuSEfirewall2_setup off
sudo chkconfig SuSEfirewall2_init off
sudo rcSuSEfirewall2 stop
```

- Ubuntu:

```
sudo service ufw stop
```

Enable an NTP Service

Runtime requires that you configure a Network Time Protocol (NTP) service on each machine in your cluster. Most operating systems include the `ntpd` service for time synchronization.

About this task

Some operating systems use `chronyd` by default instead of `ntpd`. If `chronyd` is running (on any OS), Cloudera Manager uses it to determine whether the host clock is synchronized. Otherwise, Cloudera Manager uses `ntpd`.



Note: If you are using `ntpd` to synchronize your host clocks, but `chronyd` is also running, Cloudera Manager relies on `chronyd` to verify time synchronization, even if it is not synchronizing properly. This can result in Cloudera Manager reporting clock offset errors, even though the time is correct.

To fix this, either configure and use `chronyd` or disable it and remove it from the hosts.



Important:

You should verify whether `ntpd` or `chronyd` is already installed and running. If `ntpd` or `chronyd` is already installed and running, then you can skip enabling NTP service.

Please refer your OS vendor's documentation to install and configure either `ntpd` or `chronyd`.

Impala Requirements

To perform as expected, Impala depends on the availability of the software, hardware, and configurations described in the following sections.

Product Compatibility Matrix

The ultimate source of truth about compatibility between various versions of Cloudera Runtime, Cloudera Manager, and various Runtime components is the Product Compatibility Matrix.

Supported Operating Systems

The relevant supported operating systems and versions for Impala are the same as for the corresponding Cloudera Runtime platforms. For details, see the *Operating System Requirements* topic.

Hive Metastore and Related Configuration

Impala can interoperate with data stored in Hive, and uses the same infrastructure as Hive for tracking metadata about schema objects such as tables and columns. The following components are prerequisites for Impala:

To install the metastore:

1. Install a MySQL or PostgreSQL database. Start the database if it is not started after installation.

2. Download the MySQL Connector or the PostgreSQL connector and place it in the `/usr/share/java/` directory.
3. Use the appropriate command line tool for your database to create the metastore database.
4. Use the appropriate command line tool for your database to grant privileges for the metastore database to the hive user.
5. Modify `hive-site.xml` to include information matching your particular database: its URL, username, and password. You will copy the `hive-site.xml` file to the Impala Configuration Directory later in the Impala installation process.

Java Dependencies

Although Impala is primarily written in C++, it does use Java to communicate with various Hadoop components:

- The officially supported JVMs for Impala are the OpenJDK JVM and Oracle JVM. Other JVMs might cause issues, typically resulting in a failure at `impalad` startup. In particular, the JamVM used by default on certain levels of Ubuntu systems can cause `impalad` to fail to start.
- Internally, the `impalad` daemon relies on the `JAVA_HOME` environment variable to locate the system Java libraries. Make sure the `impalad` service is not run from an environment with an incorrect setting for this variable.
- All Java dependencies are packaged in the `impala-dependencies.jar` file, which is located at `/usr/lib/impala/lib/`. These map to everything that is built under `fe/target/dependency`.

Networking Configuration Requirements

As part of ensuring best performance, Impala attempts to complete tasks on local data, as opposed to using network connections to work with remote data. To support this goal, Impala matches the hostname provided to each Impala daemon with the IP address of each DataNode by resolving the hostname flag to an IP address. For Impala to work with local data, use a single IP interface for the DataNode and the Impala daemon on each machine. Ensure that the Impala daemon's hostname flag resolves to the IP address of the DataNode. For single-homed machines, this is usually automatic, but for multi-homed machines, ensure that the Impala daemon's hostname resolves to the correct interface. Impala tries to detect the correct hostname at start-up, and prints the derived hostname at the start of the log in a message of the form:

```
Using hostname: impala-daemon-1.example.com
```

In the majority of cases, this automatic detection works correctly. If you need to explicitly set the hostname, do so by setting the `--hostname` flag.



Note: RedHat Users with server configurations that utilise networks of 10Gb/s or more might need to adjust the `vm.min_free_kbytes` parameter to a significantly increased value to ensure ample space for storing packet backlogs before the operating system processes them. This helps prevent packet drops and avoids connection timeouts.

These timeouts might manifest as `EndDataStream` errors or generic Impala Connection timeouts.

Additional details regarding modifications to the `vm.min_free_kbytes` parameter and the reasons for its necessity can be found [here](#).

Glibc Version Requirement

Impala daemons should be deployed on nodes using the same Glibc version since different Glibc version supports different Unicode standard version. Not using the same Glibc version might result in inconsistent UTF-8 behavior when `UTF8_MODE` is set to true.

Hardware Requirements

The memory allocation should be consistent across Impala executor nodes. A single Impala executor with a lower memory limit than the rest can easily become a bottleneck and lead to suboptimal performance.

This guideline does not apply to coordinator-only nodes.

Hardware Requirements for Optimal Join Performance

During join operations, portions of data from each joined table are loaded into memory. Data sets can be very large, so ensure your hardware has sufficient memory to accommodate the joins you anticipate completing.

While requirements vary according to data set size, the following is generally recommended:

- CPU

Impala version 2.2 and higher uses the SSSE3 instruction set, which is included in newer processors.



Note: This required level of processor is the same as in Impala version 1.x. The Impala 2.0 and 2.1 releases had a stricter requirement for the SSE4.1 instruction set, which has now been relaxed.

- Memory

128 GB or more recommended, ideally 256 GB or more. If the intermediate results during query processing on a particular node exceed the amount of memory available to Impala on that node, the query writes temporary work data to disk, which can lead to long query times. Note that because the work is parallelized, and intermediate results for aggregate queries are typically smaller than the original data, Impala can query and join tables that are much larger than the memory available on an individual node.

- JVM Heap Size for Catalog Server

4 GB or more recommended, ideally 8 GB or more, to accommodate the maximum numbers of tables, partitions, and data files you are planning to use with Impala.

- Storage

DataNodes with 12 or more disks each. I/O speeds are often the limiting factor for disk performance with Impala. Ensure that you have sufficient disk space to store the data Impala will be querying.

OS Memory Map Area Requirement for Impala

Default settings for `max_map_count` can be insufficient for Impala installations that run with many concurrent queries. We recommend increasing `max_map_count` to avoid potential failures due to exhausting memory mapping limits under heavy load.

`max_map_count` is the OS virtual memory parameter and defines the maximum number of memory map areas that a process can use.

To increase the `max_map_count` parameter in your OS and to make the above setting durable, refer to your OS documentation.

- For example, if you are using RHEL 9, add the following line to `/etc/sysctl.conf`:

```
/etc/sysctl.conf:vm.max_map_count=8000000
```

- Reload the config as root: `sysctl -p`.
- Check the new value: `cat /proc/sys/vm/max_map_count`.
- Restart.

User Account Requirements

For user account requirements, see the topic [User Account Requirements](#) in the Impala documentation.

Runtime Cluster Hosts and Role Assignments

Cluster hosts can be broadly described as master hosts, utility hosts, gateway hosts, or worker hosts.

- Master hosts run Hadoop master processes such as the HDFS NameNode and YARN Resource Manager.
- Utility hosts run other cluster processes that are not master processes such as Cloudera Manager and one or more Hive Metastores.
- Gateway hosts are client access points for launching jobs in the cluster. The number of gateway hosts required varies depending on the type and size of the workloads.

- Worker hosts primarily run DataNodes and other distributed processes such as Impala.



Important: Cloudera recommends that you always enable high availability when Runtime is used in a production environment.

The following tables describe the recommended role allocations for different cluster sizes. Note that these configurations take into account services dependencies that might not be obvious. For example, running Atlas or Ranger requires also running HBase, Kafka, Solr, and ZooKeeper. For details see [Service Dependences in Cloudera Manager](#).



Attention: When High Availability (HA) is enabled and the total number of nodes is under 10, you must carefully plan the composition of the worker nodes. That is the utility nodes and master nodes. If you decide that your development cluster is to be HA enabled, you must add the HA configuration for at least 3-10 hosts for seamless performance.

3 - 10 Worker Hosts without High Availability

| Master Hosts | Utility Hosts | Gateway Hosts | Worker Hosts |
|---|--|---------------|--|
| Master Host 1: <ul style="list-style-type: none"> • NameNode • YARN ResourceManager • YARN Queue Manager • JobHistory Server • ZooKeeper • Kudu master • Spark History Server • HBase master • Schema Registry • Ozone Manager (A maximum of 3 Ozone Managers are supported) • Storage Container Manager | One host for all Utility and Gateway roles: <ul style="list-style-type: none"> • Secondary NameNode • Cloudera Manager • Cloudera Manager Management Service • Cruise Control • Hive Metastore • HiveServer2 • Phoenix Query Server • Impala Catalog Server • Impala StateStore • Hue • Oozie • Gateway configuration • HBase backup master • Ranger Admin, Tagsync, Usersync servers • Atlas server • Solr server (CDP-INFRA-SOLR instance to support Atlas) • Streams Messaging Manager • Streams Replication Manager Service • ZooKeeper • Knox: One KnoxGateway service on utility or gateway hosts. • S3 Gateway | | 3 - 10 Worker Hosts: <ul style="list-style-type: none"> • DataNode • NodeManager • Impalad • Kudu tablet server • Kafka Broker • Kafka Connect • HBase RegionServer • Solr server (For Cloudera Search) • Streams Replication Manager Driver • ZooKeeper (Recommend 3 servers total) • Ozone DataNode |

3 - 20 Worker Hosts with High Availability

| Master Hosts | Utility Hosts | Gateway Hosts | Worker Hosts |
|---|---|---|---|
| <p>Master Host 1:</p> <ul style="list-style-type: none"> NameNode JournalNode FailoverController YARN ResourceManager YARN Queue Manager ZooKeeper JobHistory Server Kudu master HBase master Schema Registry Ozone Manager (A maximum of 3 Ozone Managers are supported) Storage Container Manager <p>Master Host 2:</p> <ul style="list-style-type: none"> NameNode JournalNode FailoverController YARN ResourceManager YARN Queue Manager ZooKeeper Kudu master HBase master Schema Registry Ozone Manager (A maximum of 3 Ozone Managers are supported) Storage Container Manager <p>Master Host 3:</p> <ul style="list-style-type: none"> Kudu master (Kudu requires an odd number of masters for HA.) Spark History Server JournalNode (requires dedicated disk) ZooKeeper Ozone Manager (A maximum of 3 Ozone Managers are supported) Storage Container Manager | <p>Utility Host 1:</p> <ul style="list-style-type: none"> Cloudera Manager Cloudera Manager Management Service Cruise Control Hive Metastore Impala Catalog Server Impala StateStore Oozie Ranger Admin, Tagsync, Usersync servers Atlas server Solr server (CDP-INFRA-SOLR instance to support Atlas) Streams Messaging Manager Streams Replication Manager Service Knox: One KnoxGateway service for HA. Instead of utility, you can also select gateway hosts. <p>Utility Host 2:</p> <ul style="list-style-type: none"> Hive Metastore Ranger Admin server Atlas server Solr server (CDP-INFRA-SOLR instance to support Atlas) Knox: One KnoxGateway service for HA. Instead of utility, you can also select gateway hosts. | <p>One or more Gateway Hosts:</p> <ul style="list-style-type: none"> Hue HiveServer2 Phoenix Query Server Gateway configuration S3 Gateway | <p>3 - 20 Worker Hosts:</p> <ul style="list-style-type: none"> DataNode NodeManager Impalad Kudu tablet server Kafka Broker (Recommend 3 brokers minimum) Kafka Connect HBase RegionServer Solr server (For Cloudera Search, recommend 3 servers minimum) Streams Replication Manager Driver Ozone DataNode |

20 - 80 Worker Hosts with High Availability

| Master Hosts | Utility Hosts | Gateway Hosts | Worker Hosts |
|--|---|--|--|
| <p>Master Host 1:</p> <ul style="list-style-type: none"> NameNode JournalNode FailoverController YARN ResourceManager YARN Queue Manager ZooKeeper Kudu master HBase master Schema Registry Ozone Manager (A maximum of 3 Ozone Managers are supported) Storage Container Manager <p>Master Host 2:</p> <ul style="list-style-type: none"> NameNode JournalNode FailoverController YARN ResourceManager YARN Queue Manager ZooKeeper Kudu master HBase master Schema Registry Ozone Manager (A maximum of 3 Ozone Managers are supported) Storage Container Manager <p>Master Host 3:</p> <ul style="list-style-type: none"> ZooKeeper JournalNode JobHistory Server Spark History Server Kudu master HBase master Ozone Manager (A maximum of 3 Ozone Managers are supported) Storage Container Manager | <p>Utility Host 1:</p> <ul style="list-style-type: none"> Cloudera Manager Cruise Control Hive Metastore Ranger Admin server Atlas server Solr server (CDP-INFRA-SOLR instance to support Atlas) Streams Messaging Manager Streams Replication Manager Service <p>Utility Host 2:</p> <ul style="list-style-type: none"> Cloudera Manager Management Service Hive Metastore Impala Catalog Server Impala StateStore Oozie Ranger Admin, Tagsync, Usersync servers Atlas server Solr server (CDP-INFRA-SOLR instance to support Atlas) | <p>One or more Gateway Hosts:</p> <ul style="list-style-type: none"> Hue HiveServer2 Phoenix Query Server Gateway configuration S3 Gateway <p>Two or more Gateway Hosts:</p> <ul style="list-style-type: none"> Knox: Two KnoxGateway services, one on each of the first two Gateway Hosts for HA. S3 Gateway | <p>20 - 80 Worker Hosts:</p> <ul style="list-style-type: none"> DataNode NodeManager Impalad Kudu tablet server Kafka Broker (Recommend 3 brokers minimum) Kafka Connect HBase RegionServer Solr server (For Cloudera Search, recommend 3 servers minimum) Streams Replication Manager Driver Ozone DataNode |

80 - 200 Worker Hosts with High Availability

| Master Hosts | Utility Hosts | Gateway Hosts | Worker Hosts |
|--|--|--|--|
| <p>Master Host 1:</p> <ul style="list-style-type: none"> NameNode JournalNode FailoverController YARN ResourceManager YARN Queue Manager ZooKeeper Kudu master HBase master Schema Registry Ozone Manager (A maximum of 3 Ozone Managers are supported) Storage Container Manager <p>Master Host 2:</p> <ul style="list-style-type: none"> NameNode JournalNode FailoverController YARN ResourceManager YARN Queue Manager ZooKeeper Kudu master HBase master Schema Registry Ozone Manager (A maximum of 3 Ozone Managers are supported) Storage Container Manager <p>Master Host 3:</p> <ul style="list-style-type: none"> ZooKeeper JournalNode JobHistory Server Spark History Server Kudu master HBase master Ozone Manager (A maximum of 3 Ozone Managers are supported) Storage Container Manager | <p>Utility Host 1:</p> <ul style="list-style-type: none"> Cloudera Manager Cruise Control Streams Messaging Manager Streams Replication Manager Service <p>Utility Host 2:</p> <ul style="list-style-type: none"> Hive Metastore Impala Catalog Server Impala StateStore Oozie <p>Utility Host 3:</p> <ul style="list-style-type: none"> Host Monitor <p>Utility Host 4:</p> <ul style="list-style-type: none"> Ranger Admin, Tagsync, Usersync servers Atlas server Solr server <p>Utility Host 5:</p> <ul style="list-style-type: none"> Hive Metastore Ranger Admin server Atlas server Solr server <p>Utility Host 6:</p> <ul style="list-style-type: none"> Reports Manager <p>Utility Host 7:</p> <ul style="list-style-type: none"> Service Monitor | <p>One or more Gateway Hosts:</p> <ul style="list-style-type: none"> Hue HiveServer2 Phoenix Query Server Gateway configuration S3 Gateway <p>Two or more Gateway Hosts:</p> <ul style="list-style-type: none"> Knox: Two KnoxGateway services, one on each of the first two Gateway Hosts for HA. S3 Gateway | <p>80 - 200 Worker Hosts:</p> <ul style="list-style-type: none"> DataNode NodeManager Impalad Kudu tablet server (Recommend 100 tablet servers maximum) Kafka Broker (Recommend 3 brokers minimum) Kafka Connect HBase RegionServer Solr server (For Cloudera Search, recommend 3 servers minimum) Streams Replication Manager Driver Ozone DataNode |

200 - 500 Worker Hosts with High Availability

| Master Hosts | Utility Hosts | Gateway Hosts | Worker Hosts |
|--|---|--|---|
| <p>Master Host 1:</p> <ul style="list-style-type: none"> NameNode JournalNode FailoverController ZooKeeper Kudu master HBase master Ozone Manager (A maximum of 3 Ozone Managers are supported) Storage Container Manager <p>Master Host 2:</p> <ul style="list-style-type: none"> NameNode JournalNode FailoverController ZooKeeper Kudu master HBase master Ozone Manager (A maximum of 3 Ozone Managers are supported) Storage Container Manager <p>Master Host 3:</p> <ul style="list-style-type: none"> YARN ResourceManager YARN Queue Manager ZooKeeper JournalNode Kudu master HBase master Schema Registry Ozone Manager (A maximum of 3 Ozone Managers are supported) Storage Container Manager <p>Master Host 4:</p> <ul style="list-style-type: none"> YARN ResourceManager YARN Queue Manager ZooKeeper JournalNode Schema Registry Ozone Manager (A maximum of 3 Ozone Managers are supported) Storage Container Manager <p>Master Host 5:</p> <ul style="list-style-type: none"> JobHistory Server Spark History Server ZooKeeper JournalNode Ozone Manager (A maximum of 3 Ozone Managers are supported) Storage Container Manager <p>Cloudera recommends no more than three masters for Kudu and HBase.</p> | <p>Utility Host 1:</p> <ul style="list-style-type: none"> Cloudera Manager Cruise Control Streams Messaging Manager Streams Replication Manager Service <p>Utility Host 2:</p> <ul style="list-style-type: none"> Hive Metastore Impala Catalog Server Impala StateStore Oozie <p>Utility Host 3:</p> <ul style="list-style-type: none"> Host Monitor <p>Utility Host 4:</p> <ul style="list-style-type: none"> Ranger Admin, Tagsync, Usersync servers Atlas server Solr server (CDP-INFRA-SOLR instance to support Atlas) <p>Utility Host 5:</p> <ul style="list-style-type: none"> Hive Metastore Ranger Admin server Atlas server Solr server (CDP-INFRA-SOLR instance to support Atlas) <p>Utility Host6:</p> <ul style="list-style-type: none"> Reports Manager <p>Utility Host 7:</p> <ul style="list-style-type: none"> Service Monitor | <p>One or more Gateway Hosts:</p> <ul style="list-style-type: none"> Hue HiveServer2 Phoenix Query Server Gateway configuration S3 Gateway <p>Two or more Gateway Hosts:</p> <ul style="list-style-type: none"> Knox: Two KnoxGateway services, one on each of the first two Gateway Hosts for HA. S3 Gateway | <p>200 - 500 Worker Hosts:</p> <ul style="list-style-type: none"> DataNode NodeManager Impalad Kudu tablet server (Recommend 100 tablet servers maximum) Kafka Broker (Recommend 3 brokers minimum) Kafka Connect HBase RegionServer Solr server (For Cloudera Search, recommend 3 servers minimum) Streams Replication Manager Driver Ozone DataNode |

500 -1000 Worker Hosts with High Availability

| Master Hosts | Utility Hosts | Gateway Hosts | Worker Hosts |
|--|--|--|--|
| <p>Master Host 1:</p> <ul style="list-style-type: none"> NameNode JournalNode FailoverController ZooKeeper Kudu master HBase master Ozone Manager (A maximum of 3 Ozone Managers are supported) Storage Container Manager <p>Master Host 2:</p> <ul style="list-style-type: none"> NameNode JournalNode FailoverController ZooKeeper Kudu master HBase master Ozone Manager (A maximum of 3 Ozone Managers are supported) Storage Container Manager <p>Master Host 3:</p> <ul style="list-style-type: none"> YARN ResourceManager YARN Queue Manager ZooKeeper JournalNode Kudu master HBase master Schema Registry Ozone Manager (A maximum of 3 Ozone Managers are supported) Storage Container Manager <p>Master Host 4:</p> <ul style="list-style-type: none"> YARN ResourceManager YARN Queue Manager ZooKeeper JournalNode Schema Registry Ozone Manager (A maximum of 3 Ozone Managers are supported) Storage Container Manager <p>Master Host 5:</p> <ul style="list-style-type: none"> JobHistory Server Spark History Server ZooKeeper JournalNode Ozone Manager (A maximum of 3 Ozone Managers are supported) Storage Container Manager <p>Cloudera recommends no more than three masters for Kudu and HBase.</p> | <p>Utility Host 1:</p> <ul style="list-style-type: none"> Cloudera Manager Cruise Control Streams Messaging Manager Streams Replication Manager Service <p>Utility Host 2:</p> <ul style="list-style-type: none"> Hive Metastore Impala Catalog Server Impala StateStore Oozie <p>Utility Host 3:</p> <ul style="list-style-type: none"> Host Monitor <p>Utility Host 4:</p> <ul style="list-style-type: none"> Ranger Admin, Tagsync, Usersync servers Atlas server Solr server (CDP-INFRA-SOLR instance to support Atlas) <p>Utility Host 5:</p> <ul style="list-style-type: none"> Hive Metastore Ranger Admin server Atlas server Solr server (CDP-INFRA-SOLR instance to support Atlas) <p>Utility Host 6:</p> <ul style="list-style-type: none"> Reports Manager <p>Utility Host 7:</p> <ul style="list-style-type: none"> Service Monitor | <p>One or more Gateway Hosts:</p> <ul style="list-style-type: none"> Hue HiveServer2 Phoenix Query Server Gateway configuration S3 Gateway <p>Two or more Gateway Hosts:</p> <ul style="list-style-type: none"> Knox: Two KnoxGateway services, one on each of the first two Gateway Hosts for HA. S3 Gateway | <p>500 - 1000 Worker Hosts:</p> <ul style="list-style-type: none"> DataNode NodeManager Impalad Kudu tablet server (Recommend 100 tablet servers maximum) Kafka Broker (Recommend 3 brokers minimum) Kafka Connect HBase RegionServer Solr server (For Cloudera Search, recommend 3 servers minimum) Streams Replication Manager Driver Ozone DataNode |

Related Information

[Service Dependencies in Cloudera Manager](#)

[Configuring HMS for high availability](#)

Configuring Local Package and Parcel Repositories

Cloudera hosts two types of software repositories that you can use to install products such as Cloudera Manager or Cloudera Runtime—parcel repositories and package repositories. These repositories are effective solutions in most cases, but custom installation solutions are sometimes required.

For example, using the Cloudera-hosted software repositories requires client access over the Internet. Typical installations use the latest available software. In some scenarios, these behaviors might not be desirable, such as:

- You need to install older product versions. For example, in a Runtime cluster, all hosts must run the same Runtime version. After completing an initial installation, you may want to add hosts. This could be to increase the size of your cluster to handle larger tasks or to replace older hardware.
- The hosts on which you want to install Cloudera products are not connected to the Internet, so they cannot reach the Cloudera repository (for a parcel installation, only the Cloudera Manager Server needs Internet access, but for a package installation, all cluster hosts require access to the Cloudera repository). Most organizations partition parts of their network from outside access. Isolating network segments improves security, but can add complexity to the installation process.

In both of these cases, using an internal repository allows you to meet the needs of your organization, whether that means installing specific versions of Cloudera software or installing Cloudera software on hosts without Internet access.

Understanding Package Management

Before you configure a custom package management solution in your environment, understand the concepts of package management tools and package repositories.

Package Management Tools

Packages (rpm or deb files) help ensure that installations complete successfully by satisfying package dependencies. When you install a particular package, all other required packages are installed at the same time. For example, `hado op-0.20-hive` depends on `hadoop-0.20`.

Package management tools, such as `yum` (RHEL), `zypper` (SLES), and `apt-get` (Ubuntu) are tools that can find and install required packages. For example, on a RHEL compatible system, you might run the command `yum install hado op-0.20-hive`. The `yum` utility informs you that the Hive package requires `hadoop-0.20` and offers to install it for you. `zypper` and `apt-get` provide similar functionality.

Package Repositories

Package management tools rely on package repositories to install software and resolve any dependency requirements. For information on creating an internal repository, see *Configuring a Local Package Repository*.

Repository Configuration Files

Information about package repositories is stored in configuration files, the location of which varies according to the package management tool.

- RHEL compatible (`yum`): `/etc/yum.repos.d`
- SLES (`zypper`): `/etc/zypp/zypper.conf`
- Ubuntu (`apt-get`): `/etc/apt/apt.conf` (Additional repositories are specified using `.list` files in the `/etc/apt/sources.lis t.d/` directory.)

For example, on a typical CentOS system, you might find:

```
ls -l /etc/yum.repos.d/
total 36
-rw-r--r--. 1 root root 1664 Dec  9 2015 CentOS-Base.repo
-rw-r--r--. 1 root root 1309 Dec  9 2015 CentOS-CR.repo
-rw-r--r--. 1 root root  649 Dec  9 2015 CentOS-Debuginfo.repo
-rw-r--r--. 1 root root  290 Dec  9 2015 CentOS-fasttrack.repo
-rw-r--r--. 1 root root  630 Dec  9 2015 CentOS-Media.repo
-rw-r--r--. 1 root root 1331 Dec  9 2015 CentOS-Sources.repo
-rw-r--r--. 1 root root 1952 Dec  9 2015 CentOS-Vault.repo
```



```
-rw-r--r--. 1 root root 951 Jun 24 2017 epel.repo
-rw-r--r--. 1 root root 1050 Jun 24 2017 epel-testing.repo
```

The .repo files contain pointers to one or more repositories. In the following excerpt from CentOS-Base.repo, there are two repositories defined: one named Base and one named Updates. The mirrorlist parameter points to a website that has a list of places where this repository can be downloaded.

```
[base]
name=CentOS-$releasever - Base
mirrorlist=http://mirrorlist.centos.org/?release=$releasever&arch=$basearch&repo=os&infra=$infra
#baseurl=http://mirror.centos.org/centos/$releasever/os/$basearch/
gpgcheck=1
gpgkey=file:///etc/pki/rpm-gpg/RPM-GPG-KEY-CentOS-7

#released updates
[updates]
name=CentOS-$releasever - Updates
mirrorlist=http://mirrorlist.centos.org/?release=$releasever&arch=$basearch&repo=updates&infra=$infra
#baseurl=http://mirror.centos.org/centos/$releasever/updates/$basearch/
gpgcheck=1
gpgkey=file:///etc/pki/rpm-gpg/RPM-GPG-KEY-CentOS-7
```

Listing Repositories

You can list the enabled repositories by running one of the following commands:

- RHEL compatible: yum repolist
- SLES: zypper repos
- Ubuntu: apt-get does not include a command to display sources, but you can determine sources by reviewing the contents of /etc/apt/sources.list and any files contained in /etc/apt/sources.list.d/.

The following shows an example of the output of yum repolist on a CentOS 7 system:

```
repo id                repo name                st
atus
base/7/x86_64          CentOS-7 - Base
9,591
epel/x86_64            Extra Packages for Enterprise Linux 7 - x86_64
12,382
extras/7/x86_64        CentOS-7 - Extras
392
updates/7/x86_64       CentOS-7 - Updates      1
,962
repolist: 24,327
```

Installing Cloudera Manager

This procedure is recommended for installing Cloudera Manager which is a requirement for Cloudera Runtime in production environments.

Before you begin the installation, make sure you have reviewed the requirements and other considerations described in [Before You Install](#).

If you want to install Cloudera Manager with high availability, there are several additional steps, including installing the Cloudera Manager software on an additional host. See [Configuring Cloudera Manager for High Availability](#).



Important: Do not start the additional instance of Cloudera Manager until all of the installation steps including setting up a cluster are completed.

The general steps in the installation procedure are as follows:

- [Step 1: Configure a Repository for Cloudera Manager](#)
- [Step 2: Install Java Development Kit](#)
- [Step 3: Deploy Cloudera Manager Server and Cloudera Manager Agents](#)
- [Step 4: Set up and configure the Cloudera Manager database](#)
- [Step 5: Start the Cloudera Manager Service](#)

If you prefer to enable high availability for Cloudera Manager, then perform the step as described in [\(optional\) Enable high availability for Cloudera Manager](#) on page 169. Otherwise, for installing Cloudera Runtime, see [Installing Cloudera Runtime](#).



Important: When you install the Cloudera Manager Agent package, it creates a Linux user account called `cloudera-scm` on each host. This user account is added to the Linux group called `wheel`. The `cloudera-scm` user account does not need to be part of the `wheel` group, and you can remove it manually. Note that during an upgrade, the `cloudera-scm` user account is added back to the `wheel` group.

Related Information

[Use case 1: Use Cloudera Manager to generate internal CA and corresponding certificates](#)

[Use case 2: Enabling Auto-TLS with an intermediate CA signed by an existing Root CA](#)

[Use case 3: Enabling Auto-TLS with Existing Certificates](#)

Installing Cloudera Runtime

Proceed through the installation wizard to accept licenses, install and configure Cloudera Runtime, and more.

Upload License File

On the Upload License File page, you can select either the trial version of CDP Private Cloud Base or upload a license file:

1. Select one of the following options:

- Upload Cloudera Data Platform License
- Try Cloudera Data Platform for 60 days. The CDP Private Cloud Base trial does not require a license file, but the trial expires after 60 days.

If you have a license file for CDP Private Cloud Base, then perform the following steps to upload the license file:

- a. Select Upload Cloudera Data Platform License.
- b. Click Upload License File.
- c. Browse to the location of the license file, select the file, and click Open.
- d. Click Upload.
- e. Click Continue.

If you select the Try Cloudera Data Platform for 60 days option which is CDP Private Cloud Base Edition Trial, you can upload a license file at a later time. Read the license agreement and select Yes, I accept the Cloudera Standard License Terms and Conditions if you accept the terms and conditions of the license agreement. Then click Continue.

2. Click Continue to proceed with the installation.

The Welcome page displays.

Add Private Cloud Base Cluster

The Add Private Cloud Base Cluster wizard provides a brief overview of the installation and configuration procedure, as well as some links to relevant documentation.

Click Continue to proceed with the installation.

Setup Auto-TLS

The Setup Auto-TLS page provides instructions for initializing the certificate manager for auto-TLS if you have not done so already. If you already initialized the certificate manager in *Step 4: Install Cloudera Manager Server*, the wizard displays a message indicating that auto-TLS has been initialized. Click Continue to proceed with the installation.

If you have not already initialized the certificate manager, and you want to enable auto-TLS, follow the instructions provided on the page before continuing. When you reload the page as instructed, you are redirected to `http s://<SERVER_HOST>:7183`, and a security warning is displayed. You might need to indicate that you trust the certificate, or click to proceed to the Cloudera Manager Server host. You might also be required to log in again and re-complete the previous steps in the wizard.

If you do not want to enable auto-TLS at this time, click Continue to proceed.

Setup a KDC

A Key Distribution Center(KDC) is required in order to create kerberized clusters. Kerberized clusters are required for Ranger, Atlas, and other services that depend on them.

The Setup KDC for this Cloudera Manager wizard walks you through the steps to configure Cloudera Manager for Kerberos Authentication. On completing the steps, the wizard displays a message indicating that KDC is setup and you can now create kerberized clusters.



Note:

- The Kerberos Encryption type 'rc4-hmac' is not supported for KDC type Red HAT IPA.
- If JDK11 is in use, then use 'AES256-cts' Kerberos Encryption Type.

Cluster Basics

The Cluster Basics page allows you to specify the Cluster Name

For new installations, a Regular Cluster (also called a base cluster) is the only option. You can add a compute cluster after you finish installing the base cluster.

For more information on regular and compute clusters, and data contexts, see [Virtual Private Clusters and Cloudera SDX](#).

Enter a cluster name and click Continue.

Specify Hosts

Choose which hosts will run Runtime and other managed services.



Note: If you have enabled Auto-TLS, you must include the Cloudera Manager server host when you specify hosts.

1. To enable Cloudera Manager to automatically discover hosts on which to install Runtime and managed services, enter the cluster hostnames or IP addresses in the Hostnames field. You can specify hostname and IP address ranges as follows:

| Expansion Range | Matching Hosts |
|-----------------------|---|
| 10.1.1.[1-4] | 10.1.1.1, 10.1.1.2, 10.1.1.3, 10.1.1.4 |
| host[1-3].example.com | host1.example.com, host2.example.com, host3.example.com |

| Expansion Range | Matching Hosts |
|-------------------------|--|
| host[07-10].example.com | host07.example.com, host08.example.com, host09.example.com, host10.example.com |



Important: Unqualified hostnames (short names) must be unique in a Cloudera Manager instance. For example, you cannot have both *HOST01.EXAMPLE.COM* and *HOST01.STANDBY.EXAMPLE.COM* managed by the same Cloudera Manager Server.

You can specify multiple addresses and address ranges by separating them with commas, semicolons, tabs, or blank spaces, or by placing them on separate lines. Use this technique to make more specific searches instead of searching overly wide ranges. Only scans that reach hosts running SSH will be selected for inclusion in your cluster by default. You can enter an address range that spans over unused addresses and then clear the nonexistent hosts later in the procedure, but wider ranges require more time to scan.

2. Click Search. If there are a large number of hosts on your cluster, wait a few moments to allow them to be discovered and shown in the wizard. If the search is taking too long, you can stop the scan by clicking Abort Scan. You can modify the search pattern and repeat the search as many times as you need until you see all of the expected hosts.



Note: Cloudera Manager scans hosts by checking for network connectivity. If there are some hosts where you want to install services that are not shown in the list, make sure you have network connectivity between the Cloudera Manager Server host and those hosts, and that firewalls and SELinux are not blocking access.

3. Verify that the number of hosts shown matches the number of hosts you want to install services. Clear host entries that do not exist or where you do not want to install services.
4. Click Continue.

The Select Repository screen displays.

Select Repository



Important: You cannot install software using both parcels and packages in the same cluster.

The Select Repository page allows you to specify repositories for Cloudera Manager Agent and Other software.

In the Cloudera Manager Agent section:

1. Select either Cloudera Repository or Custom Repository for the Cloudera Manager Agent software.
2. If you select Custom Repository, do not include the operating system-specific paths in the URL. For instructions on setting up a custom repository, see *Configuring a Local Package Repository*.

In the Other software section:

1. Select the repository type to use for the installation. In the Install Method section select one of the following:

- Use Parcels (Recommended)

A parcel is a binary distribution format containing the program files, along with additional metadata used by Cloudera Manager. Parcels are required for rolling upgrades. For more information, see *Parcels*.

- Use Packages

A package is a standard binary distribution format that contains compiled code and meta-information such as a package description, version, and dependencies. Packages are installed using your operating system package manager.



Note: Packages are not supported for Cloudera Runtime 7.0 and higher.

2. Select the version of Cloudera Runtime or CDH to install. If you do not see the version you want to install:

- **Parcels** – Click the Parcel Repository & Network Settings link to add the repository URL for your version. If you are using a local Parcel repository, enter its URL as the repository URL.

Repository URLs for CDH 6 parcels are documented in [CDH 6 Download Information](#)

Repository URLs for the Cloudera Runtime 7 parcels are documented in [Cloudera Runtime Download Information](#)



Important: If you are using a 60-day trial license, use the following Parcel Repository URL (authentication not required):

```
https://archive.cloudera.com/cdh7/7.7.1/parcels/
```

Under Other Software CDH version, if you do not view the parcel that you are intending to install, click Parcel Repositories and Network Settings and manually add the parcel repository location from the [Cloudera Runtime Download Information](#) page. For example, if you want to install the 7.1.7 Service Packs, you can pick up the parcel repository location information from [Cloudera Runtime Download Information](#) page.

After adding the repository, click Save Changes and wait a few seconds for the URL to be validated.. If your Cloudera Manager host uses an HTTP proxy, click the Proxy Settings button to configure your proxy.

Note that if you have a Cloudera Enterprise license and are using Cloudera Manager 6.3.3 or higher to install a CDH version 6.3.3 or higher, or a Cloudera Runtime version 7.0 or higher using parcels, you do not need to add a username and password or "@" to the parcel repository URL. Cloudera Manager will authenticate to the Cloudera archive using the information in your license key file. Use a link to the repository in the following format:

```
https://archive.cloudera.com/p/cdh6/6.X.X/parcels/
```

If you are using a version of CM older than 6.3.3 to install CDH 6.3.3 or higher parcels, you must include the username/password and "@" in the repository URL during installation or when you configure a CDH 6.3.3 or higher parcel repository. After you add the repository, click Save Changes and wait a few seconds for the version to appear. If your Cloudera Manager host uses an HTTP proxy, click the Proxy Settings button to configure your proxy.



Note: Cloudera Manager only displays CDH versions it can support. If an available CDH version is too new for your Cloudera Manager version, it is not displayed. If the parcels do not appear on the Parcels page, ensure that the Parcel URL you entered is correct.

- **Packages** – If you selected Use Packages, and the version you want to install is not listed, you can select Custom Repository to specify a repository that contains the desired version. Repository URLs for CDH 6 version are documented in [CDH 6 Download Information](#),

If you are using a local package repository, enter its URL as the repository URL.



Note: Cloudera Manager only displays CDH or Cloudera Runtime versions it can support. If an available version is too new for your Cloudera Manager version, it is not displayed.

3. If you selected Use Parcels, specify any Additional Parcels you want to install.

4. Click Continue.

Select JDK



Note: CDP Data Center is no longer bundled with Oracle JDK software. Cloudera provides a supported version of OpenJDK.

If you installed your own JDK version, such as Oracle JDK 8, in *Step 2: Install Java Development Kit*, select Manually manage JDK.

To allow Cloudera Manager to automatically install the OpenJDK on cluster hosts, select Install a Cloudera-provided version of OpenJDK.

To install the default OpenJDK that is provided by your operating system, select Install a system-provided version of OpenJDK.

After selecting the applicable boxes, click Continue.

Enter Login Credentials

1. Enter the root name or username for the root account that has password-less sudo privileges. (In the `/etc/sudoers` file, the entry for this should like this:

```
%<USERNAME> ALL=(ALL) NOPASSWD: ALL
```

2. Select an authentication method:

- If you select the All hosts accept same password option for password authentication, enter and confirm the password.
- If you select the All hosts accept same private key option for public-key authentication, provide a passphrase and path to the required private key files.

Generate keys in PEM format by running the following command:

```
ssh-keygen -m pem -t rsa -f ~/.ssh/id_rsa_pem
scp ~/.ssh/id_rsa_pem.pub HOST:~/.ssh/
ssh HOST 'cat ~/.ssh/id_rsa_pem.pub >> ~/.ssh/authorized_keys'
```



Note: In the above command HOST is the hostname of a host in the cluster. You must run the second and third command lines on every host in the cluster.

You can modify the default SSH port if necessary.

3. Specify the maximum number of host installations to run at once. The default and recommended value is 10. You can adjust this based on your network capacity.
4. Click Continue.

The Install Agents page displays.

Install Agents

The Install Agents page displays the progress of the installation. You can click on the Details link to view the installation log of any host. Optionally, you can click the Abort Installation button to cancel the installation and then view the installation logs to troubleshoot the problem.

If the installation fails on any hosts, you can click the Retry Failed Hosts to retry all failed hosts.

After installing the Cloudera Manager Agent on all hosts, click Continue.

The Install Parcels page displays.

Install Parcels

If you selected parcels for the installation method, the Install Parcels page reports the installation progress of the parcels you selected earlier. After the parcels are downloaded, progress bars appear representing each cluster host. You can click on an individual progress bar for details about that host.

After the installation is complete, click Continue.

The Inspect Cluster page displays.

Inspect Cluster

The Inspect Cluster page provides a tool for inspecting network performance as well as the Host Inspector to search for common configuration problems. Cloudera recommends that you run the inspectors sequentially:

1. Run the Inspect Network Performance tool. You can click Advanced Options to customize some ping parameters.

2. After the network inspector completes, click Show Inspector Results to view the results in a new tab.
3. Address any reported issues, and click Run Again (if applicable).
4. Click Inspect Hosts to run the Host Inspector utility.
5. After the host inspector completes, click Show Inspector Results to view the results in a new tab.
6. Address any reported issues, and click Run Again (if applicable).



Important:

If you encounter any issues and need any guidance during this process, contact Cloudera support for further assistance.

If the reported issues cannot be resolved in a timely manner, and you want to abandon the cluster creation wizard to address them, then click Cancel.

After addressing any identified problems, select I understand the risks of not running the inspections or the detected issues, let me continue with cluster setup, and then click Finish.

This completes the Add Private Cloud Base Cluster wizard operation and launches the Add Cluster - Configuration wizard.

Continue to *Step 8: Set Up a Cluster Using the Wizard*.

Set Up a Cluster Using the Wizard

After you complete the Add Cluster - Installation wizard, the Add Cluster - Configuration wizard automatically starts. The following sections guide you through each page of the wizard.

Select Services


The Select Services page allows you to select the services you want to install and configure.

After selecting the services you want to add, click Continue. The Assign Roles page displays.



Important: If you will be including the Apache Atlas or Apache Ranger services along with the Solr service, note the following:

1. During this initial cluster setup install only Apache Atlas and/or Apache Ranger (or one of the Data Engineering, Data Mart, or Operational Database Base cluster options).
2. Ranger requires Kerberos, as the wizard reminds you:

 Ranger Apache Ranger is a framework to enable, monitor and manage comprehensive data security across the Hadoop platform.
This service requires Kerberos.

3. After the cluster setup is complete, use the Cloudera Manager Admin Console to add the Solr service to the cluster. See [Adding a Service](#).

Choose one of the following:

Regular (Base) Clusters

Data Engineering

Process develop, and serve predictive models.

Services included: HDFS, YARN, YARN Queue Manager, Ranger, Atlas, Hive, Hive on Tez, Spark, Oozie, and Hue

Data Mart

Browse, query, and explore your data in an interactive way.

Services included: HDFS, Ranger, Atlas, Hive, and Hue

Operational Database

Real-time insights for modern data-driven business.

Services included: HDFS, Ranger, Atlas, and HBase

Custom Services

Choose your own services. Services required by chosen services will automatically be included.

Assign Roles

The Assign Roles page suggests role assignments for the hosts in your cluster.

You can click on the hostname for a role to select a different host. You can also click the View By Host button to see all the roles assigned to a host.

After assigning all of the roles for your services, click Continue. The Setup Database page displays.

Setup Database

On the Setup Database page, you can enter the database hosts, names, usernames, and passwords you created in *Step 3: Install and Configure Databases*.

For services that support it, you can add finer-grained customizations using a JDBC URL override.

Select the database type and enter the database name, username, and password for each service.

For MariaDB, select MySQL.

For services that support it, to specify a JDBC URL override, select Yes in the Use JDBC URL Override drop-down menu. You must also specify the database type, username, and password.

If you are using a TLS 1.2-enabled MySQL, PostgreSQL, or MariaDB databases, or TCPS-enabled Oracle database for your Runtime service, then see the service-specific instructions under [Database setup details for cluster services for TLS 1.2/TCPS-enabled databases](#) on page 160.



Tip: MySQL 8 uses `caching_sha2_password` as the default authentication method. Follow the instructions in [Database setup details for Hive Metastore for TLS 1.2/TCPS-enabled databases](#) for proper configuration.

Click Test Connection to validate the settings. If the connection is successful, a green checkmark and the word Successful appears next to each service. If there are any problems, the error is reported next to the service that failed to connect.

After verifying that each connection is successful, click Continue. The Review Changes page displays.

Database setup details for cluster services for TLS 1.2/TCPS-enabled databases

Cloudera Manager supports TLS connection to backend databases for Hadoop services such as Hue, Ranger, Oozie etc. You must modify the configuration of the services in CM to set a TLS 1.2 connection with their respective databases.

Database setup details for Hue for TLS 1.2/TCPS-enabled databases

Hue automatically uses TLS 1.2 when you create a CDP cluster with the Auto-TLS option. You can also enable TLS in Hue configurations after you add the Hue service to your cluster using Cloudera Manager.

About this task

If TLS 1.2 is enabled on the database servers, and the databases are restricted or enforced to use TLS 1.2, then Hue automatically uses the TLS1.2-compatible ciphers to communicate with the database securely. You do not have to configure any setting in Hue's Advanced Configuration Snippet or any other configurations. This is applicable when using MySQL, MariaDB, or PostgreSQL databases as a backend database for Hue.

To restrict the MySQL and MariaDB databases to use TLS 1.2, set the value of the `require_secure_transport` to true in the `my.cnf` file.

To enable TLS 1.2 on the Hue instance, go to [Cloudera Manager Clusters Hue service Configurations](#) and select the Enable TLS/SSL for Hue option.

If TCPS is enabled on the Oracle database, then you can specify the connection string containing the “TCPS” protocol in the Database SID field.

Before you begin

- You must have enabled TLS 1.2 or TCPS on the Hue database.
- You must have created database users.
- You must have installed the MySQL client (for MySQL or MariaDB databases).
- You must have installed the psycopg2 Python package (for PostgreSQL database).

Procedure

1. Select the appropriate database type from the Type drop-down menu.
2. Enter the Fully Qualified Domain Name (FQDN) of the host on which you have installed the database in the Database Hostname field.

If the database is not running on its default port, then specify the port number in the following format: `[***HUE-DB-HOST***];[***DB-PORT***]`.

Where,

`[***HUE-DB-HOST***]` is the FQDN of the database host

`[***DB-PORT***]` is the database port

3. Specify the database name in the Database Name field.

For Oracle databases, specify the SID in the Database SID field.

If you are using Oracle Service Name instead of SID, then specify the database name in the following format:

```
[***HUE-DB-HOST***]:1521/[***SERVICE-NAME***]
```

Where,

`[***HUE-DB-HOST***]` is the FQDN of the database host

`[***SERVICE-NAME***]` is the Oracle service name

You can also specify the following connection string in the Database Name field:

```
(DESCRIPTION=(LOAD_BALANCE=off)(FAILOVER=on)(CONNECT_TIMEOUT=5)(TRANSPORT_CONNECT_TIMEOUT=3)(RETRY_COUNT=3)(ADDRESS=(PROTOCOL=TCPS)(HOST=[***HUE-DB-HOST***])(PORT=[***HUE-DB-PORT***]))(CONNECT_DATA=(SERVICE_NAME=[***SERVICE-NAME***])(SECURITY=(MY_WALLET_DIRECTORY = /[***PATH-TO-WALLET-FILE***])))
```

Where,

`[***HUE-DB-HOST***]` is the FQDN of the database host

`[***HUE-DB-PORT***]` is the port for the Hue database

`[***SERVICE-NAME***]` is the Oracle service name

`[***PATH-TO-WALLET-FILE***]` is the location at which you have copied the wallet file (cwallet.sso) on the Hue host

4. Enter the database username and password you set up for Hue database in the Username and Password fields.
5. Click Test Connection.
If the connection test fails, review your configuration, fix any errors, and rerun the connection test.
6. Click Continue to continue with cluster installation.

Database setup details for Ranger KMS for TLS 1.2/TCPS-enabled databases

Updating the Ranger KMS Database JDBC Url Override and additional configuration to connect to the secure databases.

Before you begin

- Ensure that TLS 1.2 has already been enabled on the Ranger database.
- Ensure Use JDBC Override URL has been set to Yes in the Setup Database page.

Procedure

1. Select / Enter the following configuration values depending on the database type.

- MySQL

| Label | Configuration | Value |
|---------------------------------------|------------------------------|--|
| Ranger KMS Database Type | ranger_kms_database_type | MySQL |
| Ranger KMS Database User | ranger_kms_database_user | <username> |
| Ranger KMS Database User Password | ranger_kms_database_password | <password> |
| Ranger KMS Database JDBC Url Override | ranger_kms_database_jdbc_url | jdbc:mysql://[***DB-HOST***]:[***DB-PORT***]/[***RANGER-KMS-DB-NAME***]?sslMode=VERIFY_CA&trustCertificateKeyStore |

- Oracle

| Label | Configuration | Value |
|---------------------------------------|------------------------------|---|
| Ranger KMS Database Type | ranger_kms_database_type | Oracle |
| Ranger KMS Database User | ranger_kms_database_user | <username> |
| Ranger KMS Database User Password | ranger_kms_database_password | <password> |
| Ranger KMS Database JDBC Url Override | ranger_kms_database_jdbc_url | jdbc:oracle:thin:@tcps://[***DB-HOST***]:[***DB-PORT***]:[***SERVICE_NAME***]?javax.net.ssl.trustStore=[***PATH_TO_TRUSTS |

- PostgreSQL

| Label | Configuration | Value |
|---------------------------------------|------------------------------|---|
| Ranger KMS Database Type | ranger_kms_database_type | PostgreSQL |
| Ranger KMS Database User | ranger_kms_database_user | <username> |
| Ranger KMS Database User Password | ranger_kms_database_password | <password> |
| Ranger KMS Database JDBC Url Override | ranger_kms_database_jdbc_url | jdbc:postgresql://[***DB-HOST***]:[***DB-PORT***]/[***RANGER-KMS-DB***]?sslmode=verify-full&sslrootcert=[***PATH-TO-DATABASE-SERVER-CERTIFICATE***]&enabledTLSProtocols=TLS |

2. Click Test Connection.

3. Once the test connection succeeds, click Continue.

Database setup details for Ranger for TLS 1.2/TCPs-enabled databases

Updating the Ranger Database JDBC Url Override and additional configuration to connect to the secure databases.

Before you begin

- Ensure that TLS 1.2 has already been enabled on the Ranger database.
- Ensure Use JDBC Override URL has been set to Yes in the Setup Database page.

Procedure

1. Select / Enter the following configuration values depending on the database type.

- MySQL

| Label | Configuration | Value |
|-----------------------------------|--------------------------|--|
| Ranger Database Type | ranger_database_type | MySQL |
| Ranger Database User | ranger_database_user | <username> |
| Ranger Database User Password | ranger_database_password | <password> |
| Ranger Database JDBC Url Override | ranger_database_jdbc_url | jdbc:mysql://[***DB-HOST***]:[***DB-PORT***]/[***RANGER-DB-NAME***]?sslMode=VERIFY_CA&trustCertificateKeyStore |

- Oracle

| Label | Configuration | Value |
|-----------------------------------|--------------------------|--|
| Ranger Database Type | ranger_database_type | Oracle |
| Ranger Database User | ranger_database_user | <username> |
| Ranger Database User Password | ranger_database_password | <password> |
| Ranger Database JDBC Url Override | ranger_database_jdbc_url | dbc:oracle:thin:@tcps://[***DB-HOST***]:[***DB-PORT***]:[***SERVICE_NAME***]?javax.net.ssl.trustStore=[***PATH_TO_TRUSTS |

- PostgreSQL

| Label | Configuration | Value |
|-----------------------------------|--------------------------|--|
| Ranger Database Type | ranger_database_type | PostgreSQL |
| Ranger Database User | ranger_database_user | <username> |
| Ranger Database User Password | ranger_database_password | <password> |
| Ranger Database JDBC Url Override | ranger_database_jdbc_url | jdbc:postgresql://[***DB-HOST***]:[***DB-PORT***]/[***RANGER-DB***]?sslmode=verify-full&sslrootcert=[***PATH-TO-DATABASE-SERVER-CERTIFICATE***]&enabledTLSProtocols=TLSv |

2. Click Test Connection.

3. Once the test connection succeeds, click Continue.

Database setup details for Oozie for TLS 1.2/TCPs-enabled databases

You can configure Oozie's database connection properties after you add Oozie as a service.

Procedure

1. Add Oozie as a service.
2. In the configuration wizard, configure the database type, host, port, and database name.
3. Before starting Oozie, fine-tune your Oozie's database connection, including adding your database client trustStore or certificate location to the connection string.

For more details, see *Fine-tuning Oozie's database connection*.

Related Information

[Fine-tuning Oozie's database connection](#)

Database setup details for Streams Messaging Manager for TLS 1.2/TCPs-enabled databases

Learn how you can configure Streams Messaging Manager (SMM) to securely connect to its database using TLS 1.2 when installing a new cluster.

About this task

When installing a new cluster, Streams Messaging Manager's database connection is set up during the Setup Database step of the Add Cluster - Configuration wizard. Complete the following when you reach this step in the wizard to configure TLS 1.2.

Before you begin

- Ensure that TLS 1.2 has already been enabled on the SMM database.
- Ensure that a truststore file containing the database certificate is available on the SMM hosts. Additionally, ensure that you know the location of the file and that the user SMM runs as has access to the file. The default user for SMM is streamsmgmr.

Procedure

1. Select the appropriate database type from the Type drop-down list.
2. Select yes from the Use JDBC URL Override drop-down list.
3. Enter the database username and password you set up for SMM in the Username and Password fields.

The username and password you must enter are set up in a previous step of the installation. For more information, see *Configuring the Database for Streaming Components*.

4. Enter an appropriate JDBC URL in the JDBC URL field.

The JDBC URL must contain all necessary properties needed for SMM to establish a secure connection with its database. Use the following templates to construct the JDBC URL.

MySQL

```
jdbc:mysql://[***DB HOST***]:[***DB PORT***]/[***DB NAME***]?
useSSL=true&trustCertificateKeyStoreUrl=file://[***TRUSTSTORE
  PATH***]&trustCertificateKeyStoreType=jks&trustCertificateKeySto
rePassword=[***TRUSTSTORE PASSWORD***]&enabledTLSProtocols=TLS
v1.2
```

PostgreSQL

```
jdbc:postgresql://[***DB HOST***]:[***DB PORT***]/[***DB
  NAME***]?useSSL=true&trustCertificateKeyStoreUrl=fil
e://[***TRUSTSTORE PATH***]&trustCertificateKeyStoreType=jks&tr
```

```
ustCertificateKeyStorePassword=[***TRUSTSTORE PASSWORD***]&enabledTLSProtocols=TLSv1.2
```

Oracle

```
jdbc:oracle:thin:@tcps://[***DB HOST***]:[***DB PORT***]/[***DB NAME***]?javax.net.ssl.trustStore=[***TRUSTSTORE PATH***]&javax.net.ssl.trustStorePassword=[***TRUSTSTORE PASSWORD***]&oracle.net.ssl_server_dn_match=false
```

- Replace [***DB HOST***], [***DB PORT***], and [***DB NAME***] with the host, port, and name of the database.
- Replace [***TRUSTSTORE PATH***] with the full path to a truststore that contains the database certificate. The truststore must be available on the host that SMM is deployed on. Additionally, the user that the SMM service runs as, default is streamsmgmr, must have access to the file.
- Replace [***TRUSTSTORE PASSWORD***] with the password used to access the truststore you specify in [***TRUSTSTORE PATH***].

5. Click Test Connection.

If the connection test fails, review your configuration, fix any errors, and rerun the connection test.

6. Click Continue to continue with cluster installation.

Results

The SMM service establishes a secure connection with its database.

Related Information

[Configuring the Database for Streaming Components](#)

Database setup details for Schema Registry for TLS 1.2/TCPs-enabled databases

Learn how you can configure Schema Registry to securely connect to its database using TLS 1.2 when installing a new cluster.

About this task

When installing a new cluster, Schema Registry's database connection is set up during the Setup Database step of the Add Cluster - Configuration wizard. Complete the following when you reach this step in the wizard to configure TLS 1.2.

Before you begin

- Ensure that TLS 1.2 is enabled on the Schema Registry database.
- Ensure that a truststore file containing the database certificate is available on the Schema Registry hosts. Additionally, ensure that you know the location of the file and that the user Schema Registry runs as has access to the file. The default user for Schema Registry is schemaregistry.

Procedure

1. Select the appropriate database type from the Type drop-down list.
2. Select yes from the Use JDBC URL Override drop-down list.
3. Enter the database username and password you set up for Schema Registry in the Username and Password fields.

The username and password you must enter are set up in a previous step of the installation. For more information, see *Configuring the Database for Streaming Components*

4. Enter an appropriate JDBC URL in the JDBC URL field.

The JDBC URL must contain all necessary properties needed for Schema Registry to establish a secure connection with its database. Use the following templates to construct the JDBC URL.

MySQL

```
jdbc:mysql://[***DB HOST***]:[***DB PORT***]/[***DB NAME***]?
useSSL=true&trustCertificateKeyStoreUrl=file://[***TRUSTSTORE
PATH***]&trustCertificateKeyStoreType=jks&trustCertificateKeySto
rePassword=[***TRUSTSTORE PASSWORD***]&enabledTLSProtocols=TLS
v1.2
```

PostgreSQL

```
jdbc:postgresql://[***DB HOST***]:[***DB PORT***]/[***DB
NAME***]?useSSL=true&trustCertificateKeyStoreUrl=fil
e://[***TRUSTSTORE PATH***]&trustCertificateKeyStoreType=jks&tr
ustCertificateKeyStorePassword=[***TRUSTSTORE PASSWORD***]&ena
bledTLSProtocols=TLSv1.2
```

Oracle

```
jdbc:oracle:thin:@tcps://[***DB HOST***]:[***DB PORT***]/[***DB
NAME***]?javax.net.ssl.trustStore=[***TRUSTSTORE PATH***]&jav
ax.net.ssl.trustStorePassword=[***TRUSTSTORE PASSWORD***]&oracle.
net.ssl_server_dn_match=false
```

- Replace `[***DB HOST***]`, `[***DB PORT***]`, and `[***DB NAME***]` with the host, port, and name of the database.
- Replace `[***TRUSTSTORE PATH***]` with the full path to a truststore that contains the database certificate. The truststore must be available on the host that Schema Registry is deployed on. Additionally, the user that the Schema Registry service runs as, default is `schemaregistry`, must have access to the file.
- Replace `[***TRUSTSTORE PASSWORD***]` with the password used to access the truststore you specify in `[***TRUSTSTORE PATH***]`.

5. Click Test Connection.

If the connection test fails, review your configuration, fix any errors, and rerun the connection test.

6. Click Continue to continue with cluster installation.

Results

The Schema Registry service establishes a secure connection with its database.

Related Information

[Configuring the Database for Streaming Components](#)

Database setup details for Hive Metastore for TLS 1.2/TCPs-enabled databases

Learn how you can configure the Hive (Hive Metastore) service to securely connect to its database using TLS 1.2 when installing a new cluster.

About this task

When installing a new cluster, Hive Metastore's database connection is set up during the Setup Database step of the Add Cluster - Configuration wizard. Complete the following when you reach this step in the wizard to configure TLS 1.2.

Before you begin

- Ensure that TLS 1.2 is enabled on the Hive Metastore database.
- Ensure that the Database SSL trusted certificates are exported and added to the Java truststore file.

Procedure

1. In the **Setup Database** page for Hive, click the Type drop-down list and select the appropriate database type.
2. Click the Use JDBC URL Override drop-down list and select Yes.
3. In the JDBC URL field, specify the appropriate JDBC URL connection string.

The JDBC URL must contain all necessary properties required for Hive Metastore to establish a secure connection with its database. Use the following templates to construct the JDBC URL:

MySQL

```
jdbc:mysql://[***DB-HOST***]:[***DB-PORT***]/[***DB-NAME***]?ssl
Mode=VERIFY_CA&trustCertificateKeyStoreUrl=file://[***TRUSTSTORE
-PATH***]&trustCertificateKeyStoreType=jks&trustCertificateKeySt
orePassword=[***TRUSTSTORE-PASSWORD***]&enabledTLSProtocols=TLSv
1.2
```

PostgreSQL

```
jdbc:postgresql://[***DB-HOST***]:[***DB-PORT***]/[***DB-NAME***
]?sslMode=VERIFY_CA&trustCertificateKeyStoreUrl=file://[***TRUST
STORE-PATH***]&trustCertificateKeyStoreType=jks&trustCertificate
KeyStorePassword=[***TRUSTSTORE-PASSWORD***]&enabledTLSProtocols
=TLSv1.2
```

MariaDB

```
jdbc:mysql://[***DB-HOST***]:[***DB-PORT***]/[***DB-NAME***]?ssl
Mode=VERIFY_CA&trustCertificateKeyStoreUrl=file://[***TRUSTSTORE
-PATH***]&trustCertificateKeyStoreType=jks&trustCertificateKeySt
orePassword=[***TRUSTSTORE-PASSWORD***]&enabledTLSProtocols=TLSv
1.2
```

Oracle

```
jdbc:oracle:thin:@tcps://[***DB-HOST***]:[***DB-PORT***]/[***DB-
NAME***]?javax.net.ssl.trustStore=[***TRUSTSTORE-PATH***]&javax.
net.ssl.trustStorePassword=[***TRUSTSTORE-PASSWORD***]&oracle.ne
t.ssl_server_dn_match=false
```

Where,

- [***DB-HOST***], [***DB-PORT***], and [***DB-NAME***] represent the Host, Port, and Database name used for the Hive Metastore service.
 - [***TRUSTSTORE-PATH***] represents the path to the Java truststore file.
 - [***TRUSTSTORE-PASSWORD***] represents the password used to access the Java truststore file.
4. Click Test Connection to validate the settings.
If the connection fails, review your configuration, fix any errors, and test the connection again.
 5. Click Continue to proceed with the installation.

Results

The Hive Metastore service establishes a secure connection with its database.

Enter Required Parameters

The **Enter Required Parameters** page lists required parameters for the Cloudera Manager API client, Hive, and Ranger.

Cloudera Manager API Client

If you do not have an existing user for the Cloudera Manager API client, use the default username and password "admin" for both the The Existing Cloudera Manager API Client Username and The Existing Cloudera Manager API Client Password.

Hive

If your database supports TLS connections, then configure the following parameters:

- Enable TLS/SSL to the Hive Metastore Database parameter,
- Set the Hive Metastore Client SSL/TLS Trust Store File parameter to a JKS truststore file that contains a CA certificate trusting the database's certificate.
- Set the Hive Metastore Client SSL/TLS Trust Store Password parameter to that truststore's password.

Review Changes

The Review Changes page lists default and suggested settings for several configuration parameters, including data directories.



Warning: Do not place DataNode data directories on NAS devices. When resizing an NAS, block replicas can be deleted, which results in missing blocks.

Review and make any necessary changes, and then click Continue. The Command Details page displays.

Configure Kerberos

Kerberos is a network authentication protocol that provides security for your cluster. The Configure Kerberos page allows you to enable Kerberos for your cluster.

After selecting Enable kerberos for this cluster, install kerberos client libraries, according to your OS type, on all hosts before proceeding.

- RHEL/ CentOS

```
$ yum install krb5-workstation krb5-libs
```

If Redhat IPA is used as the KDC,

```
yum install freeipa-client
```

- SUSE

```
zypper install krb5-client
```

If Redhat IPA is used as the KDC,

```
zypper install freeipa-client
```

- Ubuntu

```
apt-get install krb5-user
```

If Redhat IPA is used as the KDC,

```
apt-get install freeipa-client
```

Configure Datanode ports

Configure the privileged ports required by the datanodes in a secure HDFS service by selecting values for DataNode Transceiver Port and DataNode HTTP Web UI port.

Command Details

The Command Details page lists the details of the First Run command.

You can expand the running commands to view the details of any step, including log files and command output. You can filter the view by selecting Show All Steps, Show Only Failed Steps, or Show Only Running Steps.

If cluster deployment fails, ensure to click Resume in the wizard after you fix any issues. If you do not click Resume, the cluster may not be in a functional state.

After the First Run command completes, click Continue to go to the Summary page.

Summary

The Summary page reports the success or failure of the setup wizard.

Click Finish to complete the wizard. The installation is complete.

Cloudera recommends that you change the default password as soon as possible by clicking the logged-in username at the top right of the home screen and clicking Change Password.

(optional) Enable high availability for Cloudera Manager

After you have set up a cluster, you can enable high availability for Cloudera Manager. See [Configuring Cloudera Manager for High Availability](#).

(Recommended) Enable Auto-TLS

Auto-TLS greatly simplifies the process of enabling and managing TLS encryption on your cluster.

For information on using Auto-TLS to simplify the process of configuring TLS encryption for Cloudera Manager, see [Configuring TLS Encryption for Cloudera Manager Using Auto-TLS](#).

Related Information

[Configuring TLS Encryption for Cloudera Manager Using Auto-TLS](#)

(Recommended) Enable Kerberos

Kerberos is an authentication protocol that relies on cryptographic mechanisms to handle interactions between a requesting client and server, greatly reducing the risk of impersonation.

For information on enabling Kerberos, see [Enabling Kerberos Authentication for CDP](#).



Note: Authorization through Apache Ranger is just one element of a secure production cluster: Cloudera supports Ranger only when it runs on a cluster where Kerberos is enabled to authenticate users.

Related Information

[Enabling Kerberos Authentication for CDP](#).

Additional Steps for Apache Ranger

After installing Cloudera Manager and adding a cluster, there are additional steps required to complete the installation of Apache Ranger.

Related Information

[Configure a resource-based policy: Solr](#)

[Enabling Solr clients to authenticate with a secure Solr](#)

[Update Ranger audit configuration parameters](#)

Enable Plugins

About this task

The Ranger plugins for HDFS and Solr may not be enabled by default. Ranger plugins enable Cloudera Manager stack components – such as HDFS and Solr – to connect to Ranger and access its authorization and audit services. Verify that the HDFS and Solr plugins are enabled after you install and start the Ranger service.

Procedure

1. To enable the HDFS plugin:
 - a) Login to Cloudera Manager.
 - b) Go to the HDFS Service status page.
 - c) Click the Configuration tab.
 - d) Search for the Enable Ranger Authorization configuration property.
 - e) If the Enable Ranger Authorization property is not selected, select it and save the changes.
 - f) Go to the Ranger Service status page and click ActionsSetup Ranger Plugin Service.
 - g) Restart the HDFS service.
2. To enable the Ranger Solr plugin:
 - a) Login to Cloudera Manager.
 - b) Go to the Solr Service status page.
 - c) Click the Configuration tab.
 - d) Search for the Enable Ranger Authorization configuration property.
 - e) If the Enable Ranger Authorization property is not selected, select it and save the changes.



Note: Do not select the Ranger Service dependency parameter. This is used for enabling a Solr service instance that is not used by the Ranger service.

- f) Restart the Solr service.

Add Solr WebUI Users

Procedure

Add the username of any users to the Ranger Solr policy who should have access to the Solr Web UI in the Ranger Policy for Solr. The user should have full access privileges.

Update the Time-to-live configuration for Ranger Audits

How to change the default time settings that control how long Ranger keeps audit data collected by solr.

Procedure

1. From Cloudera Manager choose Ranger Configuration .
2. Search for the ranger.audit.solr.config.ttl property, and set the the number of days to keep audit data.
3. Search for the ranger.audit.solr.config.delete.trigger property, and set the number and units (days, minutes, hours, or seconds) to keep data for expired documents
4. Refresh the configuration, using one of the following two options:
 - a) Click Refresh Configuration, as prompted or, if Refresh Configuration does not appear,
 - b) In Actions, click Update Solr config-set for Ranger, then confirm.

Installing Apache Knox

This document provides instructions on how to install Apache Knox using the Cloudera Private Cloud Base installation process.

About this task


Apache Knox is an application gateway for interacting with the REST APIs and UIs. The Knox Gateway provides a single access point for all REST and HTTP interactions in your Cloudera Data Platform cluster.

Before you begin

When installing Knox, you must have Kerberos enabled on your cluster.

Procedure

1. From your Cloudera Manager homepage, go to Status tab \$Cluster Name ... Add Service



2. From the list of services, select Knox and click Continue.
3. On the **Select Dependencies** page, choose the dependencies you want Knox to set up:

HDFS, Ranger, Solr, Zookeeper

For users that require Apache Ranger for authorization. HDFS with Ranger. HDFS depends on Zookeeper, and Ranger depends on Solr.

HDFS, Zookeeper

HDFS depends on Zookeeper.

No optional dependencies

For users that do not wish to have Knox integrate with HDFS or Ranger.

4. On the **Assign Roles** page, select role assignments for your dependencies and click Continue:

| Knox service roles | Description | Required? |
|--------------------|---|-----------|
| Knox Gateway | If Knox is installed, at least one instance of this role should be installed. This role represents the Knox Gateway which provides a single access point for all REST and HTTP interactions with Apache Hadoop clusters. | Required |
| KnoxIDBroker* | It is strongly recommended that this role is installed on its own dedicated host. As its name suggests this role will allow you to take advantage of Knox's Identity Broker capabilities, an identity federation solution that exchanges cluster authentication for temporary cloud credentials.* | Optional* |
| Gateway | This role comes with the CSD framework. The gateway structure is used to describe the client configuration of the service on each host where the gateway role is installed. | Optional |

* Note: KnoxIDBroker appears in the Assign Roles page, but it is not currently supported in CDP Private Cloud.

5. On the **Review Changes** page, most of the default values are acceptable, but you must Enable Kerberos Authentication and supply the Knox Master Secret. There are additional parameters you can specify or change, listed in “Knox Install Role Parameters”.
- Click Enable Kerberos Authentication
Kerberos is required where Knox is enabled.
 - Supply the Knox Master Secret, e.g. `knoxsecret`.
 - Click Continue.
6. The **Command Details** page shows the status of your operation. After completion, your system admin can view logs for your installation under `stdout`.

Related Information

[Apache Knox Install Role Parameters](#)

Apache Knox Install Role Parameters

Reference information on all the parameters available for Knox service roles.

Service-level parameters

Table 15: Required service-level parameters

| Name | In Wizard | Type | Default Value |
|--|-----------|---------|---|
| <code>kerberos.auth.enabled*</code> | Yes | Boolean | false |
| <code>ranger_knox_plugin_hdfs_audit_directory</code> | No | Text | <code>\${ranger_base_audit_url}/knox</code> |
| <code>autorestart_on_stop</code> | No | Boolean | false |
| <code>knox_pam_realm_service</code> | No | Text | login |
| <code>save_alias_command_input_password</code> | No | Text | - |

Knox Gateway role parameters

Table 16: Required parameters for Knox Gateway role

| Name | In Wizard | Type | Default Value |
|---|-----------|----------|---|
| gateway_master_secret | Yes | Password | - |
| gateway_conf_dir | Yes | Path | /var/lib/knox/gateway/conf |
| gateway_data_dir | Yes | Path | /var/lib/knox/gateway/data |
| gateway_port | No | Port | 8443 |
| gateway_path | No | Text | gateway |
| gateway_heap_size | No | Memory | 1 GB (min = 256 MB; soft min = 512 MB) |
| gateway_ranger_knox_plugin_conf_path | No | Path | /var/lib/knox/ranger-knox-plugin |
| gateway_ranger_knox_plugin_policy_cache_directory | No | Path | /var/lib/ranger/knox/gateway/policy-cache |
| gateway_ranger_knox_plugin_hdfs_audit_spool_directory | No | Path | /var/log/knox/gateway/audit/hdfs/spool |
| gateway_ranger_knox_plugin_solr_audit_spool_directory | No | Path | /var/log/knox/gateway/audit/solr/spool |

Table 17: Optional parameters for Knox Gateway role

| Name | Type | Default Value |
|--|------------|--|
| gateway_default_topology_name | Text | cdp-proxy |
| gateway_auto_discovery_enabled | Boolean | true |
| gateway_cluster_configuration_monitor_interval | Time | 60 seconds (minimum = 30 seconds) |
| gateway_auto_discovery_advanced_configuration_monitor_interval | Time | 10 seconds (minimum = 5 seconds) |
| gateway_cloudera_manager_descriptors_monitor_interval | Time | 10 seconds (minimum = 5 seconds) |
| gateway_auto_discovery_cdp_proxy_enabled_* | Boolean | true |
| gateway_auto_discovery_cdp_proxy_api_enabled_* | Boolean | true |
| gateway_descriptor_cdp_proxy | Text Array | Contains the required properties of cdp-proxy topology |
| gateway_descriptor_cdp_proxy_api | Text Array | Contains the required properties of cdp-proxy-api topology |
| gateway_sso_authentication_provider | Text Array | Contains the required properties of the authentication provider used by the UIs using the Knox SSO capabilities (such as Home Page UI). Defaults to PAM authentication. |
| gateway_api_authentication_provider | Text Array | Contains the required properties of the authentication provider used by pre-defined topologies such as admin, metadata or cdp-proxy-api. Defaults to PAM authentication. |

Related Information

[Installing Apache Knox](#)

Setting Up Data at Rest Encryption for HDFS

This section describes how to enable end-to-end data encryption to-and-from HDFS. For optimal performance, High Availability (HA) is also provided.



Important: Before setting up HDFS Data at Rest encryption, Cloudera highly recommends reading the [Encrypting Data at Rest](#) content, which provides more information about HDFS encryption, the supported architecture, planning, encryption requirements, and more.

If you require a third-party HSM for key storage, Cloudera also recommends reading the [Integrating Components for Encrypting Data at Rest](#) content.

Links are provided in the Related Information section below.

Depending on your encryption key root trustee requirements, you can enable HDFS encryption as follows:

- Ranger Key Management Service backed by Database, which sources the encryption zone keys from a backing Database and includes HA.

Related Information

[Encrypting Data at Rest](#)

[Data at Rest Encryption Reference Architecture](#)

[Data at Rest Encryption Requirements](#)

[Resource Planning for Data at Rest Encryption](#)

[Data Encryption Components and Solutions](#)

[Working with an HSM for Ranger KMS](#)

Installing Ranger KMS backed by a Database and HA

The tasks and steps for installing the Ranger Key Management System (KMS) with High Availability (HA) service that uses a database as the backing key store.

About this task

This task uses the Set up HDFS Data At Rest Encryption wizard to install a Ranger KMS with HA service that uses a database as the backing key store.

The following image shows the Set up HDFS Data At Rest Encryption page. When you select your encryption keys root of trust option, a list of tasks that you must do to enable encryption to-and-from HDFS is displayed.

You complete each task independently from the other tasks. Where, the task's Status column indicates whether the step has been completed and the Notes column provides additional context for the task. If your Cloudera Manager user account does not have sufficient privileges to complete a task, the Notes column indicates the privileges that are required.

When selected, each task contains links to wizards or documentation that help you complete the task. If a task is unavailable, due to insufficient privileges or an incomplete prerequisite step, no links are present and the Notes column displays the reason.

HDFS Encryption implements transparent, end-to-end encryption of data read from and written to HDFS, without requiring changes to application code. Because the encryption is end-to-end, data can be encrypted and decrypted only by the client. HDFS does not store or have access to unencrypted data or encryption keys. [Read the Cloudera documentation before enabling encryption](#).

The root of trust for encryption keys can either be:

Ranger Key Management Service backed by Key Trustee Server
Ranger Key Management Service backed by Key Trustee Server is a Hadoop Key Management Service implementation that sources encryption zone keys from a backing Key Trustee Server. For HSM integration please refer to documentation.

Ranger Key Management Service backed by Database
Ranger Key Management Service backed by Database is a Hadoop Key Management Service implementation that sources encryption zone keys from a backing database. For HSM integration please refer to documentation.

A file-based password-protected Java KeyStore
The file-based Java KeyStore may not be sufficient for large enterprises where a more robust and secure key management solution is required. It is **not suitable** for production use.

After the root of trust is chosen, a new service called the Hadoop **Key Management Server (KMS)** must be added to your cluster.

The following steps are required to set up HDFS Encryption. Click the links below to complete each step.

Note: This workflow will not encrypt data automatically. You must manually create encryption keys and encryption zones and move data into them.

| Step | Status | Notes |
|--|-------------|--------------------------------|
| 1 Enable Kerberos | ✓ Completed | |
| 2 Enable TLS/SSL | ✓ Completed | |
| 3 Add Ranger KMS Service | | |
| 4 Restart stale services and redeploy client configuration | | |
| 5 Validate Data Encryption | | Add a KMS to enable this step. |



Note: It is assumed that you have already created a database on a server that does not contain the Cloudera Ranger service.

For more information on how to create a database for Ranger KMS, see the Related Information links below.

The Wizard steps are as follows and must be completed in the order listed:

1. Enable Kerberos



Note: The instructions assume that you have enabled Kerberos. If this is not the case, click the link associated with the uncompleted task and follow the Wizard's instructions.

2. Enable TLS/SSL



Note: The instructions assume that you have enabled TLS. If this is not the case, click the link associated with the uncompleted task and follow the Wizard's instructions.

3. Add a Ranger KMS Service

4. Restart the stale services and redeploy the client configuration

5. Validate the Data Encryption

The following lists the post installation tasks for Installing the Ranger KMS backed by a Database and HA:

- Update the Ranger KMS backed by a Database service's URL
- Create a Ranger Audit Directory

Before you begin

Verify the following:

- The cluster in which Cloudera Manager and the Cloudera Ranger service is installed, is up and running.
- A Ranger KMS database has been created as the underlying keyStore mechanism. This database must be separate from the Ranger database.

- Communication through secure connections is enabled with the Transport Layer Security (TLS) protocol and your network authentication is enabled with the Kerberos protocol.
- You have securely recorded the following backing key store database access credentials, as you will be required to supply them during the installation steps:
 - The Database name.
 - The Database hostname.
 - The user name and password that has full administrative privileges to the backing key store database.

Procedure

1. In a supported web browser on the cluster in which the Ranger service is installed, log in to Cloudera Manager as a user with full administrative privileges.
2. From the Cloudera Manager navigation side-bar, select Administration Security .
3. On the Security Status page, click Set up HDFS Data At Rest Encryption.
4. In the Set up HDFS Data At Rest Encryption page, select the Ranger Key Management Service backed by Database option.

A list of tasks are displayed at the bottom of the page. To successfully set up HDFS Data at Rest encryption, these tasks must be completed.



Important: Kerberos and TLS must be enabled. If the steps associated with these tasks do not display Completed in the Status column, before continuing, click the link associated with the uncompleted task and follow the Wizard's instructions.

5. To set up HDFS Encryption, follow the instructions as described below for each of the Set up HDFS Data At Rest Encryption Wizard's steps.

Related Information

[Configuring a database for Ranger or Ranger KMS](#)

[TLS/SSL and Its Use of Certificates](#)

[Enabling Kerberos Authentication for CDP](#)

Installing the Ranger KMS Service

The Set up HDFS Data At Rest Encryption wizard's installation step that installs the Ranger Key Management System (KMS) with High Availability (HA) service on your cluster.

About this task

Describes the steps that install the Ranger Key Management System (KMS) service on your cluster and associates it with your backing key store database.

Procedure

1. From the Step column in the Set up HDFS Data at Rest Encryption for Cluster page, click Add Ranger KMS Service.

The Add Ranger KMS Service to Cluster Wizard opens.

2. In the Assign Roles page, verify that the hostname is the required server on which to install the Ranger KMS service by clicking inside the listed server field. By default, this field is populated by the Wizard.

The Hosts Selected page opens.

3. In the Hosts Selected page, scroll down and from the Hostname column, locate the hostname that was selected by the Wizard. Notice in the Added Roles column the Ranger KMS Server (RK) role icon. This role is added during the installation.

4. Do one of the following:

- If the pre-selected host is correct, confirm the Wizard's choice by clicking OK.
- If the pre-selected host is incorrect, deselect the check box of the Wizard's choice, select the hostname check box of the required server, and then click OK.



Note: If you require more than one KMS service, select the hostname check box for each server on which to install a Ranger KMS service.

5. Back in the Assign Roles page, click Continue.

The Setup Database page opens.

6. In the Setup Database page, do the following:

- a. In the Database Hostname field, enter the hostname of the backing key store database.
- b. In the Database Name field, enter the name of the backing key store database.
- c. In the Username field, enter the user name that has full administrative privileges to the backing key store database.
- d. In the Password field, enter the password of the user name that has full administrative privileges to the backing key store database.
- e. (Optional) Verify that the credentials you entered are correct by clicking Test Connection.
- f. Click Continue.

The Review Changes page opens.

7. In the required Ranger KMS Master Key Password field, enter the password that will be used to encrypt the master key.

Tip: You can confirm the password's value by clicking the `ranger_kms_master_key_password` link.

8. Review the rest of the settings before clicking Continue.**9.** In the Command Details page, monitor the installation of the Ranger KMS server. When the Status displays Finished the Ranger KMS is installed and tested.

Tip: If the Ranger KMS start task fails during the First Run Command process, click the Context Ranger KMS link, which opens the Ranger KMS service page. From the Actions list, select Start.

10. Click Continue.

The Summary page opens.

11. Click Finish, which returns you to the Set up HDFS Data at Rest Encryption for Cluster page.**12.** Verify that the Ranger KMS service appears in the Cloudera Manager Clusters components list and that the service has been started.

If the Ranger KMS service was not started by the installation wizard, do the following:

- a. Go to Cloudera Manager's Home page by clicking the Cloudera Manager icon.
- b. In the Cloudera Manager Clusters components list, locate and click Ranger KMS.
- c. From the Actions menu, click Start.

What to do next

Adding Ranger KMS to a cluster triggers additional property updates for other services. Cloudera Manager may flag these with stale configuration warnings. Restart the stale services and redeploy the client configuration.

Restarting the Stale Services and Redeploying the Client Configuration

The Set up HDFS Data At Rest Encryption wizard's step for restarting stale services and redeploying the client configuration.

About this task

Describes the steps that restart stale services after installing the Data-at-Rest HDFS Ranger KMS service option on your cluster.

Procedure

1. From the Step column in the Set up HDFS Data at Rest Encryption for Cluster page, click Restart stale services and redeploy client configuration.
The Stale Configurations page opens.
2. Click Restart Stale Services.
The restart Stale Services page opens.
3. Verify that the Re-deploy client configuration check box is selected and click Restart Now.
4. In the Command Details page, monitor the restart process. When the Status displays Finished, click Continue, which returns you to the Set up HDFS Data at Rest Encryption for Cluster page.

What to do next

Validate that the Data-at-Rest HDFS Ranger KMS service option can successfully encrypt your data to-and-from HDFS.

Validating Data Encryption to-and-from HDFS

The Set up HDFS Data At Rest Encryption wizard's step for validating the data encryption to-and-from HDFS.

About this task

Describes the steps which verify that the Data-at-Rest HDFS Ranger KMS service option can successfully encrypt your data to-and-from HDFS.

Procedure

1. From the Step column in the Set up HDFS Data at Rest Encryption for Cluster page, click Validate Data Encryption.
The Validate Data Encryption page opens, which displays a list of commands and instructions for creating an encryption zone and adding data.
2. In a terminal, log in to one of the hosts in your cluster and run each of the following commands:
 - a) Create a key and directory by entering the following:

```
kinit KEY_ADMIN_USER
hadoop key create mykey1
hdfs dfs -mkdir /tmp/zone1
```

Where, *KEY_ADMIN_USER* is the key administrator whose role can perform the following actions:

- Configure HDFS encryption and manage encryption keys
- Start, stop, and restart Ranger KMS
- Configure Ranger KMS Policies
- View configuration and monitoring information in Cloudera Manager
- View service and monitoring information
- View events and logs
- View Replication jobs and snapshot policies
- View YARN applications and Impala queries

- b) Create a zone and link to the key, by entering the following:

```
kinit hdfs hdfs
hdfs crypto -createZone -keyName mykey1 -path /tmp/zone1
```

- c) Create a file, put it in your zone, and verify that the file can be decrypted, by entering the following:

```
kinit KEY ADMIN_USER
echo "Hello World" > /tmp/helloWorld.txt
hdfs dfs -put /tmp/helloWorld.txt /tmp/zone1
hdfs dfs -cat /tmp/zone1/helloWorld.txt
rm /tmp/helloWorld.txt
```

- d) Verify that the stored file is encrypted, by entering the following:

```
kinit hdfs
hdfs dfs -cat /.reserved/raw/tmp/zone1/helloWorld.txt
hdfs dfs -rm -R / tmp/zone1
hdfs crypto -listZones
```

3. When completed, click Close, which returns you to the Set up HDFS Data at Rest Encryption for Cluster page.

Post-Tasks for the Data-at-Rest HDFS Ranger KMS Service

The post-tasks that you must perform after you have set up the Data-at-Rest HDFS Ranger KMS service option.

About this task

Describes the post-task steps.

Depending on which Data-at-Rest HDFS Ranger KMS service option was set up, two or more of the following post-tasks must be completed:

- Update the Data-at-Rest HDFS Ranger KMS service's URL
- Create a Ranger Audit Directory
- (Ranger KMS service only) Update the Authentication Properties and KMS Hadoop cache settings

Procedure

1. Update the Data-at-Rest HDFS Ranger KMS service's URL by doing the following:

- a. In the Cloudera Manager Clusters components list, locate and click the Ranger service.
- b. Log in to the Ranger Web UI as the Ranger KMS user, whose default user name credential is keyadmin and default password is admin123.
- c. In the `cm_kms` service, click the Edit icon and update the KMS URL field value as follows:

1. In the KMS URL field, enter the URL value using the following syntax:

```
kms://http@KMS_HOST1;KMS_HOST2:KMS_PORT/kms
```

Where,

- `KMS_HOST` is the host where either the Ranger KMS or the Ranger KMS backed by a database is installed.
- `KMS_PORT` is the port number. By default, this is 9292. For example,

```
kms://http@KMS_HOST1;KMS_HOST2:9292/kms
```



Important: If SSL is enabled, use https and port number 9494. For example:

```
kms://https@KMS_HOST1;KMS_HOST2:9494/kms
```

2. To confirm your URL setting, click Test Connection.
3. Click Save.

2. Create a Ranger Audit Directory by doing the following:
 - a. Depending on which Data-at-Rest HDFS Ranger KMS service you set up, in the Cloudera Manager Clusters components list, locate and click the Ranger KMS service.
 - b. From the Actions menu, click Create Plugin Audit Directory.
 - c. When the Create Ranger Plugin Audit Directory message appears, confirm its creation by clicking Create Ranger Plugin Audit Directory.
 - d. Monitor the creation process. When the Status displays Finished, click Close.

Installing Cloudera Navigator Encrypt

Learn about installing Navigator Encrypt, setting up TLS certificates on a Navigator Encrypt client, entropy requirements, and uninstalling and reinstalling NavEncrypt.

Before you begin

See [Data at Rest Encryption Requirements](#) for more information about encryption and Navigator Encrypt requirements.

About this task



Important: Before installing Cloudera Navigator Encrypt, see [Encrypting Data at Rest](#) and the [Product Compatibility Matrix for Cloudera Navigator Encryption](#) for important considerations.

Setting Up an Internal Repository

You must create an internal repository to install or upgrade Navigator Encrypt. For instructions on creating internal repositories (including Cloudera Manager, CDH, and Cloudera Navigator encryption components), see [Configuring a Local Package Repository](#).

Installing Navigator Encrypt (RHEL-Compatible)

Learn how to install RHEL compatible Navigator Encrypt. The steps below show an example of how to install NavEncrypt on a cluster running Red Hat Linux.

About this task



Note: For details about supported Linux Operating Systems, refer to the [Product Compatibility Matrix for Cloudera Navigator Encryption](#).

Procedure

1. Install the EPEL Repository.

Dependent packages are available through the Extra Packages for Enterprise Linux (EPEL) repository. To install the EPEL repository, install the epel-release package. The EPEL repository for each release of RHEL is different, so confirm the host is set up correctly.
2. Install the NavEncrypt Repository.
 - a) `mkdir -p /root/navencrypt-repo`
 - b) Fetch the NavEncrypt repository from the Cloudera download site, for example: `wget https://archive.cloudera.com/p/navencrypt7/7.1.9.1000/rhel8/navigator-encrypt-7.1.9.1000-el8.tar.gz`
 - c) `tar -zxvf navigator-encrypt-7.1.9.1000-el8.tar.gz --directory /root/navencrypt-repo`
3. Create and edit file `/etc/yum.repos.d/navencrypt-repo`:


```
[navencrypt-repo] name=Cloudera NavEncrypt enabled=1 autorefresh=0 gpgcheck=1 baseurl=file:///root/navencrypt-repo gpgkey=file:///root/navencrypt-repo/nepub.asc
```

4. Install Kernel Libraries.

For Navigator Encrypt to run as a kernel module, you must download and install the kernel development headers. Each kernel module is compiled specifically for the underlying kernel version. Running as a kernel module allows Navigator Encrypt to provide high performance and complete transparency to user-space applications.

To determine your current kernel version, run `uname -r`.

To install the development headers for your current kernel version, run:

```
sudo yum install kernel-headers-$(uname -r) kernel-devel-$(uname -r)
```

5. (RHEL or CentOS Only) Manually Install dkms.

With some versions of RHEL7 and CentOS 7, because of a broken dependency, you must manually install the dkms package. To do this, you must locate a repo that has a version of dkms that is compatible with the version of RHEL the host is running.

```
sudo yum install https://download-ib01.fedoraproject.org/pub/epel/7/aarch64/Packages/d/dkms-2.7.1-1.el7.noarch.rpm
```

6. yum install libkeytrustee

7. yum install navencrypt-kernel-module



Note: navencrypt-kernel-module depends on package dkms. Depending on the versions of the packages yum might update the linux kernel. Check for this and if it has occurred, reboot the host.

8. Install Navigator Encrypt.

Install the Navigator Encrypt client using the yum package manager:

```
sudo yum install navencrypt
```

If you attempt to install navencrypt-kernel-module with incorrect or missing kernel headers, you see a message like the following:

```
Building navencryptfs 3.8.0 DKMS kernel module...
##### BUILDING ERROR #####

Creating symlink /var/lib/dkms/navencryptfs/3.8.0/source ->
/usr/src/navencryptfs-3.8.0
DKMS: add completed.
Error! echo
Your kernel headers for kernel 3.10.0-229.4.2.el7.x86_64 cannot be found at
/lib/modules/3.10.0-229.4.2.el7.x86_64/build or /lib/modules/3.10.0-229.4.
2.el7.x86_64/source.
##### BUILDING ERROR #####

Failed installation of navencryptfs 3.8.0 DKMS kernel module !
```

To recover, see [Navigator Encrypt Kernel Module Setup](#).

9. Confirm NavEncrypt is installed.

```
yum list installed | egrep "naven|keytrust"
```

Installing Navigator Encrypt (SLES-12)

Learn how to install SLES 12 compatible Navigator Encrypt. The steps below show an example of installing SLES 12 compatible NavEncrypt, assuming the user is root.

Procedure

1. Install the NavEncrypt Repository.
 - a) `mkdir -p /root/navencrypt-repo`
 - b) Fetch the NavEncrypt repository from the Cloudera download site, for example: `wget https://archive.cloudera.com/p/navencrypt7/7.1.9.1000/sles15/navigator-encrypt-7.1.9.1000_sles15.4-0.tar.gz`
 - c) `tar -zxvf navigator-encrypt-7.1.9.1000_sles15.4-0.tar.gz --directory /root/navencrypt-repo`
2. Create and edit file `/etc/zypp/repos.d/navencrypt.repo`:
`[navencrypt-repo] name=Cloudera NavEncrypt enabled=1 autorefresh=0 gpgcheck=1 baseurl=file:///root/navencrypt-repo gpgkey=file:///root/navencrypt-repo/nepub.asc`
3. Confirm zypper can access repo.

```
zypper search -r navencrypt-repo
```

4. `zypper install libkeytrustee`
5. Install the Kernel Module Package and Navigator Encrypt Client.

Install the kernel module package (KMP) and Navigator Encrypt client with zypper:

```
sudo zypper install cloudera-navencryptfs-kmp-default
sudo zypper install navencrypt
```

6. Confirm NavEncrypt is installed
`zypper search -i | egrep "naven|keytrust"`
7. `systemctl daemon-reload`

Installing Navigator Encrypt (SLES-15)

Learn how to install SLES 15 compatible Navigator Encrypt. The following steps show an example of installing SLES 15 compatible Navigator Encrypt, assuming the user is root.

Procedure

1. Install the Navigator Encrypt repository.
 - a) Execute the following command:
- b) Fetch the Navigator Encrypt repository from the Cloudera download site.
 For example,

```
wget https://archive.cloudera.com/p/navencrypt7/7.1.9.1000/sles15/navigator-encrypt-7.1.9.1000-49-sles15.tar.gz
```

- c) Execute the following command:

```
tar -zxvf navigator-encrypt-7.1.9.1000-49-sles15.tar.gz --directory /root/navencrypt-repo
```

2. Create and edit the `/etc/zypp/repos.d/navencrypt.repo` file:

```
[navencrypt-repo] name=Cloudera NavEncrypt enabled=1 autorefresh=0 gpgcheck=1 baseurl=file:///root/navencrypt-repo gpgkey=file:///root/navencrypt-repo/nepub.asc
```

3. Confirm that Zypper can access the repository.

```
zypper se -v navencrypt libkeytrustee
```

| S | Name | Arch | Repository | Type | Version |
|---------------------|---|------|------------|------------|--------------|
| | cloudera-navencryptfs | | | srcpackage | 7.1.9-0.0 |
| | noarch Cloudera NavEncrypt | | | | |
| | name: cloudera-navencryptfs | | | | |
| i+ | cloudera-navencryptfs-kmp-default | | | package | 7.1.9_k5. |
| 14.21_150400.22-0.0 | x86_64 Cloudera NavEncrypt | | | | |
| | name: cloudera-navencryptfs-kmp-default | | | | |
| v | cloudera-navencryptfs-kmp-default | | | package | 7.1.9_k5.1 |
| 4.21_150500.53-0.0 | x86_64 Cloudera NavEncrypt | | | | |
| | name: cloudera-navencryptfs-kmp-default | | | | |
| i+ | libkeytrustee | | | package | 7.1.9.1000_s |
| les15.4-49 | x86_64 Cloudera NavEncrypt | | | | |
| | name: libkeytrustee | | | | |
| v | libkeytrustee | | | package | 7.1.9.1000 |
| _sles15.5-49 | x86_64 Cloudera NavEncrypt | | | | |
| | name: libkeytrustee | | | | |
| i+ | navencrypt | | | package | 7.1.9.1000_s |
| les15.4-49 | x86_64 Cloudera NavEncrypt | | | | |
| | name: navencrypt | | | | |
| v | navencrypt | | | package | 7.1.9.100 |
| 0_sles15.5-49 | x86_64 Cloudera NavEncrypt | | | | |
| | name: navencrypt | | | | |

You can see that the repository contains packages for SLES15-SP4 and SLES15-SP5.

4. If you are running SLES15-SP4, install:

- zypper in libkeytrustee-7.1.9.1000_sles15.4-49
- zypper in cloudera-navencryptfs-kmp-default-7.1.9_k5.14.21_150400.22-0.0
- zypper in navencrypt-7.1.9.1000_sles15.4-49

5. Confirm that Navigator Encrypt SLES15.4 is installed:

```
zypper se -v -i navencrypt libkeytrustee
```

| S | Name | Arch | Repository | Type | Version |
|----------|---|------|------------|---------|------------------------|
| i+ | cloudera-navencryptfs-kmp-default | | | package | 7.1.9_k5.14.21_15040 |
| 0.22-0.0 | x86_64 Cloudera NavEncrypt | | | | |
| | name: cloudera-navencryptfs-kmp-default | | | | |
| i+ | libkeytrustee | | | package | 7.1.9.1000_sles15.4-49 |
| | x86_64 Cloudera NavEncrypt | | | | |
| | name: libkeytrustee | | | | |
| i+ | navencrypt | | | package | 7.1.9.1000_sles15.4-49 |
| | x86_64 Cloudera NavEncrypt | | | | |
| | name: navencrypt | | | | |

6. If you are running SLES15-SP5, install:

- zypper in libkeytrustee-7.1.9.1000_sles15.5-49
- zypper in cloudera-navencryptfs-kmp-default-7.1.9_k5.14.21_150500.53-0.0
- zypper in navencrypt-7.1.9.1000_sles15.5-49

7. Confirm that Navigator Encrypt SLES15.5 is installed:

```
zypper se -v -i navencrypt libkeytrustee
```

```

S | Name | Type | Version
  | Arch | Repository |
-----+-----+-----+-----
i+ | cloudera-navencryptfs-kmp-default | package | 7.1.9_k5.14.21_15050
0.53-0.0 | x86_64 | Cloudera NavEncrypt
name: cloudera-navencryptfs-kmp-default
i+ | libkeytrustee | package | 7.1.9.1000_sles15.5-49
| x86_64 | Cloudera NavEncrypt
name: libkeytrustee
i+ | navencrypt | package | 7.1.9.1000_sles15.5-49
| x86_64 | Cloudera NavEncrypt
name: navencrypt

```

8. Reload the systemd files:

```
systemctl daemon-reload
```

Installing Navigator Encrypt (Ubuntu)

Learn how to install Ubuntu compatible Navigator Encrypt . The steps below show an example of installing Ubuntu compatible NavEncrypt, assuming the user is root.

Procedure

1. Install the NavEncrypt Repository.
 - a) `mkdir -p /root/navencrypt-repo`
 - b) Fetch the NavEncrypt repository from the Cloudera download site, for example: `wget https://archive.cloudera.com/p/navencrypt7/7.1.9.1000/ubuntu/navigator-encrypt-7.1.9.1000-61-ubuntu20.tar.gz`
 - c) `tar -zxvf navigator-encrypt-7.1.9.1000-61-ubuntu20.tar.gz --directory /root/navencrypt-repo`
 - d) `apt-key add /root/navencrypt-repo/nepub.asc`

2. Install Kernel Headers.

Determine your kernel version by running `uname -r`, and install the appropriate headers:

```
sudo apt-get install linux-headers-$(uname -r)
```

3. `apt-get install libkeytrustee4`
4. `apt-get install navencrypt-kernel-module`
5. Install the Navigator Encrypt Client.

Install Navigator Encrypt:

```
sudo apt-get install navencrypt
```

6. Confirm if NavEncrypt is installed.

```
apt-cache search . | egrep "naven|keytrust"
```

Installing for Ranger KMS

If you are using Ranger KMS as your Key Management server you need to do the following:

Procedure

1. Generate a valid Kerberos ticket.
There is a utility called `navencrypt-gen-keytab` that works with Cloudera Manager to create a valid Kerberos ticket.
2. Start the `navencrypt-krb5` service after the keytab file is generated.

Setting Up TLS for Navigator Encrypt Clients

Transport Layer Security (TLS) certificates are used to secure communication with Navigator Encrypt. Cloudera strongly recommends using certificates signed by a trusted Certificate Authority (CA).

About this task

If the TLS certificate is signed by an unrecognized CA, such as an internal CA, then you must add the root certificate to the host certificate truststore of each Navigator Encrypt client. Be aware that Navigator Encrypt uses the operating system's truststore, which is distinct from the JDK truststore used by Cloudera Manager.

To set up TLS certificates on a Navigator Encrypt client:

Procedure

1. If not already installed, install the CA-certificates:

```
yum install ca-certificates
```

2. Enable the dynamic CA configuration feature:

```
update-ca-trust enable
```

3. Copy the root certificate into the host certificate truststore:

```
cp /path/to/root.pem /etc/pki/ca-trust/source/anchors/
```

4. Update the host certificate truststore:

```
update-ca-trust
```

Example

Example:

```
[root@navencrypt-1 ~]# systemctl stop navencrypt-mount
Stopping navencrypt directories
* Umounting /dev/nvtest/test1 ... [ OK ]
* Umounting /dev/nvtest/test2 ... [ OK ]
* Unloading module ... [ OK ]

[root@navencrypt-1 ~]# update-ca-trust enable
[root@navencrypt-1 ~]# cp dd-1.lab.usa.company.com.pem /etc/pki/ca-trust/s
ource/anchors/
[root@navencrypt-1 ~]# update-ca-trust

[root@navencrypt-1 ~]# systemctl stop navencrypt-mount
Starting navencrypt directories
* Mounting '/dev/nvtest/test1' [ OK ]
* Mounting '/dev/nvtest/test2'
```

Entropy Requirements

Many cryptographic operations, such as those used with TLS or HDFS encryption, require a sufficient level of system [entropy](#) to ensure randomness; likewise, Navigator Encrypt needs a source of random numbers to ensure good performance.

About this task

Hence, you need to ensure that the hosts running Navigator Encrypt have sufficient entropy to perform cryptographic operations.

You can check the available entropy on a Linux system by running the following command:

```
cat /proc/sys/kernel/random/entropy_avail
```

The output displays the entropy currently available. Check the entropy several times to determine the state of the entropy pool on the system. On hosts running a Linux kernel version less than 5.10.119, if the entropy is consistently low (500 or less), you must increase it by installing `rng-tools` version 4 or higher, and starting the `rngd` service. On hosts running a Linux kernel version of 5.10.119 or higher the entropy version will be stable at 256, unless there are special entropy requirements in place, no further action is required.

Install `rng-tools` Using Package Manager

Learn how to install `rng-tools` using Package Manager.

About this task

If version 4 or higher of the `rng-tools` package is available from the local package manager (`yum`), then install it directly from the package manager. If the appropriate version of `rng-tools` is unavailable, see [Building `rng-tools` From Source](#) on page 186.

For RHEL 7, run the following commands:

```
sudo yum install rng-tools
cp /usr/lib/systemd/system/rngd.service /etc/systemd/system/
systemctl daemon-reload
systemctl start rngd
systemctl enable rngd
```

Building `rng-tools` From Source

If you are unable to install `rng-tools` using package manager, you can build from source.

About this task



Note: If your package manager only offers an older version (3.x or earlier), then you must build from source.

To install and start `rngd` and build from source:

1. Download the source code:

```
sudo wget http://downloads.sourceforge.net/project/gkernel/rng-tools/4/rng-tools-4.tar.gz
```

2. Extract the source code:

```
tar xvfz rng-tools-4.tar.gz
```

3. Enter the `rng-tools-4` directory:

```
cd rng-tools-4
```

4. Run `./configure`
5. Run `make`
6. Run `make install`

After you have installed `rng-tools`, start the `rngd` daemon by running the following command as root:

```
sudo rngd --no-tpm=1 -o /dev/random
```

For improved performance, Cloudera recommends configuring Navigator Encrypt to read directly from `/dev/random` instead of `/dev/urandom`.

To configure Navigator Encrypt to use `/dev/random` as an entropy source, add `--use-random` to the `navencrypt-prepare` command when you are setting up Navigator Encrypt.

Uninstalling and Reinstalling Navigator Encrypt

Learn how to uninstall and reinstall Navigator Encrypt.

About this task

Uninstalling Navigator Encrypt

For RHEL-compatible OSes:

```
sudo yum remove navencrypt
sudo yum remove navencrypt-kernel-module
```

These commands remove the software itself. On RHEL-compatible OSes, the `/etc/navencrypt` directory is not removed as part of the uninstallation. Remove it manually if required.

Reinstalling Navigator Encrypt

After uninstalling Navigator Encrypt, repeat the preceding installation instructions for your distribution.

When Navigator Encrypt is uninstalled, the configuration files and directories located in `/etc/navencrypt` are not removed. Consequently, you do not need to use the `navencrypt register` command during reinstallation. If you no longer require the previous installation configuration information in the directory `/etc/navencrypt`, you can remove its contents.

Installing Ranger RMS

Ranger Resource Mapping Server (RMS) enables automatic translation of access policies from Hive to HDFS.

About this task



Note: Ranger RMS is an optional service and cannot be installed through the Add Service express wizard during the initial installation of services. To install Ranger RMS, you must first have a CDP Private Cloud Base cluster with Ranger, HDFS, and Hive services already installed.

Legacy CDH users used Hive policies in Apache Sentry that automatically linked Hive permissions with HDFS ACLs. This was especially convenient for external table data used by Spark or Hive.

Previously, Ranger only supported managing Hive and HDFS policies separately. Ranger RMS (Resource Mapping Server) allows you to authorize access to HDFS directories and files using policies defined for Hive tables. RMS is the service that enables Hive-HDFS ACL Sync.



Important: Cloudera does not support the MySQL server with Global Transaction Identifier (GTID) support enabled as a Ranger RMS database.


Before you begin

You must have installed:


- A CDP Private Cloud Base 7.1.4 or higher version cluster with Apache Ranger, Hive, and HDFS.
- Ranger RMS on the host where Hive_Gateway is available.

Procedure

1.

On the cluster home page, click , then click Add Service.


2. Select Ranger RMS, then click Continue.




3. On Assign Roles, click View by Host.

4. On View by Host, verify that the host on which you install Ranger RMS has the required Hive Gateway role assigned, then click Close.

Figure 1: Verifying Hive Gateway role on a host



5. On Assign Roles, click Continue.



6. On Review Changes,



Note:

Ranger RMS uses the same database settings that are used in Ranger.

Ranger RMS should be installed in the same database instance as Ranger.

If Ranger service is using SSL-enabled database, make sure to have the database certificate / keystore / truststore file used by Ranger to connect to the SSL-enabled database present on the node where Ranger RMS is installed.

To track managed tables, select the Enable Mapping Hive Managed Tables option.

The screenshot shows the Cloudera Manager configuration interface for Ranger RMS. The left sidebar displays the Cloudera Manager logo and navigation options. The main configuration area is divided into several sections:

- Ranger RMS Hive Metastore Source Service Name:** Ranger RMS Server Default Group (cm_hdfs)
- Ranger RMS Hive Metastore Target Service Name:** Ranger RMS Server Default Group (cm_hive)
- Enable Mapping Hive Managed Tables:** This option is checked and highlighted with a red box. The value is set to Ranger RMS Server Default Group, with an Undo button.
- Database Port:** Ranger RMS (Service-Wide) (5432)
- RMS HTTP Port:** Ranger RMS Server Default Group (8383)



Note: If you are adding Ranger RMS in a cluster with SSL enabled, the Enable TLS/SSL for Ranger RMS Server option should be selected by default.

The screenshot shows the Cloudera Manager configuration interface for Ranger RMS, focusing on the TLS/SSL settings. The left sidebar displays the Cloudera Manager logo and navigation options. The main configuration area is divided into several sections:

- Enable Mapping Hive Managed Tables:** This option is checked and highlighted with a red box. The value is set to Ranger RMS Server Default Group, with an Undo button.
- Database Port:** Ranger RMS (Service-Wide) (5432)
- RMS HTTP Port:** Ranger RMS Server Default Group (8383)
- RMS HTTPS Port:** Ranger RMS Server Default Group (8484)
- Enable TLS/SSL for Ranger RMS Server:** This option is checked and highlighted with a red box. The value is set to Ranger RMS Server Default Group, with an Undo button.
- Ranger RMS Server TLS/SSL Server JKS Keystore File Location:** Ranger RMS Server Default Group ({{CM_AUTO_TLS}})

7. On the **Command Details** page, select run options, then click Continue.

8. On the **Summary** page, click Finish.



Important: Do not start the Ranger RMS service before completing the following additional configuration steps. Ranger RMS restarts when you restart stale services after completing configuration changes.

9. In Cloudera Manager Hive Service Configuration verify that the Hive Metastore Access Control and Ranger RMS Proxy User Hosts property, `hadoop.proxyuser.rangerrms.hosts` is set to `*`.



Note: `rangerrms` user is given superuser privilege only for the HiveMetaStore service, so `rangerrms` can access metadata information without an explicit Ranger policy allowing it necessary permissions. However, Hive operations such as drop database must be authorized in the `hive-server2` by Ranger policies. You must create an appropriate Ranger policy which grants the user executing this command the required permission to do so.

- Log in to the Ranger Admin web UI. On the **Service Manager** page, click Edit for the Hadoop SQL service, then verify that hdfs has been added to the tag.download.auth.users and policy.download.auth.users configurations.

Edit Service Last Response Time
11/22/2023 11:25:11 AM

Service Manager > Edit Service

Service Details :

Service Name *

Display Name

Description

Active Status Enabled Disabled

Select Tag Service

Config Properties :

Username *

Password *

jdbc.driverClassName *

jdbc.url *

Common Name for Certificate

Add New Configurations

| Name | Value | |
|-------------------------------|-----------------------------------|----------------------------------|
| tag.download.auth.users | hive,hdfs,impala,hdfs,om | <input type="button" value="x"/> |
| policy.download.auth.users | hive,hdfs,impala,hdfs,om | <input type="button" value="x"/> |
| policy.grantrevoke.auth.users | hive,impala | <input type="button" value="x"/> |
| enable.hive.metastore.lookup | true | <input type="button" value="x"/> |
| default.policy.users | impala,hive,hue,beacon,admin,dppn | <input type="button" value="x"/> |
| hive.site.file.path | /etc/hive/conf/hive-site.xml | <input type="button" value="x"/> |

admin [Licensed under the Apache License, Version 2.0](#)

11. Configure Ranger policies with rangerms user access before starting RMS and running the first sync from the Hive Metastore (HMS).

For example, you must give the rangerms ID select access to Hive tables. This is configured under the policy "all - database, table".

Figure 2: Granting RMS user Select access to Hive tables

| Select Role | Select Group | Select User | Permissions | Delegate Admin |
|--------------|---------------|--|---|-------------------------------------|
| Select Roles | Select Groups | x hive x beacon x dpprofiler x hue x admin x impala | select update Create Drop Alter Index Lock All Read Write RepAdmin Service Admin Temporary UDF Admin Refresh RW Storage | <input checked="" type="checkbox"/> |
| Select Roles | Select Groups | x rangerlookup | Read select | <input type="checkbox"/> |
| Select Roles | Select Groups | x (OWNER) | All | <input checked="" type="checkbox"/> |
| Select Roles | Select Groups | x rangerms | select | <input type="checkbox"/> |

12. In Cloudera Manager, select HDFS Configuration, then search for Advanced Configuration Snippet (Safety Valve) for ranger-hdfs-security.xml. Use the Add (+) icons to add the following properties, then click Save Changes.

| Name | Value |
|--|---|
| ranger.plugin.hdfs.chained.services | cm_hive |
| ranger.plugin.hdfs.chained.services.cm_hive.impl | org.apache.ranger.chainedplugin.hdfs.hive.RangerHdfsHiveChainedPlugin |
| ranger.plugin.hdfs.privileged.user.names | admin,dpprofiler,hue,beacon,hive,impala |

| Name | Value |
|----------------------------------|-------------|
| ranger.plugin.hdfs.service.names | hive,impala |



Note: The comma-separated lists that you define for hdfs privileged user names and service names are users that, based on default Hive policies, have all access permissions for all Hive resources. Therefore, for these users, checking Hive policies when they access storage locations which map to Hive resources is unnecessary, and may cause access violations if masking/row-filtering policies are configured for public group.

13. Click HDFS Restart.

14. On the **Stale Configurations** page, click **Restart Stale Services**.

Cluster 1

Stale Configurations

Filters [Clear All](#)

- FILE
 - File: hive-site.xml 0
 - File: ranger-hdfs-security.xml 1
- SERVICE [Clear](#)
 - HDFS-1 1
 - HIVE-1 1
- ROLE TYPE
 - Hive Metastore Server 0
 - NameNode 1

File: ranger-hdfs-security.xml HDFS-1(1) [Show](#)

```

... .. @@ -41,6 +41,18 @@
41 41 <property>
42 42 <name>xasecure.add-hadoop-authorization</name>
43 43 <value>>true</value>
44 44 </property>
45 + <property>
46 + <name>ranger.plugin.hive.mapping.source.url</name>
47 + <value>http://dhoy1e714-3.dhoy1e714.root.hwx.site:8383</value>
48 + </property>
49 + <property>
50 + <name>ranger.plugin.hdfs.chained.services</name>
51 + <value>Hadoop SQL</value>
52 + </property>
53 + <property>
54 + <name>ranger.plugin.hdfs.chained.services.Hadoop SQL.impl</name>
55 + <value>org.apache.ranger.chainedplugin.hdfs.hive.RangerHdfsHiveChainedPlugin</value>
56 + </property>
45 57 </configuration>
46 58

```

[Restart Stale Services](#)

15. On the **Restart Stale Services** page, select the **Re-deploy client configuration** option, then click **Restart Now**.

Restart Stale Services

- Review Changes
- Command Details

Review Changes

All services running with outdated configurations in the cluster and their dependencies will be restarted.

Re-deploy client configuration

[Back](#) [Restart Now](#)

16. Click **Finish** after the services restart.

Restart Stale Services

- Review Changes
- Command Details

Restart Awaiting Staleness Computation Command

Status **Finished** Context [Cluster 1](#) [Sep 22, 7:25:14 PM](#) [7.1m](#)

All requested services successfully restarted.

Completed 2 of 2 step(s).

Show All Steps Show Only Failed Steps Show Only Running Steps

| | | | |
|---|---------------------------|--------------------|------|
| <input checked="" type="checkbox"/> Execute global command Wait for configuration staleness computation | Cluster 1 | Sep 22, 7:25:14 PM | 42ms |
| <input checked="" type="checkbox"/> Execute command Restart on cluster Cluster 1 | Cluster 1 | Sep 22, 7:25:15 PM | 7.1m |

[Back](#) [Finish](#)

Related Information

[Configuring and Using Hive-HDFS ACL Sync](#)

Installation Reference

Reference information related to Cloudera Private Cloud Base installation.

Related Information

[CDP Private Cloud Base Installation Guide](#)

Ports

Cloudera Manager, Cloudera Runtime components, managed services, and third-party components use the ports listed in the tables that follow.

Before you deploy Cloudera Manager, Cloudera Runtime, managed services, and third-party components, make sure these ports are open on each system. If you are using a firewall, such as iptables or firewalld, and cannot open all the listed ports, you must disable the firewall completely to ensure full functionality.


In the tables in the subsections that follow, the Access Requirement column for each port is usually either "Internal" or "External." In this context, "Internal" means that the port is used only for communication among the components (for example the JournalNode ports in an HA configuration); "External" means that the port can be used for either internal or external communication (for example, ports used by NodeManager and the JobHistory Server Web UIs).

Unless otherwise specified, the ports access requirement is unidirectional, meaning that inbound connections to the specified ports must be allowed. In most modern stateful firewalls, it is not necessary to create a separate rule for return traffic on a permitted session.

Ports Used by Cloudera Manager


The diagrams and tables below provide an overview of some of the ports used by Cloudera Manager and Cloudera Management Service roles.

Figure 3: Ports Used by Cloudera Manager



When peer-to-peer distribution is enabled for parcels, the Cloudera Manager Agent can obtain the parcel from the Cloudera Manager Server or from other agents, as follows:

Figure 4: Ports Used in Peer-to-Peer Parcel Distribution



For further details, see the following tables. All ports listed are TCP.

In the following tables, Internal means that the port is used only for communication among the components; External means that the port can be used for either internal or external communication.

Table 18: External Ports

| Component | Service | Port | Configuration | Description |
|------------------------------|----------------|------|--|---|
| Cloudera Manager Server | HTTP (Web UI) | 7180 | AdministrationSettingsCategory and AddressesHTTP Port for Admin Console | HTTP Port used by the web console. |
| | HTTPS (Web UI) | 7183 | AdministrationSettingsCategory and AddressesHTTPS Port for Admin Console | Port used by the web console if HTTPS is enabled. If enabled, port 7180 remains open, but redirects all requests to HTTPS on port 7183. |
| Cloudera Manager Agent | HTTP (Debug) | 9000 | /etc/cloudera-scm-agent/config.ini | |
| Backup and Disaster Recovery | HTTP (Web UI) | 7180 | AdministrationSettingsCategory and AddressesHTTP Port for Admin Console | Port for communication to peer (source) Cloudera Manager. |
| | HTTPS (Web UI) | 7183 | AdministrationSettingsCategory and AddressesHTTPS Port for Admin Console | Port for communication to peer (source) Cloudera Manager when HTTPS is enabled. |

| Component | Service | Port | Configuration | Description |
|---------------------|---------------|-------|---|---|
| | HDFS NameNode | 8020 | HDFS serviceConfigurationCategory and AddressesNameNode Port | HDFS and Hive/ Impala replication: communication from destination HDFS and MapReduce hosts to source HDFS NameNode(s). Hive/ Impala Replication: communication from source Hive hosts to destination HDFS NameNode(s). |
| | HDFS DataNode | 9866 | HDFS serviceConfigurationCategory and AddressesDataNode Transceiver Port | HDFS and Hive/ Impala replication: communication from destination HDFS and MapReduce hosts to source HDFS DataNode(s). Hive/ Impala Replication: communication from source Hive hosts to destination HDFS DataNode(s). |
| Telemetry Publisher | HTTP | 10110 | ClustersCloudera Management ServiceCategoryPorts and AddressesTelemetry Publisher Server Port | The port where the Telemetry Publisher Server listens for requests |
| Telemetry Publisher | HTTP (Debug) | 10111 | ClustersCloudera Management ServiceCategoryPorts and AddressesTelemetry Publisher Web UI Port | The port where Telemetry Publisher starts a debug web server. Set to -1 to disable debug server. |

Table 19: Internal Ports

| Component | Service | Port | Configuration | Description |
|----------------------------|-------------------------------------|--|---|--|
| Cloudera Manager Server | Avro (RPC) | 7182 | Administration Settings Category Ports and Addresses Agent Port to connect to Server | Used for Agent to Server heartbeats |
| | Embedded PostgreSQL database | 7432 | | The optional embedded PostgreSQL database used for storing configuration information for Cloudera Manager Server. |
| | Peer-to-peer parcel distribution | 7190, 7191 | Hosts All Hosts Configuration P2P Parcel Distribution Port | Used to distribute parcels to cluster hosts during installation and upgrade operations. |
| Cloudera Manager Agent | HTTP (Debug) | The value set for the list ening_port parameter in the /etc/cloudera-scm-agent/config.ini file, plus 1. | Not directly configurable. For example, the default external port is 9000. Therefore the default internal port is 9001. | |
| | supervisord | 19001 | For example, the default internal port is 19001. You can configure the custom port under /etc/cloudera-scm-agent/ config.ini by updating supervisord_port. | This port is used to start the supervisord process. |

| Component | Service | Port | Configuration | Description |
|------------------|---------------------------|-------|---|--|
| Event Server | Custom protocol | 7184 | Cloudera Management Service Configuration Category Ports and Addresses Event Publish Port | Port on which the Event Server listens for the publication of events. |
| | Custom protocol | 7185 | Cloudera Management Service Configuration Category Ports and Addresses Event Query Port | Port on which the Event Server listens for queries for events. |
| | HTTP (Debug) | 8084 | Cloudera Management Service Configuration Category Ports and Addresses Event Server Web UI Port | Port for the Event Server's Debug page. Set to -1 to disable debug server. |
| Alert Publisher | Custom protocol | 10101 | Cloudera Management Service Configuration Category Ports and Addresses Alerts: Listen Port | Port where the Alert Publisher listens for internal API requests. |
| Service Monitor | HTTP (Debug) | 8086 | Cloudera Management Service Configuration Category Ports and Addresses Service Monitor Web UI Port | Port for Service Monitor's Debug page. Set to -1 to disable the debug server. |
| | HTTPS (Debug) | | Cloudera Management Service Configuration Category Ports and Addresses Service Monitor Web UI HTTPS Port | Port for Service Monitor's HTTPS Debug page. |
| | Custom protocol | 9997 | Cloudera Management Service Configuration Category Ports and Addresses Service Monitor Listen Port | Port where Service Monitor is listening for agent messages. |
| | Internal query API (Avro) | 9996 | Cloudera Management Service Configuration Category Ports and Addresses Service Monitor Nozzle Port | Port where Service Monitor's query API is exposed. |
| Activity Monitor | HTTP (Debug) | 8087 | Cloudera Management Service Configuration Category Ports and Addresses Activity Monitor Web UI Port | Port for Activity Monitor's Debug page. Set to -1 to disable the debug server. |
| | HTTPS (Debug) | | Cloudera Management Service Configuration Category Ports and Addresses Activity Monitor Web UI HTTPS Port | Port for Activity Monitor's HTTPS Debug page. |
| | Custom protocol | 9999 | Cloudera Management Service Configuration Category Ports and Addresses Activity Monitor Listen Port | Port where Activity Monitor is listening for agent messages. |
| | Internal query API (Avro) | 9998 | Cloudera Management Service Configuration Category Ports and Addresses Activity Monitor Nozzle Port | Port where Activity Monitor's query API is exposed. |
| Host Monitor | HTTP (Debug) | 8091 | Cloudera Management Service Configuration Category Ports and Addresses Host Monitor Web UI Port | Port for Host Monitor's Debug page. Set to -1 to disable the debug server. |
| | HTTPS (Debug) | 9091 | Cloudera Management Service Configuration Category Ports and Addresses Host Monitor Web UI HTTPS Port | Port for Host Monitor's HTTPS Debug page. |
| | Custom protocol | 9995 | Cloudera Management Service Configuration Category Ports and Addresses Host Monitor Listen Port | Port where Host Monitor is listening for agent messages. |
| | Internal query API (Avro) | 9994 | Cloudera Management Service Configuration Category Ports and Addresses Host Monitor Nozzle Port | Port where Host Monitor's query API is exposed. |
| Reports Manager | Queries (Thrift) | 5678 | Cloudera Management Service Configuration Category Ports and Addresses Reports Manager Server Port | The port where Reports Manager listens for requests. |

| Component | Service | Port | Configuration | Description |
|-----------|--------------|------|--|--|
| | HTTP (Debug) | 8083 | Cloudera Management Service Configuration Category Ports and Addresses Reports Manager Web UI Port | The port where Reports Manager starts a debug web server. Set to -1 to disable debug server. |

Ports Used by Cloudera Runtime Components

Cloudera Runtime components use a number of ports for associated services.

All ports listed are TCP.

In the following tables, Internal means that the port is used only for communication among the components; External means that the port can be used for either internal or external communication.

Table 20: External Ports

| Component | Service | Port | Configuration | Comment |
|---------------------------|-----------------|-------|---|---|
| Apache Atlas | Non-SSL | 31000 | atlas.server.http.port | |
| | SSL | 31443 | atlas.server.https.port | This port is used only when Atlas is in SSL mode. |
| Apache Hadoop HDFS | DataNode | 9866 | dfs.datanode.address | DataNode server address and port for data transfer. |
| | | 9864 | dfs.datanode.http.address | DataNode HTTP server port. |
| | | 9865 | dfs.datanode.https.address | DataNode HTTPS server port. |
| | | 9867 | dfs.datanode.ipc.address | DataNode IPC server port. |
| | NameNode | 8020 | fs.default.name or fs.defaultFS | fs.default.name is deprecated (but still works) |
| | | 8022 | dfs.namenode.servicerpc.address | Optional port used by HDFS daemons to avoid sharing the RPC port used by clients (8020). Cloudera recommends using port 8022. |
| | | 9870 | dfs.http.address or dfs.namenode.http-address | dfs.http.address is deprecated (but still works) |
| | | 9871 | dfs.https.address or dfs.namenode.https-address | dfs.https.address is deprecated (but still works) |
| | NFS gateway | 2049 | | nfs port (nfs3.server.port) |
| | | 4242 | | mountd port (nfs3.mountd.port) |
| | | 111 | | portmapper or rpcbind port. |
| | | 50079 | nfs.http.port | The NFS gateway daemon uses this port to serve metrics. The port is configurable on versions 5.10 and higher. |
| | | 50579 | nfs.https.port | The NFS gateway daemon uses this port to serve metrics. The port is configurable on versions 5.10 and higher. |
| | HttpFS | 14000 | | HttpFS server port |
| 14001 | | | HttpFS admin port | |
| Apache Hadoop YARN (MRv2) | ResourceManager | 8032 | yarn.resourcemanager.address | |
| | | 8033 | yarn.resourcemanager.admin.address | |

| Component | Service | Port | Configuration | Comment |
|--------------------|-------------------------------------|-------|---|---|
| | | 8088 | yarn.resourcemanager.webapp.address | |
| | | 8090 | yarn.resourcemanager.webapp.https.address | |
| | NodeManager | 8042 | yarn.nodemanager.webapp.address | |
| | | 8044 | yarn.nodemanager.webapp.https.address | |
| | JobHistory Server | 19888 | mapreduce.jobhistory.webapp.address | |
| | | 19890 | mapreduce.jobhistory.webapp.https.address | |
| | ApplicationMaster | | | The ApplicationMaster serves an HTTP service using an ephemeral port that cannot be restricted. This port is never accessed directly from outside the cluster by clients. All requests to the ApplicationMaster web server is routed using the YARN ResourceManager (proxy service). Locking down access to ephemeral port ranges within the cluster's network might restrict your access to the ApplicationMaster UI and its logs, along with the ability to look at running applications. |
| Apache Flume | Flume Agent | 41414 | | |
| Apache HBase | Master | 16000 | hbase.master.port | IPC |
| | | 16010 | hbase.master.info.port | HTTP |
| | RegionServer | 16020 | hbase.regionserver.port | IPC |
| | | 16030 | hbase.regionserver.info.port | HTTP |
| | REST | 20550 | hbase.rest.port | The default REST port in HBase is 8080. Because this is a commonly used port, Cloudera Manager sets the default to 20550 instead. |
| | REST UI | 8085 | hbase.rest.info.port | |
| | HBase Thrift Server | 9090 | hbase.regionserver.thrift.port | |
| | HBase Thrift Serve Web UIr | 9095 | | |
| Lily HBase Indexer | 11060 | | | |
| Apache Hive | Metastore | 9083 | | |
| | HiveServer2 | 10000 | hive.server2.thrift.port | The Beeline command interpreter requires that you specify this port on the command line. If you use Oracle database, you must manually reserve this port. |
| | HiveServer2 Web User Interface (UI) | 10002 | hive.server2.webui.port in hive-site.xml | |
| Hue | Server | 8888 | | |
| | Load Balancer | 8889 | | |
| Apache Impala | Impala Daemon | 21000 | | Used to transmit commands and receive results by impala-shell and version 1.2 of the Cloudera ODBC driver. |

| Component | Service | Port | Configuration | Comment |
|--------------|---------------------------|-------|---------------------------------|---|
| | | 21050 | | Used to transmit commands and receive results by applications, such as Business Intelligence tools, using JDBC, the Beeswax query editor in Hue, and version 2.0 or higher of the Cloudera ODBC driver. |
| | | 25000 | | Impala web interface for administrators to monitor and troubleshoot. |
| | | 28000 | | Used to transmit commands and receive results by client applications over HTTP through the HiveServer2 protocol. |
| | StateStore Daemon | 25010 | | StateStore web interface for administrators to monitor and troubleshoot. |
| | Catalog Daemon | 25020 | | Catalog service web interface for administrators to monitor and troubleshoot. |
| Apache Kafka | Kafka Broker | 9092 | port | The primary communication port used by producers and consumers; also used for inter-broker communication. |
| | | 9093 | ssl_port | A secured communication port used by producers and consumers; also used for inter-broker communication. |
| | Kafka Connect | 28083 | rest.port | Kafka Connect Rest Port. |
| | | 28085 | secure.rest.port | Kafka Connect Secure Rest Port |
| | | 28084 | metrics.jetty.server.port | Jetty Metrics Port |
| | | 28087 | metrics.jetty.server.secureport | Secure Jetty Metrics Port |
| Apache Knox | Knox Gateway | 8443 | gateway.port | The HTTPS port for the Gateway |
| | Knox Gateway (HTTPS) | 8444 | idbroker_gateway_port | |
| Apache Kudu | Master | 7051 | | Kudu Master RPC port. |
| | | 8051 | | Kudu Master HTTP server port. |
| | TabletServer | 7050 | | Kudu TabletServer RPC port. |
| | | 8050 | | Kudu TabletServer HTTP server port. |
| Apache Oozie | Oozie Server | 11000 | OOZIE_HTTP_PORT in oozie-env.sh | HTTP |
| | | 11443 | | HTTPS |
| Apache Ozone | Ozone Manager | 9862 | ozone.om.rpc-port | RPC endpoint for clients and applications. |
| | | 9874 | ozone.om.http-port | HTTP port for the Ozone Manager web UI. |
| | | 9875 | ozone.om.https-port | HTTPS port for the Ozone Manager web UI. |
| | Storage Container Manager | 9876 | ozone.scm.http-port | HTTP port for the SCM UI. |
| | | 9877 | ozone.scm.https-port | HTTPS port for the SCM web UI. |
| | DataNode | 9882 | hdds.datanode.http-address | HTTP port for the DataNode web UI. |
| | | 9883 | hdds.datanode.https-address | HTTPS port for the DataNode web UI. |

| Component | Service | Port | Configuration | Comment |
|-----------------|------------------------------|-------|------------------------------|---|
| | | 9858 | dfs.container.ratis.ipc | RAFT server endpoint that is used by clients and other DataNodes to replicate RAFT transactions and write data. |
| | | 9859 | dfs.container.ipc | Endpoint that is used by clients and other DataNodes to read block data. |
| | S3 Gateway | 9878 | ozone.s3g.http-port | HTTP port for the S3 API REST endpoint and web UI. |
| | | 9879 | ozone.s3g.https-port | HTTPS port for the S3 API REST endpoint and web UI. |
| | Recon Service | 9891 | ozone.recon.rpc-port | Port used by DataNodes to communicate with the Recon Server. |
| | | 9888 | ozone.recon.http-port | HTTP port for the Recon service web UI and REST API. |
| | | 9889 | ozone.recon.https-port | HTTPS port for the Recon service web UI and REST API. |
| Apache Ranger | Non-SSL | 6080 | ranger.service.http.port | |
| | SSL | 6182 | ranger.service.https.port | This port is used only when Ranger is in SSL mode. |
| | Admin Unix Auth Service Port | 5151 | ranger.unixauth.service.port | |
| | Usersync HTTP Port | 8280 | ranger.usersync.http.port | HTTP port for Ranger Usersync |
| | Usersync HTTPS Port | 8283 | ranger.usersync.https.port | HTTPS port for Ranger Usersync |
| | Tagsync HTTP Port | 8180 | ranger.tagsync.http.port | HTTP port for Ranger Tagsync |
| | Tagsync HTTPS Port | 8183 | ranger.tagsync.https.port | HTTPS port for Ranger Tagsync |
| Ranger KMS | Ranger KMS nodes | 9292 | ranger.service.http.port | HTTP port for Ranger KMS. |
| | Ranger KMS nodes | 9494 | ranger.service.https.port | HTTPS port for Ranger KMS. Only used when SSL is enabled for Ranger KMS. |
| Ranger RMS | Ranger RMS nodes | 8383 | ranger.service.http.port | HTTP port for Ranger RMS. |
| | Ranger RMS nodes | 8484 | ranger.service.https.port | HTTPS port for Ranger RMS. Only used when SSL is enabled for Ranger RMS. |
| Apache Solr | Solr Server | 8983 | | HTTP port for all Solr-specific actions, update/query. |
| | Solr Server | 8985 | | HTTPS port for all Solr-specific actions, update/query. |
| Apache Spark | Shuffle service | 7337 | spark.shuffle.service.port | Port on which the Spark external shuffle service runs. |
| | History Server | 18088 | spark.history.ui.port | HTTP port for the Spark History Server WebUI. |
| | History Server with TLS | 18488 | spark.ssl.historyServer.port | HTTPS port for Spark History Server WebUI. Only used when SSL is enabled for Spark History Server. |
| Apache Sqoop | Metastore | 16000 | sqoop.metastore.server.port | |
| Apache Zeppelin | Zeppelin Server | 8885 | zeppelin.server.port | |
| | Zeppelin Server (SSL) | 8886 | zeppelin.server.ssl.port | |

| Component | Service | Port | Configuration | Comment |
|-----------------------------|--|-------|--|---|
| Apache ZooKeeper | Server (with Cloudera Runtime or Cloudera Manager) | 2181 | clientPort | Client port. |
| | Server (with Cloudera Runtime or Cloudera Manager) (SSL) | 2182 | secureClientPort | Secure client port. |
| Cruise Control | Cruise Control Server | 8899 | webserver.http.port | This is the main port that enables access to the Cruise Control Server |
| Livy | Livy Server Web UI | 8998 | livy.server.port | |
| | Livy Thrift Server | 10090 | livy.server.thrift.port | |
| Omid | TSO Server | 54758 | | |
| Schema Registry | Schema Registry Server | 7788 | schema.registry.port | REST endpoint for Schema Registry. |
| | | 7789 | schema.registry.adminPort | Page for monitoring the Schema Registry service to determine for example the health state and CPU usage. |
| | | 7790 | schema.registry.ssl.port | When SSL is enabled, REST endpoint for Schema Registry. |
| | | 7791 | schema.registry.ssl.adminPort | When SSL is enabled, the page for monitoring the Schema Registry service to determine for example the health state and CPU usage. |
| Streams Messaging Manager | Streams Messaging Manager Rest Admin Server | 8585 | streams.messaging.manager.port | Streams Messaging Manager Port |
| | | 8587 | streams.messaging.manager.ssl.port | Streams Messaging Manager Port (SSL) |
| | | 8586 | streams.messaging.manager.adminPort | Streams Messaging Manager Admin Port |
| | | 8588 | streams.messaging.manager.ssl.adminPort | Streams Messaging Manager Admin Port (SSL) |
| | Streams Messaging Manager UI Server | 9991 | streams.messaging.manager.ui.port | The port on which server accepts connections. This port is used for both secured and unsecured connections. |
| Streams Replication Manager | SRM Service | 6670 | streams.replication.manager.service.port | SRM Service port. |
| | | 6671 | streams.replication.manager.service.ssl.port | SRM Service port when SSL is enabled. |

Table 21: Internal Ports

| Component | Service | Port | Configuration | Comment |
|--------------------|--------------------|------|---|--|
| Apache Hadoop HDFS | Secondary NameNode | 9868 | dfs.secondary.http.address or dfs.namenode.secondary.http-address | dfs.secondary.http.address is deprecated (but still works) |
| | | 9869 | dfs.secondary.https.address | |
| | JournalNode | 8485 | dfs.namenode.shared.edits.dir | |
| | | 8480 | dfs.journalnode.http-address | |
| | | 8481 | dfs.journalnode.https-address | |

| Component | Service | Port | Configuration | Comment |
|------------------------------|----------------------|----------------------------------|---|---|
| | Failover Controller | 8019 | | Used for NameNode HA |
| Apache Hadoop YARN (MRv2) | ResourceManager | 8030 | <code>yarn.resourcemanager.scheduler.address</code> | |
| | | 8031 | <code>yarn.resourcemanager.resource-tracker.address</code> | |
| | NodeManager | 8040 | <code>yarn.nodemanager.localizer.address</code> | |
| | | 8041 | <code>yarn.nodemanager.address</code> | |
| | JobHistory Server | 10020 | <code>mapreduce.jobhistory.address</code> | |
| | | 10033 | <code>mapreduce.jobhistory.admin.address</code> | |
| | Shuffle HTTP | 13562 | <code>mapreduce.shuffle.port</code> | |
| | Queue Manager | 8082 | <code>queuemanager_webapp_port</code> | |
| | Config Store/Service | 8080 | Set this configuration in the <code>config.yml</code> file for the service. | Reconfiguring this in a production environment is not recommended. |
| Queue Manager Config-Service | 8081 | <code>adminConnectorsPort</code> | Set this configuration in the <code>config.yml</code> file for the service. | |
| Apache HBase | HQuorumPeer | 2181 | <code>hbase.zookeeper.property.clientPort</code> | HBase-managed ZooKeeper mode |
| | | 2888 | <code>hbase.zookeeper.peerport</code> | HBase-managed ZooKeeper mode |
| | | 3888 | <code>hbase.zookeeper.leaderport</code> | HBase-managed ZooKeeper mode |
| Apache Impala | Impala Daemon | 23000 | | Internal use only. Impala daemons listen on this port for updates from the statestore daemon. |
| | | 27000 | | Internal use only. Impala daemons use this port for KRPC based communication with each other. |
| | StateStore Daemon | 24000 | | Internal use only. The statestore daemon listens on this port for registration/unregistration requests. |
| | Catalog Daemon | 23020 | | Internal use only. The catalog daemon listens on this port for updates from the statestore daemon. |
| | | 26000 | | Internal use only. The catalog service uses this port to communicate with the Impala daemons. |
| Apache Kafka | Kafka Broker | 9092 | <code>port</code> | The primary communication port used by producers and consumers; also used for inter-broker communication. |
| | | 9093 | <code>ssl_port</code> | A secured communication port used by producers and consumers; also used for inter-broker communication. |
| | | 9393 | <code>jmx_port</code> | Internal use only. Used for administration via JMX. |
| | | 9394 | <code>kafka.http.metrics.port</code> | Internal use only. This is the port via which the HTTP metric reporter listens. It is used to retrieve metrics through HTTP instead of JMX. |

| Component | Service | Port | Configuration | Comment |
|------------------|---|-------|-------------------------------|--|
| | Kafka MirrorMaker | 24042 | jmx_port | Internal use only. Used to administer the producer and consumer of the MirrorMaker. |
| Apache Ozone | Ozone Manager | 9872 | ozone.om.ratis-port | RPC endpoint for Ozone Manager HA instances to form a RAFT consensus ring. |
| | Storage Container Manager | 9861 | ozone.scm.datanode.port | Port used by the DataNodes to communicate with the Storage Container Manager (SCM). |
| | | 9863 | ozone.scm.block.client.port | Port used by the Ozone Manager to communicate with the SCM for block related operations. |
| | | 9860 | ozone.scm.client.port | Port used by the Ozone Manager and other clients to communicate with the SCM for container operations. |
| | | 9894 | ozone.scm.ratis.port | Port used by the SCM to communicate with other SCMs using Ratis. |
| | | 9895 | ozone.scm.grpc.port | Port used by the SCM to communicate with other SCMs about the database checkpoint downloads. |
| Apache Phoenix | Phoenix Query Server Port | 8765 | phoenix.queryserver.http.port | |
| Apache Solr | Solr Server | 8993 | | Infra-Solr HTTP port |
| | Solr Server | 8995 | | Infra-Solr HTTPS port |
| Apache ZooKeeper | Server (with Cloudera Runtime only) | 2888 | X in server.N =host:X:Y | Peer |
| | Server (with Cloudera Runtime only) | 3888 | X in server.N =host:X:Y | Peer |
| | Server (with Cloudera Runtime and Cloudera Manager) | 3181 | X in server.N =host:X:Y | Peer |
| | Server (with Cloudera Runtime and Cloudera Manager) | 4181 | X in server.N =host:X:Y | Peer |
| | ZooKeeper JMX port | 9010 | | <p>ZooKeeper will also use another randomly selected port for RMI. To allow Cloudera Manager to monitor ZooKeeper, you must do one of the following:</p> <ul style="list-style-type: none"> Open up all ports when the connection originates from the Cloudera Manager Server Do the following: <ol style="list-style-type: none"> Open a non-ephemeral port (such as 9011) in the firewall. Install Oracle Java 7u4 JDK or higher. Add the port configuration to the advanced configuration snippet, for example: <code>-Dcom.sun.management.jmxremote.rmi.port=9011</code> Restart ZooKeeper. |

Ports Used by DistCp

DistCp uses various ports for HDFS and HttpFS services.

All ports listed are TCP.

In the following table, the Access Requirement column for each port is usually either "Internal" or "External." In this context, "Internal" means that the port is used only for communication among the components; "External" means that the port can be used for either internal or external communication.

| Component | Service | Qualifier | Port | Access Requirement | Configuration | Comment |
|-------------|----------|-----------|-------|--------------------|---|--|
| Hadoop HDFS | NameNode | | 8020 | External | <code>fs.default.name</code> or <code>fs.defaultFS</code> | <code>fs.default.name</code> is deprecated (but still works) |
| | DataNode | Secure | 1004 | External | <code>dfs.datanode.address</code> | |
| | DataNode | | 50010 | External | <code>dfs.datanode.address</code> | |
| WebHDFS | NameNode | | 50070 | External | <code>dfs.http.address</code> or <code>dfs.namenode.http-address</code> | <code>dfs.http.address</code> is deprecated (but still works) |
| | DataNode | Secure | 1006 | External | <code>dfs.datanode.http.address</code> | |
| HttpFS | web | | 14000 | | | |

Ports Used by Third-Party Components

Third-party components such as PostgreSQL and LDAP use a number of ports for associated services.

In the following table, the Access Requirement column for each port is usually either "Internal" or "External." In this context, "Internal" means that the port is used only for communication among the components; "External" means that the port can be used for either internal or external communication.

| Component | Service | Qualifier | Port | Protocol | Access Requirement | Configuration | Comment |
|-----------|---------------|-----------|------|----------|--------------------|---------------|---------|
| Ganglia | ganglia-gmond | | 8649 | UDP/TCP | Internal | | |

| Component | Service | Qualifier | Port | Protocol | Access Requirement | Configuration | Comment |
|------------|-----------------------------|-----------|------|----------|--------------------|---|---------------------|
| | ganglia-web | | 80 | TCP | External | Via Apache <code>httpd</code> | |
| Kerberos | KRB5 KDC Server | Secure | 88 | UDP/TCP | External | <code>kdc_ports</code> and <code>kdc_tcp_ports</code> in either the <code>[kdcdefaults]</code> or <code>[realms]</code> sections of <code>kdc.conf</code> | By default only UDP |
| | KRB5 Admin Server | Secure | 749 | TCP | External | <code>kadmind_port</code> in the <code>[realms]</code> section of <code>kdc.conf</code> | |
| | kpasswd | | 464 | UDP/TCP | External | | |
| SSH | ssh | | 22 | TCP | External | | |
| PostgreSQL | | | 5432 | TCP | Internal | | |
| MariaDB | | | 3306 | TCP | Internal | | |
| MySQL | | | 3306 | TCP | Internal | | |
| LDAP | LDAP Server | | 389 | TCP | External | | |
| | LDAP Server over TLS/SSL | TLS/SSL | 636 | TCP | External | | |
| | Global Catalog | | 3268 | TCP | External | | |
| | Global Catalog over TLS/SSL | TLS/SSL | 3269 | TCP | External | | |

Service Dependencies in Cloudera Manager

The following tables list service dependencies that exist between various services in a Cloudera Manager deployment.

When configuring CDP Runtime for production environments, be sure that Kerberos is enabled for user authentication. Cloudera supports security services such as Ranger and Atlas when they run on clusters where Kerberos is enabled to authenticate users.

Service dependencies for Spark 2 on YARN and Cloudera Data Science Workbench are listed separately.

Table 22: Service Dependencies

| Service | Dependencies | Optional Dependencies |
|------------------------|---|--|
| ADLS Connector | | |
| Atlas | <ul style="list-style-type: none"> • HDFS • HBase • Kafka (Kafka broker role only) • Solr | Ranger |
| Cruise Control | <ul style="list-style-type: none"> • Kafka • Zookeeper | |
| Data Context Connector | | |
| HBase | <ul style="list-style-type: none"> • HDFS • ZooKeeper | <ul style="list-style-type: none"> • Atlas • Ranger |
| HDFS | | <ul style="list-style-type: none"> • ADLS Connector or S3 Connector • Ranger KMS • Ranger • ZooKeeper |
| Hive | HDFS | <ul style="list-style-type: none"> • Atlas • HBase • Kudu • Ranger • Spark on YARN • YARN • ZooKeeper |
| Hive-on-Tez | <ul style="list-style-type: none"> • HDFS • Hive • Tez | <ul style="list-style-type: none"> • Atlas • HBase • Ranger • YARN • ZooKeeper |
| Hue | <ul style="list-style-type: none"> • HDFS • Hive | <ul style="list-style-type: none"> • Atlas • HBase • Hive-on-Tez • Impala • Oozie • Solr • ZooKeeper |
| Impala | <ul style="list-style-type: none"> • HDFS • Hive | <ul style="list-style-type: none"> • Atlas • HBase • Kudu • Ranger • YARN • ZooKeeper |
| Kafka | ZooKeeper | <ul style="list-style-type: none"> • HDFS • Ranger |

| Service | Dependencies | Optional Dependencies |
|-----------------------------|---|--|
| Key-Value Store Indexer | <ul style="list-style-type: none"> HBase Solr | Ranger |
| Kudu | | Ranger |
| Livy | <ul style="list-style-type: none"> Spark-on-YARN YARN | Hive |
| Oozie | YARN | <ul style="list-style-type: none"> Hive Spark on YARN ZooKeeper |
| Ozone | | <ul style="list-style-type: none"> HDFS Ranger |
| Ranger | <ul style="list-style-type: none"> HDFS Solr | |
| S3 Connector | | |
| Schema Registry | | <ul style="list-style-type: none"> HDFS Ranger |
| Solr | <ul style="list-style-type: none"> HDFS ZooKeeper | Ranger |
| Spark on YARN | YARN | <ul style="list-style-type: none"> Atlas HBase |
| Streams Messaging Manager | Kafka | <ul style="list-style-type: none"> Ranger Schema Registry Zookeeper |
| Streams Replication Manager | | Kafka |
| Tez | YARN | |
| YARN | <ul style="list-style-type: none"> HDFS ZooKeeper | Ranger |
| Zeppelin | <ul style="list-style-type: none"> HDFS Spark-on-YARN YARN | <ul style="list-style-type: none"> Livy |
| ZooKeeper | | |

Related Information

[Runtime Cluster Hosts and Role Assignments](#)

Cloudera Manager sudo command options

To install, configure, start and stop the Cloudera Manager (CM), manage files, and so on, you can use the CM sudo commands.

Following is the list of sudo commands run by Cloudera Manager.



Note: In the list, RH6 = RHEL 6 / CentOS 6 / Oracle 6, RH7+ = RHEL 7 / CentOS 7 / Oracle 7, and later, and SLES 11 and later, Ubuntu = All Ubuntu versions, and SLES = All SLES versions. For those command supported in all the Operating System (OS) versions, an OS flavor is not specified.

- sudo yum (RH6, RH7+) - Install or remove software.
- sudo apt-get (Ubuntu) - Install or remove software.

- `sudo apt-key (Ubuntu)` - Update Repository key.
- `sudo sed` - Edit one or more text files (stream editor).
- `sudo systemctl (RH7+, Ubuntu)` - Start, stop, or configure software.
- `sudo service (RH6)` - Start or stop software.
- `sudo /sbin/chkconfig sudo chkconfig (RH6)` - Configure software.
- `sudo /usr/sbin/update-rc.d (Ubuntu)` - Configure software.
- `sudo id` - Used for user identification.
- `sudo rm` - Remove files.
- `sudo mv` - Move or rename files.
- `sudo chown` - Modify file ownership.
- `sudo install` - Install software.
- `sudo service (RH6)` - Start, stop, or restart the Cloudera Manager Server and Cloudera Manager Agents on the cluster hosts.
- `sudo systemctl (RH7+, Ubuntu)` - Start, stop, or restart the Cloudera Manager Server and Cloudera Manager Agents on the cluster hosts.
- `sudo cp` - Used for file copy.
- `sudo /opt/cloudera/cm-agent/bin/cm` - Used for certificate management and troubleshooting.
- `sudo mkdir` - Used for directory creation.
- `sudo /opt/cloudera/parcels/keycloak/cloudera_keycloak.sh` - Configure and startup Keycloak.
- `sudo keytrustee` - Used for Keytrustee backup.
- `sudo ln` - Manage file links.
- `sudo chmod` - Manage file permissions.
- `sudo wget` - Used to host local repositories for CM and CDH.
- `sudo -u postgres psql postgres` - Connect to PSQL as postgres user.
- `sudo -E tar` - Archive CM agent data directories prior to updates or changes.
- `sudo zypper clean --all (SLES)` - Clean up the repository cache for SLES package manager (zypper).
- `sudo rpm (RH6, RH7+)` - Install or remove the CM RPM packages.

Introduction to Parcels

Parcels are a packaging format that facilitate upgrading software from within Cloudera Manager.

You can download, distribute, and activate a new software version all from within Cloudera Manager. Cloudera Manager downloads a parcel to a local directory. Once the parcel is downloaded to the Cloudera Manager Server host, an Internet connection is no longer needed to deploy the parcel. For detailed information about parcels, see [Overview of Parcels](#).

If your Cloudera Manager Server does not have Internet access, you can obtain the required parcel files and put them into a parcel repository. For more information, see [Configuring a Local Parcel Repository](#).

After You Install

The following topics describe post-installation actions, such as deploying client configuration and some simple tests to validate the installation and confirm that everything is working as expected.

Related Information

[CDP Private Cloud Base Installation Guide](#)

Deploying Clients

Client configuration files are generated automatically by Cloudera Manager based on the services you install.

Cloudera Manager deploys these configurations automatically at the end of the installation workflow. You can also download the client configuration files to deploy them manually.

If you modify the configuration of your cluster, you might need to redeploy the client configuration files. If a service's status is "Client configuration redeployment required," you need to redeploy those files.

Initializing Solr and creating HDFS home directory

After installing the Solr service and setting up Kerberos authentication, you need to initialize the service and create the HDFS home directory. Without this, the Solr service fails to start.

Procedure

1. In Cloudera Manager select the cluster where you want to initialize the Solr service.
2. Select the Solr service you want to initialize.
3. To initialize the Solr service select **Actions Initialize Solr**.
4. To create the HDFS Home directory, select **Actions Create HDFS Home Dir**.
5. Repeat these steps on all Solr services (Infra or workload) you need to initialize in the cluster.

Testing the Installation


Begin testing the installation from the **Home** page, where you can start by checking the health of the services.

To begin testing, start the Cloudera Manager Admin Console. Once you've logged in, the **Home** page should look something like this:

The screenshot shows the Cloudera Manager Home page. On the left is a navigation sidebar with options like Clusters, Hosts, Diagnostics, Audits, Charts, Replication, and Administration. The main content area is titled 'Home' and includes tabs for Status, All Health Issues, Configuration (with 18 issues), and All Recent Commands. Below the tabs is a 'Clusters' section with a table showing the status of 'Cluster 1' as 'Good Health' (indicated by a green checkmark). The table also shows 14 issues, 4 hosts, 21 services, and version 7.0.3. Below this is an 'Other' section with a table showing 'Cloudera Management Service' with 3 issues. The page is updated as of Nov 5, 11:51:08 AM PST.

| Status | Name | Issues | Hosts | Services | Version |
|-------------|-----------|--------|---------|-------------|-----------------|
| Good Health | Cluster 1 | 14 | 4 Hosts | 21 Services | 7.0.3 (Parcels) |

| Status | Name | Issues |
|-------------|-----------------------------|--------|
| Good Health | Cloudera Management Service | 3 |

On the left side of the screen is a list of services currently running with their status information. All the services should be running with Good Health . You can click each service to view more detailed information about each service. You can also test your installation by either checking each Host's heartbeats, running a MapReduce job, or interacting with the cluster with an existing Hue application.

Checking Host Heartbeats

One way to check whether all the Agents are running is to look at the time since their last heartbeat. You can do this by clicking the Hosts tab where you can see a list of all the hosts along with the value of their Last Heartbeat.

By default, every Agent must heartbeat successfully every 15 seconds. A recent value for the Last Heartbeat means that the Server and Agents are communicating successfully.

About this task

You can add LDAP or AD authentication configurations post-installation of Atlas.



Important: When you install Atlas using the Add Service method in the Cloudera Manager instance, you must make sure to “uncheck” Enable File Authentication option.

Procedure

1. In your Cloudera Manager instance > Select Clusters > Configuration tab > On the search bar, use the key: atlas.authentication.method.
The list of LDAP and AD configurations are displayed.
2. In the search, you are allowed to select the type of Atlas installation for LDAP Authentication type:
 - none
 - ldap
 - ad
3. Selecting “ad”, prompts you to use appropriate active directory values to complete the Atlas authentication type.

[Show All Descriptions](#)

| | |
|--|---|
| <p>AD Domain Name (Only for AD) atlas.authentication.method.ldap.ad.domain atlas_authentication_method_ldap_ad_domain</p> | <p>Atlas Server Default Group</p> <input type="text"/> |
| <p>AD URL atlas.authentication.method.ldap.ad.url atlas_authentication_method_ldap_ad_url</p> | <p>Atlas Server Default Group</p> <input type="text"/> |
| <p>AD Base DN atlas.authentication.method.ldap.ad.base.dn atlas_authentication_method_ldap_ad_base_dn</p> | <p>Atlas Server Default Group</p> <input type="text"/> |
| <p>AD Bind DN Username atlas.authentication.method.ldap.ad.bind.dn atlas_authentication_method_ldap_ad_bind_dn</p> | <p>Atlas Server Default Group</p> <input type="text"/> |
| <p>AD Bind DN Password atlas.authentication.method.ldap.ad.bind.password atlas_authentication_method_ldap_ad_bind_password</p> | <p>Atlas Server Default Group</p> <input type="text"/> |
| <p>AD Referral atlas.authentication.method.ldap.ad.referral atlas_authentication_method_ldap_ad_referral</p> | <p>Atlas Server Default Group</p> <p> <input type="radio"/> follow <input type="radio"/> throw <input checked="" type="radio"/> ignore </p> |
| <p>AD User Search Filter atlas.authentication.method.ldap.ad.user.searchfilter atlas_authentication_method_ldap_ad_user_searchfilter</p> | <p>Atlas Server Default Group</p> <input type="text" value="(sAMAccountName=(0))"/> |
| <p>AD User Default Role atlas.authentication.method.ldap.ad.default.role atlas_authentication_method_ldap_ad_default_role</p> | <p>Atlas Server Default Group</p> <input type="text" value="ROLE_USER"/> |


4. Selecting “ldap”, prompts you to use appropriate LDAP values to complete the Atlas authentication type.

The screenshot displays the Cloudera Manager configuration interface for Atlas LDAP authentication. The page is titled "Cluster 1" and "Atlas". The configuration is organized into several sections:

- Enable LDAP Authentication:** Includes a checkbox for "Atlas Server Default Group".
- LDAP Server URL:** A text input field.
- User DN Pattern:** A text input field with the value "uid=".
- LDAP Group-Search Base:** A text input field.
- LDAP Group-Search Filter:** A text input field.
- LDAP Group-Role Attribute:** A text input field with the value "cn".
- LDAP DN:** A text input field.
- LDAP Bind DN Username:** A text input field.
- LDAP Bind DN Password:** A text input field.
- LDAP Referral:** Radio buttons for "follow", "throw", and "ignore" (selected).
- LDAP User Search Filter:** A text input field.
- LDAP User Default Role:** A text input field with the value "ROLE_USER".
- LDAP UGI Groups:** A checkbox for "Atlas Server Default Group".
- AD Domain Name (Only for AD):** A text input field.
- AD URL:** A text input field.
- AD Base DN:** A text input field.
- AD Bind DN Username:** A text input field.
- AD Bind DN Password:** A text input field.
- AD Referral:** Radio buttons for "follow", "throw", and "ignore" (selected).
- AD User Search Filter:** A text input field with the value "(sAMAccountName=*)".
- AD User Default Role:** A text input field with the value "ROLE_USER".
- LDAP Authentication Type:** Radio buttons for "none" (selected), "ldap", and "ad".

At the bottom right of the configuration page, there is a pagination control showing "Rows per page 250" and "1 - 22 of 22".

5. You must restart the stale services.



Secure Your Cluster

After completing your Cloudera Enterprise installation and making sure that everything is working properly, secure your cluster by enabling authentication, authorization, auditing, and encryption.

For comprehensive instructions on securing your cluster, see the Security documentation.

Related Information

[Security Overview](#)

Installing the GPL Extras Parcel

GPL Extras contains functionality for compressing data using the LZO compression algorithm. To install the GPL Extras parcel:

Procedure

1. Add the appropriate repository to the Cloudera Manager list of parcel repositories. Specify the repository in Cloudera Manager as follows:

```
https://USERNAME:PASSWORD@archive.cloudera.com/p/gplextras7/7.1.9.0/parcels/
```

You can also download the parcel into a [local parcel repository](#).

2. Download, distribute, and activate the parcel.

- The LZO parcels require that the underlying operating system has the native LZO packages installed. If they are not installed on all cluster hosts, you can install them as follows:

RHEL compatible:

```
sudo yum install lzo
```

Debian or Ubuntu:

```
sudo apt-get install liblzo2-2
```

SLES:

```
sudo zypper install liblzo2-2
```

- To configure LZO compression, see [Configuring Services to Use LZO Compression](#).

Configuring HDFS properties to optimize log collection

CDP uses “out_webhdfs” Fluentd output plugin to write records into HDFS, in the form of log files, which are then used by different Data Services to generate diagnostic bundles. Over time, these log files can grow in size. To optimize the size of logs that are captured and stored on HDFS, you must update certain HDFS configurations in the `hdfs-site.xml` file using Cloudera Manager.

Procedure

- Log in to Cloudera Manager as an Administrator.
- Go to Clusters HDFS service Configuration .
- Select the Enable WebHDFS (`dfs_webhdfs_enabled`) option.
- Add the following lines in the HDFS Service Advanced Configuration Snippet (Safety Valve) for `hdfs-site.xml` field by clicking View as XML to enable append operations:

```
<property>
  <name>dfs.support.append</name>
  <value>true</value>
</property>

<property>
  <name>dfs.support.broken.append</name>
  <value>true</value>
</property>
```

- Click Save Changes.
- Restart the HDFS service.
- Restart your CDP cluster.

Related Information

[Fluentd documentation](#)

Migrating from H2 to PostgreSQL database in YARN Queue Manager

If you prefer to migrate from an H2 database to a PostgreSQL database in YARN Queue Manager post-installation or upgrade, all your existing data in the H2 database will be transferred to PostgreSQL. The YARN Queue Manager will then establish connections and operate using the PostgreSQL database.

About this task

This migration supports only one-way transfer from H2 to PostgreSQL. Reverting to H2 after migration is not supported, and data migration from PostgreSQL back to H2 is not possible.

To continue using the embedded database, upgrade to Cloudera Data Platform (CDP) 7.1.9 CHF 2 and disregard these instructions. However, if you prefer to use PostgreSQL as the external database, use CDP 7.1.9 and follow these post-installation steps to migrate your database. See [Known issues in 7.1.9 CHF 2](#) linked below for more information.

You must supply the details of a PostgreSQL database to migrate your old data to CDP 7.1.9 or CPD 7.1.9 CHF 1 as the only external database that Queue Manager supports in these versions is PostgreSQL. When updating to versions after 7.1.9 CHF 2, YARN Queue Manager will continue to use PostgreSQL if it was initially configured.



Important: To avoid any issues during the upgrade to version CDP 7.1.9 SP1, ensure that PostgreSQL connection details are removed from the YARN database configuration if you prefer to continue using the H2 database.



Important: For users who only use the Queue Manager API directly, you need to use the UI to setup the database migration as this migration is triggered through the UI. You need to use Cloudera Manager and Queue Manager's UIs to setup the database configuration, and to load the UI to allow the data migration to complete. You must also refrain from direct API calls during an upgrade to CDP 7.1.9 and refrain from direct API calls until the data migration is completed. Ensure that your data migration has succeeded before you make any API calls.

Before you begin

You must first create a database for Queue Manager and then configure the database to assign roles and permissions for the user (dbuser). This step is optional if you already have a database and are migrating from H2 to PostgreSQL.

The roles users need to assign are the following:

```
SUPERUSER CREATEDB CREATEROLE INHERIT LOGIN.
```

You can use the following sample query or similar query to assign roles. You must record these values for use in step 4.

```
CREATE ROLE qmadmin PASSWORD 'password' SUPERUSER CREATEDB CREATEROLE INHERIT LOGIN;
CREATE DATABASE "configstore";
ALTER DATABASE "configstore" OWNER TO qmadmin;
```

Procedure

1. In your Cloudera Manager instance, navigate to **Clusters Yarn Queue Manager**.
2. Go to the **Configuration** tab.
3. In the left navigation menu under **Category**, click **Database**.

4. Enter the following fields that are required for the PostgreSQL database.

- QueueManager Config Service Database Name
- QueueManager Config Service Database Host
- QueueManager Config Service Database Port
- QueueManager Config Service Database User
- QueueManager Config Service Database User Password

The screenshot shows the Cloudera Manager configuration interface for 'QUEUEMANAGER-1'. The 'Configuration' tab is active, and the 'Filters (1)' sidebar is open, showing a filter for 'Database'. The main configuration area displays the following settings:

- QueueManager Config Service Database Type:** QUEUEMANAGER-1 (Service-Wide) with a dropdown menu showing 'PostgreSQL' selected.
- QueueManager Config Service Database Name:** QUEUEMANAGER-1 (Service-Wide) with a text input field containing 'queuemanager1'.
- QueueManager Config Service Database Host:** QUEUEMANAGER-1 (Service-Wide) with a text input field containing 'qmmigdebug-1.qmmigdebug.root.hwx.site'.
- QueueManager Config Service Database Port:** QUEUEMANAGER-1 (Service-Wide) with a text input field containing '5432'.
- QueueManager Config Service Database User:** QUEUEMANAGER-1 (Service-Wide) with a text input field containing 'queuemanager1b'.
- QueueManager Config Service Database User Password:** QUEUEMANAGER-1 (Service-Wide) with a password input field containing '.....'.

At the bottom right of the configuration area, there is a 'Save Changes(CTRL+S)' button.

5. Click Save Changes.

6. In Queue Manager, navigate to Actions and click Restart

The data migration to the PostgreSQL database may take a few minutes after Queue Manager is restarted.

Related Information

[Known Issues in 7.1.9 CHF 2](#)

Troubleshooting Installation Problems

This topic describes common installation issues and suggested solutions.

TLS Protocol Error with OpenJDK

If you are using an older version of OpenJDK 1.8 and have enabled SSL/TLS for the Cloudera Manager Admin Console, you may encounter a TLS protocol error when connecting to the Admin Console, stating that there are no ciphers in common. This is because older versions of OpenJDK may not implement certain TLS ciphers, causing an inability to log into the Cloudera Manager Admin Console when TLS is enabled.

Workaround:

You can workaround this issue by doing one of the following:

- Upgrade OpenJDK to a supported version of OpenJDK that is higher than version 1.8.0_181.

- If it is not possible to upgrade OpenJDK, enable less secure TLS ciphers in Cloudera Manager. You can do this by opening the `/etc/default/cloudera-scm-server` in a text editor and adding the following line:

```
export CMF_OVERRIDE_TLS_CIPHERS=<CIPHER_LIST>
```

Where `<CIPHER_LIST>` is a list of TLS cipher suites separated by colons. For example:

```
export CMF_OVERRIDE_TLS_CIPHERS="TLS_ECDHE_ECDSA_WITH_AES_128_GCM_SHA256
:TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256:TLS_ECDHE_ECDSA_WITH_AES_256_GCM_
SHA384:TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384:TLS_DHE_RSA_WITH_AES_128_GC
M_SHA256:TLS_DHE_RSA_WITH_AES_256_GCM_SHA384:TLS_ECDHE_ECDSA_WITH_AES_12
8_CBC_SHA256:TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256:TLS_ECDHE_ECDSA_WITH_
AES_128_CBC_SHA:TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384:TLS_ECDHE_RSA_WITH_
_AES_128_CBC_SHA:TLS_ECDHE_ECDSA_WITH_AES_256_CBC_SHA384:TLS_ECDHE_ECDSA_
_WITH_AES_256_CBC_SHA:TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA:TLS_DHE_RSA_WIT
H_AES_128_CBC_SHA256:TLS_DHE_RSA_WITH_AES_128_CBC_SHA:TLS_DHE_RSA_WITH_A
ES_256_CBC_SHA256:TLS_DHE_RSA_WITH_AES_256_CBC_SHA:TLS_ECDHE_ECDSA_WITH_
3DES_EDE_CBC_SHA:TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA:TLS_EDH_RSA_WITH_3D
ES_EDE_CBC_SHA:TLS_RSA_WITH_AES_128_GCM_SHA256:TLS_RSA_WITH_AES_256_GCM_
SHA384:TLS_RSA_WITH_AES_128_CBC_SHA256:TLS_RSA_WITH_AES_256_CBC_SHA256:T
LS_RSA_WITH_AES_128_CBC_SHA:TLS_RSA_WITH_AES_256_CBC_SHA:TLS_RSA_WITH_3D
ES_EDE_CBC_SHA"
```

Cloudera Bug: OPSAPS-49578

Failed to start server reported by cloudera-manager-installer.bin

"Failed to start server" reported by `cloudera-manager-installer.bin`. `/var/log/cloudera-scm-server/cloudera-scm-server.log` contains a message beginning `Caused by: java.lang.ClassNotFoundException: com.mysql.jdbc.Driver...`

Possible reason:

You might have SELinux enabled.

Possible solution:

Disable SELinux by running `sudo setenforce 0` on the Cloudera Manager Server host. To disable it permanently, edit `/etc/selinux/config`.

Installation interrupted and installer does not restart

Possible reason:

You need to do some manual cleanup.

Possible solution:

See *Uninstalling Cloudera Manager and Managed Software*.

Cloudera Manager Server fails to start with MySQL

Cloudera Manager Server fails to start and the Server is configured to use a MySQL database to store information about service configuration.

Possible reason:

Tables might be configured with the ISAM engine. The Server does not start if its tables are configured with the MyISAM engine, and an error such as the following appears in the log file:

```
Tables ... have unsupported engine type ... . InnoDB is required.
```

Possible solution:

Make sure that the InnoDB engine is configured, not the MyISAM engine. To check what engine your tables are using, run the following command from the MySQL shell: `mysql> show table status;`

For more information, see [Install and Configure MySQL for Cloudera Software](#) on page 94.

Agents fail to connect to Server

Agents fail to connect to Server. You get an Error 113 ('No route to host') in `/var/log/cloudera-scm-agent/cloudera-scm-agent.log`.

Possible reason:

You might have SELinux or iptables enabled.

Possible solution:

Check `/var/log/cloudera-scm-server/cloudera-scm-server.log` on the Server host and `/var/log/cloudera-scm-agent/cloudera-scm-agent.log` on the Agent hosts. Disable SELinux and iptables.

Cluster hosts do not appear

Some cluster hosts do not appear when you click Find Hosts in install or update wizard.

Possible reason:

You might have network connectivity problems.

Possible solution:

- Make sure all cluster hosts have SSH port 22 open.
- Check other common causes of loss of connectivity such as firewalls and interference from SELinux.

"Access denied" in install or update wizard

"Access denied" in install or update wizard during database configuration for Reports Manager.

Possible reason:

Hostname mapping or permissions are not set up correctly.

Possible solution:

- For hostname configuration, see *Configure Network Names*.
- For permissions, make sure the values you enter into the wizard match those you used when you configured the databases. The value you enter into the wizard as the database hostname must match the value you entered for the hostname (if any) when you configured the database.

For example, if you had entered the following when you created the database

```
grant all on activity_monitor.* TO 'amon_user'@'myhost1.myco.com' IDENTIFIED BY 'amon_password';
```

the value you enter here for the database hostname must be `myhost1.myco.com`. If you did not specify a host, or used a wildcard to allow access from any host, you can enter either the fully qualified domain name (FQDN), or `localhost`. For example, if you entered

```
grant all on activity_monitor.* TO 'amon_user'@'%' IDENTIFIED BY 'amon_password';
```

the value you enter for the database hostname can be either the FQDN or `localhost`.

Databases fail to start.

Reports Manager or Service Monitor databases fail to start.

Possible reason:

MySQL binlog format problem.

Possible solution:

Set `binlog_format=mixed` in `/etc/my.cnf`. For more information, see [this MySQL bug report](#). See also [Install and Configure Databases](#) on page 85.

Cloudera services fail to start

Possible reason:

Java might not be installed or might be installed at a custom location.

Possible solution:

See *Configuring a Custom Java Home Location* for more information on resolving this issue.

Create Hive Metastore Database Tables command fails

The Create Hive Metastore Database Tables command fails due to a problem with an escape string.

Possible reason:

PostgreSQL versions 9 and higher require special configuration for Hive because of a backward-incompatible change in the default value of the `standard_conforming_strings` property. Versions up to PostgreSQL 9.0 defaulted to off, but starting with version 9.0 the default is on.

Possible solution:

As the administrator user, use the following command to turn `standard_conforming_strings` off:

```
ALTER DATABASE <hive_db_name> SET standard_conforming_strings = off;
```

Oracle invalid identifier

If you are using an Oracle database and the Cloudera Navigator Analytics `AuditActivity` tab displays "No data available" and there is an Oracle error about "invalid identifier" with the query containing the reference to `dbms_crypto` in the log.

Possible reason:

You have not granted execute permission to `sys.dbms_crypto`.

Possible solution:

Run `GRANT EXECUTE ON sys.dbms_crypto TO NAV;`, where `NAV` is the user of the Navigator Audit Server database.

Related Information

[CDP Private Cloud Base Installation Guide](#)

Uninstalling Cloudera Manager and Managed Software

Complete the following tasks to uninstall the Cloudera Manager Server, Agents, managed software, and databases.

Related Information

[CDP Private Cloud Base Installation Guide](#)

Record User Data Paths

Record the location of the user data paths by checking the configuration in each service.

The user data paths listed in the topic *Remove User Data*, `/var/lib/flume-ng` `/var/lib/hadoop*` `/var/lib/hue` `/var/lib/navigator` `/var/lib/oozie` `/var/lib/solr` `/var/lib/sqoop*` `/var/lib/zookeeper` `DATA_DRIVE_PATH/dfs` `DATA_DRIVE_PATH/mapred` `DATA_DRIVE_PATH/yarn`, are the default settings. However, at some point they might have been reconfigured in Cloudera Manager. If you want to remove all user data from the cluster and have changed the paths, either when you installed Runtime and managed services or at some later time, note the location of the paths by checking the configuration in each service.

Stop all Services

Stop all services for each cluster managed by Cloudera Manager.

Procedure

1. On the HomeStatus tab, click three dots to the right of the cluster name and select Stop.
2. Click Stop in the confirmation screen. The Command Details window shows the progress of stopping services. When All services successfully stopped appears, the task is complete and you can close the Command Details window.
3. On the HomeStatus tab, click the three dots to the right of the Cloudera Management Service entry and select Stop. The Command Details window shows the progress of stopping services.

Results

When All services successfully stopped appears, the task is complete and you can close the Command Details window.

Deactivate and Remove Parcels

If you installed using packages, skip this step and go to *Uninstall the Cloudera Manager Server*; you will remove packages in *Uninstall Cloudera Manager Agent and Managed Software*. If you installed using parcels remove them as follows:

Procedure

- 1.



Click the parcel indicator  in the left-hand navigation bar.

2. In the Location selector on the left, select All Clusters.
3. For each activated parcel, select ActionsDeactivate. When this action has completed, the parcel button changes to Activate.
4. For each activated parcel, select ActionsRemove from Hosts. When this action has completed, the parcel button changes to Distribute.
5. For each activated parcel, select ActionsDelete. This removes the parcel from the local parcel repository.

What to do next

There might be multiple parcels that have been downloaded and distributed, but that are not active. If this is the case, you should also remove those parcels from any hosts onto which they have been distributed, and delete the parcels from the local repository.

Delete the Cluster

On the Home page, Click the drop-down list next to the cluster you want to delete and select Delete.

Uninstall the Cloudera Manager Server

The commands for uninstalling the Cloudera Manager Server depend on the method you used to install it. Refer to steps below that correspond to the method you used to install the Cloudera Manager Server.

Procedure

1. If you used the `cloudera-manager-installer.bin` file (the trial installer): Run the following command on the Cloudera Manager Server host:

```
sudo /opt/cloudera/installer/uninstall-cloudera-manager.sh
```

2. If you did not use the `cloudera-manager-installer.bin` file: If you installed the Cloudera Manager Server using a different installation method such as Puppet, run the following commands on the Cloudera Manager Server host:
 - a) Stop the Cloudera Manager Server and its database:

```
sudo service cloudera-scm-server stop
sudo service cloudera-scm-server-db stop
```

- b) Uninstall the Cloudera Manager Server and its database. This process described also removes the embedded PostgreSQL database software, if you installed that option. If you did not use the embedded PostgreSQL database, omit the `cloudera-manager-server-db` steps.

RHEL

```
sudo yum remove cloudera-manager-server
sudo yum remove cloudera-manager-server-db-2
```

>SLES

```
sudo zypper -n rm --force-resolution cloudera-manager-server
sudo zypper -n rm --force-resolution cloudera-manager-server-db-2
```

Ubuntu

```
sudo apt-get remove cloudera-manager-server
sudo apt-get remove cloudera-manager-server-db-2
```

Uninstall Cloudera Manager Agent and Managed Software

To uninstall Cloudera Manager Agent and managed software, stop the Cloudera Manager Agent on all hosts, remove the parcel installation, and run the clean command.

About this task

Do the following on all Agent hosts:

Procedure

1. Stop the Cloudera Manager Agent.

```
sudo systemctl stop supervisord
```

2. To uninstall managed software, run the following commands:

RHEL: `$ sudo yum remove 'cloudera-manager-*`

RHEL

```
sudo yum remove 'cloudera-manager-*
```

SLES

```
sudo zypper remove 'cloudera-manager-*
```

Ubuntu

```
sudo apt-get purge 'cloudera-manager-*
```

3. Run the clean command:

RHEL

```
sudo yum clean all
```

SLES

```
sudo zypper clean
```

Ubuntu

```
sudo apt-get clean
```

Remove Cloudera Manager, User Data, and Databases

Permanently remove Cloudera Manager data, the Cloudera Manager lock file, and user data. Then stop and remove the databases.

Procedure

1. On all Agent hosts, stop any running Cloudera Manager and managed processes:

```
for u in cloudera-scm flume hadoop hdfs hbase hive httpfs hue impala llama  
mapred oozie solr spark sqoop sqoop2 yarn zookeeper; do sudo kill $(ps -u  
$u -o pid=); done
```



Note: This step should not be necessary if you stopped all the services and the Cloudera Manager Agent correctly.

2. If you are uninstalling on RHEL, run the following commands on all Agent hosts to permanently remove Cloudera Manager data. If you want to be able to access any of this data in the future, you must back it up before removing it. If you used an embedded PostgreSQL database, that data is stored in `/var/lib/cloudera-scm-server-db`.

```
sudo umount cm_processes  
sudo rm -Rf /usr/share/cmf /var/lib/cloudera* /var/cache/yum/cloudera* /  
var/log/cloudera* /var/run/cloudera*
```

3. On all Agent hosts, run this command to remove the Cloudera Manager lock file:

```
sudo rm /tmp/.scm_prepare_node.lock
```

4. This step permanently removes all user data. To preserve the data, copy it to another cluster using the `distcp` command before starting the uninstall process.
 - a) On all Agent hosts, run the following commands:

```
sudo rm -Rf /var/lib/flume-ng /var/lib/hadoop* /var/lib/hue /var/lib/navigator /var/lib/oozie /var/lib/solr /var/lib/sqoop* /var/lib/zookeeper
```

- b) Run the following command on each data drive on all Agent hosts (adjust the paths for the data drives on each host):

```
sudo rm -Rf DATA_DRIVE_PATH/dfs DATA_DRIVE_PATH/mapred DATA_DRIVE_PATH/yarn
```

5. Stop and remove the databases. If you chose to store Cloudera Manager or user data in an external database, see the database vendor documentation for details on how to remove the databases.

Uninstalling a Runtime Component From a Single Host

The following procedure removes Runtime software components from a single host that is managed by Cloudera Manager.

Procedure

1. In the Cloudera Manager Administration Console, select HostsAll Hosts.
A list of hosts in the cluster displays.
2. Select the host where you want to uninstall Runtime software.
3. Click the Actions for Selected button and select Remove From Cluster.
Cloudera Manager removes the roles and host from the cluster.
4. Optionally, manually delete the `krb5.conf` file used by Cloudera Manager.